


Manifest your outer home.

We reinvented the door, so you can reinvent your first impression.

Thanks to decades of material science expertise, Therma-Tru-doors are made from super-natural, better-than-nature materials proven to outlast and outperform wood and steel.

Therma-Tru doors seamlessly blend beauty and durability to add incredible value and stunning curb appeal. They're designed to enhance your home's aesthetic and character, and keep their allure season after season. Choosing a Therma-Tru door means designing an inspired entrance with the confidence that it will perform for years to come.










Table of Contents

2	N	ĺ.	Т	R	O	D	U	C.	Π	()	N	

- 28 PATIO, STORM & VENT
- 36 CLASSIC CRAFT.
- 100 FIBER-CLASSIC. & SMOOTH-STAR.
- 115 **ENLITEN™ FLUSH-GLAZED DESIGNS**
- 208 **STEEL**
- 232 FIRE DOORS
- 236 **PULSE**.
- 250 FINISH OPTIONS
- 257 **DOOR SYSTEM COMPONENTS**
- 272 SPECIAL QUOTE PROGRAM
- 273 **3'6" WIDTH OPTIONS CHART**
- 274 **7'0" & 6'6" HEIGHT OPTIONS CHARTS**
- 276 **PRODUCT DETAILS**
- 278 **INDEX**
- 291 TRADE RESOURCES

We've designed the only door you'll ever need.

Proven to perform, protect and preserve.

A Therma-Tru_{*} complete door system is the culmination of **more than 60 years of expertise in material science, engineering and manufacturing**. We design on-trend entryways and test them against extreme environmental conditions — far beyond industry standards — to ensure maximum durability and safety. And we back our systems with comprehensive, industry-leading warranties.



Since we manufacture or specify every part of our complete door system, we can test every part — ensuring that each component meets our highest standards, and yours. A Therma-Tru door system provides unmatched performance when it matters most — for exceptional protection against water infiltration, improved energy efficiency and unparalleled durability.

■ ENLITEN™ FLUSH-GLAZED GLASS

Intentional design for exceptional performance — sleek flush-glazed glass provides increased energy efficiency¹ and superior sound dampening.

2 BALL-BEARING HINGES

Our ball-bearing hinges have been slam-tested to sustain daily use by a family of four for more than 150 years.

WEATHERSTRIPPING

Provides two points of contact and a form-fitting barrier for extra protection against leaks.

4 PRESSURE-INJECTED FOAM CORE

Our fiberglass doors feature a pressure-injected foam core that offers 4X more insulation than a wood door.2

5 SILL, SWEEP & CORNER PADS


When the door is closed, an enhanced seal provides elevated protection against water infiltration.

6 SILL PAN

Catches and drains water away from the home while offering an added layer of defense for the home's subfloor.







Homeowners want to be confident that their home is safe and secure — offer a door system that delivers continuous protection against forced entry, **providing invaluable peace of mind.**

1 COMPOSITE DOOR FRAME

Our rot-free composite door frame is **50% stronger** at resisting forced entry than wood.¹

2 MULTI-POINT LOCKING SYSTEM

Engages the door frame at the top, middle and bottom, providing continuous protection along the door edge for enhanced security vs. a traditional deadbolt.

3 FIBERGLASS DOORS

Fiberglass entry doors are tough, providing 30% more protection against forced entry than steel.²







Learn more about a Therma-Tru complete door system.



A Therma-Tru_{*} entryway offers **exceptional beauty that withstands the test of time**. From our industry-first fiberglass — made from a proprietary blend of advanced materials — to our innovative PrismaGuard finish, our door systems are built to last.

• FLUSH-GLAZED GLASS

Choose beautiful glass built directly into the door, protected by a comprehensive warranty that covers accidental glass breakage during construction or installation.

2 PRE-FINISHED PRISMAGUARD, DOORS

Today's homeowners expect perfection — PrismaGuard offers an **impeccable, factory-applied finish** that meets the toughest expectations.

3 FIBERGLASS DOORS

A durable fiberglass skin resists dents and dings, providing unsurpassed beauty for a lifetime.



Tru-Defense: The Ultimate Protection

A Therma-Tru_® door system with Tru-Defense system components provides enhanced protection against water infiltration backed by a lifetime limited warranty and a comprehensive Tru-Defense Warranty Rider. With a Tru-Defense system, you are eligible for a reimbursement of up to \$2,500 should an issue arise.¹





DOUBLE YOUR PEACE OF MIND

When it comes to door systems, we believe that proper installation is just as important as having the best components. A Tru-Defense door system installed by a Therma-Tru Certified Door System Installer doubles your reimbursement eligibility.² Look for the () icon.

How to choose a Tru-Defense, system:

1 SELECT ANY THERMA-TRU FIBERGLASS DOOR SLAB











2 CHOOSE YOUR COMPONENTS

Door Frame
Composite

Adjustable Sill

Bottom Sweep (Inswing Only)

Hinges (Any)

Corner Seal Pads (Inswing Only)

Weatherstrip (Any)

Astragal (Double Doors)

Rain Guard (Outswing Only)

3 ADD ANY RECOMMENDED COMPONENTS FOR ENHANCED PROTECTION

Multi-Point Locking System (MPLS)

Sill Pan

Tru-Defense Warranty Rider

LEVELS OF REIMBURSEMENT					
System Includes	Reimbursement Eligibility	Reimbursement Eligibility with a Certified Installer			
Latch & Deadbolt (No Sill Pan) ³	\$250	\$500			
Latch & Deadbolt with Sill Pan ³	\$500	\$1,000			
MPLS (No Sill Pan)	\$1,000	\$2,000			
MPLS with Sill Pan	\$1,250	\$2,500			

¹If water infiltrates solely as a result of non-conformities in the Tru-Defense door system.

²The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, including Therma-Tru Certified Door System Installers, nor any damages caused by improper handling, assembly or installation.

³Latch and deadbolt must meet Therma-Tru specifications.

Note: See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

Fiberglass Door Systems Built for Safety & Security

Protect the home and everything in it, from family and pets to valuables and keepsakes. Therma-Tru products are designed for durability and enhanced security with pieces and parts engineered as a complete system.

DID YOU KNOW?



On average, a home is burglarized in the U.S. every 4 minutes.¹



More than half of home burglaries occur during the daytime.

THERMA-TRU. COMPOSITE DOOR FRAME

Our rot-free composite door frame is 50% stronger at resisting forced entry than wood.²

- Features full-length jambs with no finger joints for more reliable performance, and a continuous composite material that will not deteriorate over time, like wood.
- Entries with a wooden door frame are more susceptible to being kicked in as compared to a Therma-Tru composite door frame, giving burglars access to your home within seconds.
- Wood jambs typically have finger joints. These areas where two pieces of wood come together are structurally weaker when compared to a single continuous material that runs the entire length of the jamb.



Scan to see our products put to the test.




¹Source: FBI Crime Data Explorer.

²Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

³Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit thermatru.com for details.

Energy-Efficient Options for Every Home



Therma-Tru has options to meet ENERGY STAR, requirements in all 50 states.

ENERGY STAR provides simple, credible and unbiased information that homeowners rely on to make well-informed decisions.

Products that earn the ENERGY STAR label are independently certified to meet strict standards for energy efficiency set by the U.S. Environmental Protection Agency (EPA).



A Therma-Tru. door can help lower your interest rate.


Choosing an ENERGY STAR-certified door from Therma-Tru can help you qualify for an energy-efficient mortgage.¹

Year-round comfort, no matter the weather.


Factory-coated Low-E glass features a thin layer that reflects infrared and ultraviolet (UV) light, helping deliver exceptional energy efficiency.



Select flush-glazed full-lite configurations are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR, requirements indicated in gold starting on page 117.



In cold weather, Low-E glass reflects a home's heat back inside to help keep the home warm.



In warm weather, Low-E glass reflects the sun's rays off the glass and a home's air conditioning back inside to help keep the home cool.





Advanta_® Lite Frame

for Fiber-Classic_®, Smooth-Star_®, Profiles_™, Traditions & Pulse_®





Four-piece design includes two interchangeable frame covers and a two-piece base frame.



Advanta lite frame clear and privacy glass now include options that meet ENERGY STAR. requirements in all 50 states, featuring triple-pane construction with a Low-E coating.

A new frame of mind.

Achieve a seamless look with the Advanta lite frame, an innovative, patented solution from Therma-Tru. Avoid the unsightly look of missing screw plugs and enhance the beauty of your home's entryway.

Available in scrolled and flat frame options for Fiber-Classic and Smooth-Star, starting on page 130; Profiles and Traditions, starting on page 213; and Pulse, starting on page 240.



Fiberglass



AVAILABLE ENERGY STAR - CERTIFIED GLASS OPTIONS





As Awarded by The Chicago Athenaeum: Museum of Architecture and Design.

Recently Launched Products

Impact-Rated Full-Lite Flush-Glazed Glass Designs for Smooth-Star. Doors

Starting on page 117.



Flush-Glazed Half-Lite 1-Panel Shaker Doors & Sidelites for Smooth-Star. Doors

7'0" now available starting on page 125.



8'0" Smooth-Star. Doors & Sidelites with Elevated Bottom Rail

Starting on page 117.











Making life better at home.

Our complete door systems are built to help protect against energy loss and break-ins, helping people stay safe and comfortable at home.

Fiberglass doors have up to four times the insulating R-Value of wood¹. Ours feature a polyurethane foam core, an **energy-efficient insulating material.**

5+ years on the leading edge of the industry, **reducing harmful chemicals** from our PrismaGuard. paints and stains.

Our door systems are **tested for 300 lbs. of forced-entry resistance.** (AAMA 1304)





Helping take care of our planet.

Across all our facilities, we're finding innovative ways to reuse waste materials and expand our recycling efforts.

Therma-Tru is proud to be **recognized as the 2024 Brand Leader**² by *Green Builder* magazine for offering durable, well-insulated products.

Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of **Yellowstone National Park**.


Being a good neighbor.


For over 40 years, we've been proud to partner with 100+ local and national organizations to make a positive impact on the places we all call home.

Building homes for those in need with Habitat for Humanity.


Providing entryways for our nation's wounded vets with Jared Allen's Homes for Wounded Warriors.

Hosting blood and donation drives to support the American Red Cross.





Make a Smart Investment



Make a great first impression.

A front door is nearly impossible to ignore when walking into a home and, for potential homebuyers, first impressions are critical. How attractive a home is from the exterior tends to set expectations for the interior and beyond.

In fact, in a recent survey, **44% of homeowners said they were more likely to purchase a home with an enhanced entry**, and one in three homeowners said they were willing to pay a premium for one.¹



One in three homeowners said they were willing to pay a premium for an enhanced entry.

The Beauty of Choice

The architectural beauty of a Therma-Tru* door is easy to see. With the look of real wood, rich panel details and intricate, handcrafted decorative glass designs, there are thousands of possibilities to suit the style of a home and express a homeowner's personal style.



DOOR SELECTIONS

Find choices in design, texture and material with many configurations available to find the ideal door system. More on pages 20–21.



DECORATIVE & SPECIALTY GLASS

Complement any Therma-Tru door with a variety of glass shapes and designs. More on pages 22–25.



FINISH OPTIONS

Complete the desired look with stain or paint. Explore a variety of colors from PrismaGuard₀ premium finish and Same-Day₀ Stain on pages 250–256.



DOOR SYSTEM COMPONENTS

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications. More on pages 4–7.

Designed for peace of mind.

LIFETIME LIMITED WARRANTIES

We stand behind more parts and for longer than most other door companies because we make or specify everything that goes into our door system. A Therma-Tru fiberglass door system is backed by our comprehensive lifetime limited warranties.





Classic Craft Transferable Fiber-Classic, Smooth-Star, Pulse Fiberglass

QUALITY TESTING

Our doors, glass and components undergo thorough testing to help ensure they will live up to a homeowner's toughest quality and performance expectations.

We even have our own engineering lab — approved to perform specific test methods with a third-party witness — as part of our ongoing commitment to ensuring that our products live up to our high standards for durability and reliability.



Door Selections


Choose from our many door selections to complement the architectural style of the home from the front entry to the back patio. The possibilities are endless from fiberglass and steel materials to wood-grained and smooth textures to stainable and paintable finishes.

The Classic Craft_® Series Pages 36–95

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand-selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain_® technology.











Fiber-Classic. & Smooth-Star. Collections Pages 100-201

The industry's first fiberglass door delivers the look and feel of real wood grains — or a smooth, paintable surface — with excellent performance and value.









Mahogany Collection™

Oak Collection™

Smooth-Star.

Steel

Pages 208-231

Bring style and affordability together to create very attractive results with our steel doors.



Profiles_™





Pulse_®

Pages 236-249

A contemporary series of door styles and glass designs that can be combined to make a bold statement.





Fiberglass

Ari

Steel















Línea **Echo**

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

Glass Options

DECORATIVE & SPECIALTY GLASS

A Therma-Tru* door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- Our wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Our decorative glass is handcrafted and built with all-glass bevels for premium quality.
- Numerous glass colors, textures, shapes and caming options are available to complement any door.
- All Low-E and clear glass panels are tempered or laminated to provide added safety.

Note: See your Therma-Tru seller or visit thermatru.com for details on ENERGY STAR qualified products.





TRIPLE-PANE CONSTRUCTION

All triple-pane decorative, as well as privacy and textured, glass panels are enclosed between tempered glass, offering superior quality and thermal performance.

INTERNAL BLINDS

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Available options include Low-E glass for energy efficiency, EnLiten™ flush-glazed designs and Impact-rated options.

Available in Fiber-Classic, Smooth-Star, Profiles, and Traditions doors and sidelites.

Right Page: Smooth-Star, Clear Glass with SDLs, Door - S6042, Finish - Alpine

PRIVACY & TEXTURED GLASS

Therma-Tru doors and sidelites can be fitted with our beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless flush-glazed options, in select doors.

Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse, doors and sidelites.


Glass Privacy Rating Scale

Glass privacy ratings are measured on a scale of 1 to 10, with 1 being clear and 10 being the most opaque, private option.

1 2 3 4 5 6 7 8 9 10

Clear

Opaque





LOW-E GLASS

Factory-coated Low-E glass features a thin layer that reflects infrared and ultraviolet (UV) light, helping deliver exceptional energy efficiency.

Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse. Look for the (**) icon.

DIVIDED LITES

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile, width and color choices.

- Coordinate with the home's window patterns and architectural details for a cohesive look and increased curb appeal.
- Available divided lite options include simulated divided lites (SDLs), grilles between glass (GBGs) and fixed grilles.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear glass.

Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, and Traditions.



DURABLE BY DESIGN

Intentional design for exceptional performance — sleek flush-glazed glass provides increased energy efficiency¹ and superior sound dampening.



Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



11% More Energy Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.¹




Withstands Winds Up to 167 mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).² (ASTM-E330)

EnLiten Flush-Glazed Warranty Riders


for Construction & Installation, and Homeowners. See page 115 for details.

Tough when you need it. Beautiful always.



2 Use the icons to find available Therma-Tru, product options in this catalog.





3 Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.


Make sure the product is installed in compliance with the product approval to meet building codes.

The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.



IMPACT OPTIONS

Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.¹



Doors

Feature a built-in 24-gauge steel plate.



Lip-Lite Frame

Features durable, paintable aluminum construction. An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.



NEW Flush-Glazed Glass

Offers clean style and an increased daylight opening.



Glass

Features special laminated glass construction.



Internal Blinds

Features laminated glass construction and a durable, paintable aluminum lite frame with a flat profile.

OTHER CONSIDERATIONS






Hinged Patio Door Systems


Simply beautiful, any way you see it.

Extend the beauty and quality of a Therma-Tru_{*} entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with options to control the level of privacy and light, complement window patterns, and let fresh air into the home.



Retractable Screen Doors

Welcome fresh air and natural light into the home while keeping debris and insects out. Therma-Tru retractable screen doors feature a discreet, hidden design that helps provide a seamless transition from indoors to out. Plus, they have been quality tested for compatibility with Therma-Tru₀ entry door systems.



¹Adjusts quickly for 32"–36" doors. If less than 32", a hacksaw is required for one cut to each track.

²Based on average DIY skills and standard door application, widths 32"–36".

³Retractable screen frame colors are complementary to PrismaGuard, but not an exact match.

Note: Recommended for inswing applications only. Therma-Tru retractable screens are designed to support natural ventilation and protection against airborne insects and other pests. Windy conditions may affect the performance of the screen. Retract the screen in windy circumstances, during inclement weather and when not needed to support immediate ventilation or prolonged periods of time when not used. Not intended to keep pets inside. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

Impressions™ Integrated Storm & Entry Door System


The first of its kind, the Impressions storm and entry door system¹ integrates the storm door flush into the brickmould portion of the door frame, creating a cohesive unit that provides a seamless look. With an integrated system engineered to work together, this system takes the guesswork out of ordering the right size storm door for your project and simplifies storm door installation.



1 Choose a **Therma-Tru** entry door to create an entry that complements your home's architectural style.



2 The Impressions system comes standard with **composite brickmould** and an aluminum storm door panel. For added protection from rotting and to match the brickmould, choose a **composite frame featuring**Tru-Guard... composite technology.



3 The storm door features a modern profile with mitered corners for a sleek, on-trend look that emphasizes the beauty of the entry door. The storm door panel fits into Therma-Tru's flat-profile composite brickmould.

¹Patent pending.

²The Impressions system can be paired with a single sidelite on either side of the door or with two sidelites. Direct set sidelite options are also available.

³Not suitable for use with Therma-Tru grip-style handlesets.

Note: See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

Veris COLLECTION

Open to possibilities.

The Veris Collection embodies a reconnection between home and outdoors. Sleek, minimalist designs perfectly frame the view. Expansive glass welcomes an abundance of natural light.

THE VERIS™ COLLECTION



Pivot Doors



Hinged Doors



Folding Doors



Sliding Doors





NEW SATIN GLASS

Subtle privacy glass with a smooth, seamless finish, delivering understated elegance.

Veris privacy glass provides optimal performance and privacy while allowing natural light to brighten the interior.

Double-pane construction allows for an easy-to-clean surface.



Experience the Veris Collection.



Scan the QR code to view the complete Veris Collection catalog.

Explore options and see it in your home with our visualizer at **veriscollection.com**.

Classic Craft

An unrivaled entry experience.

Transform the entry into a one-of-a-kind experience. One that blends artistry, craftsmanship and modern engineering. Captivate the senses with remarkably authentic wood grains, exquisite handcrafted glass and sumptuous design details found only in Classic Craft. Because homes with uncompromising style demand uncompromising entryways.

Bottom: Classic Craft Mahogany Grain, Borrassa Glass, Door - CCM81519 Right Page: Classic Craft Mahogany Grain, Clear Glass with SDLs, Doors - CCM8306CAL, CCM8306CAR









Curated collections inspired by style.

Classic Craft celebrates the best of design for homes with uncompromising style. Three expertly curated collections draw inspiration from the latest trends and bring your home design vision to life with unrivaled beauty, luxe craftsmanship and an attention to detail you won't find anywhere else.

Artíssa Collection

CASUAL | RELAXED | SIMPLE





Founders Collection

TRADITIONAL | TIME-HONORED | DECORATIVE





Visionary Collection

MODERN | CONFIDENT | MINIMAL





Comprehensive warranties for peace of mind.



Uniquely designed by Therma-Tru, Classic Craft, complete entryway systems are backed by an industry-leading lifetime limited warranty that can be transferred one time to a new owner, should you ever sell your home.



Transferable


In addition, Classic Craft entryways with our handcrafted and professionally applied PrismaGuard® premium stain or paint are backed by a transferable 10-year limited finish warranty — Therma-Tru's best. The balance of this finish warranty can transfer to a second owner.

Learn about our warranties at thermatru.com/warranty.



Next-level engineering.

Classic Craft complete entryway systems are designed with a full suite of premium-grade components, including ball-bearing hinges, medium-reach weatherstrip, 7-shape corner seal pads and more. Each piece is engineered with craftsman precision to create an unrivaled entry experience built to perform for a lifetime.



Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft, premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can depend on for years to come.



ENGINEERED FOR MOISTURE PROTECTION

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.



DESIGNED WITH AUTHENTICITY

Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider¹ to welcome more natural light into the home.



TESTED TO WITHSTAND MOTHER NATURE

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.



THERMA-TRU. DOOR FRAME

Created specifically for Therma-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.



¹Comparison of Classic Craft to other standard fiberglass doors with similar styles. Visit thermatru.com for details. ²Comparison of R-Values of fiberglass to wood doors (both without glass).



DESIGNED FOR LONG-TERM PERFORMANCE

Features fiberglass skins that are 46% thicker¹ for added durability and better long-term performance.



TRIPLE-PANE CONSTRUCTION

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



CRAFTED FOR A TRUE-TO-WOOD APPEARANCE

Revolutionary AccuGrainatechnology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.



BUILT FOR STRENGTH AND SECURITY

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.¹



CONSTRUCTED FOR ENERGY EFFICIENCY

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.²







True-to-Wood Origins

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand-selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain, technology.





FIR GRAIN

Designed to echo the grain of the largest species of American Hemlocks — the Western Hemlock tree — found in lush coastal rainforests of the Pacific Northwest.




WALNUT GRAIN

Crafted to reflect the prized hardwood of the mighty Black Walnut trees, these doors feature a horizontal grain with natural movement accented by delicate arches and cathedrals.



MAHOGANY GRAIN

Derived from the finest African and Honduran Mahogany, blending rustic influences with exotic roots to build upon the rich history of one of the most renowned woods in the world.



CANVAS

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.





Decorative & Specialty Glass Designs

Homeward_™


The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive 1 clear bevels, 2 seeded glass and 3 gray artique glass. An ideal complement for a Transitional home design.

GLASS SHAPES



GLASS PRIVACY RATING





Black Nickel



Brushed Nickel

Arborwatch.

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines

narrow reeded glass,
 M seedy glass,
 waterglass and caming in a symmetrical

arrangement accented by 4 pale amber glass, 5 amber artique glass and

6 clear bevels.


GLASS SHAPES



GLASS PRIVACY RATING



Note: The use of pale amber and amber artique glass varies based on glass size. Refer to the image on page 52 to see an example on a home.



Black Nickel



Brushed Nickel

Augustine

Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and 1 granite glass for the ultimate in privacy, Augustine pays homage to classic English styling.

GLASS SHAPES




Corresponding sidelites feature Granite glass without wrought iron.

GLASS PRIVACY RATING



Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 69 to see an example on a home.



Wrought Iron

Borrassa_®

A statement of strength and beauty,
Borrassa combines linear and curved
wrought iron with 1 hammered glass
for the ultimate in privacy. Wrought iron
decorative accents add an authentic Old
World feel to this stately design.

GLASS SHAPES



Corresponding sidelites feature Hammered glass without wrought iron.

GLASS PRIVACY RATING



Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 36 to see an example on a home.



Wrought Iron

Decorative & Specialty Glass Designs continued

Provincial_™

A unique diamond-based motif features


1 double waterglass, 2 clear bevels and caming surrounded by a 3 gray baroque glass border. Provincial captivates with stunning clarity.

GLASS SHAPES



GLASS PRIVACY RATING





Black Nickel



Brushed Nickel

Longford™

The traditional design of Longford integrates a hint of a Celtic knot with


- 1 seeded glass, 2 clear bevels,
- 3 granite glass and caming. A timeless design ideal for entries where modest privacy is desired.

GLASS SHAPES



GLASS PRIVACY RATING





Black Nickel



Brushed Nickel

Lucerna


Named for the beauty of light it reflects,
Lucerna glass presents an elegant,
updated fleur-de-lis pattern in a spectrum
of 1 curved, 2 diamond and
3 rectangular bevels surrounded by
smooth, swirling 4 barn wood and
heavily textured 5 diamond border glass.

GLASS SHAPES



GLASS PRIVACY RATING







Brushed Nickel

Zaha

Structured right angles are offset by dynamic curves in this high-energy design. Zaha features 1 oceana and 2 seedy glass, 3 clear and 4 multifaceted bevels, and caming to create a refreshing and unexpected elegance that appeals to Contemporary home styles.

GLASS SHAPES



GLASS PRIVACY RATING









Brushed Nickel

Privacy & Textured Glass



Reeded (XK)

A vertical, linear textured glass that provides modest privacy and an on-trend aesthetic.



GLASS PRIVACY RATING





Chord (XC)

A vertical flowing pattern reminiscent of waves on the water.



GLASS PRIVACY RATING





Satin Etch (XE)

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.



GLASS PRIVACY RATING





Chinchilla (XJ)

A free-flowing configuration, presenting quiet lines and curves.



GLASS PRIVACY RATING



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.



Rainglass (XR)

An elegantly fashioned glass, featuring ripples of cascading water.



GLASS PRIVACY RATING





Granite (XN)

A coarse-grained arrangement with surface detail over the entirety of the glass.



GLASS PRIVACY RATING



Also Available:

Low-E Glass



In cold weather, Low-E glass reflects a home's heat back inside to help keep the home warm.



In warm weather, Low-E glass reflects the sun's rays off the glass and a home's air conditioning back inside to help keep the home cool.






Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the (\geq) icon.



Flush-Glazed Sticking Profiles

EnLiten₁ flush-glazed designs feature a seamless look with simple profile around the glass. Look for the (🍐) and (🌢) icons.




Detailed StickingLook for the (♠) icon.



Square Sticking (Fir Grain)
Look for the (♠) icon.



Square Sticking (Mahogany Grain)
Look for the () icon.





Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



Classic Craft. Fir Grain 4-Block Dentil Shelf



Classic Craft. Fir Grain 4-Block Dentil Shelf1



Classic Craft. Fir Grain 16-Block Dentil Shelf



Classic Craft. Canvas 4-Block Dentil Shelf



4-Block Dentil Shelf Shown on 3'6" x 8'0" door.



4-Block Dentil Shelf Shown on 3'0" x 8'0" door.



Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.



Full Lites



Key

- **Brushed Nickel Caming (1C)**
- X Wrought Iron (1W)

HOMEWARD™ ◆ **:**



CCR9925

3'0" x 6'8"



Mahogany CCR9925SL

12" x 6'8" 14" x 6'8"



CCV9925 3'0" x 6'8"



CCV911SL 12" x 6'8" 14" x 6'8"

Canvas

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)

ARBORWATCH. •



Mahogany CCR1423

3'0" x 6'8"



Mahogany CCR1423SL

12" x 6'8" 14" x 6'8"



CCV1423 3'0" x 6'8"



Canvas

CCV1423SL

12" x 6'8" 14" x 6'8"

AUGUSTINE. X



CCR30027 3'0" x 6'8"



CCR3400XNSL 12" x 6'8" 14" x 6'8"



CCV10027 3'0" x 6'8"



CCV100XNSL

12" x 6'8" 14" x 6'8"

BORRASSA. X



CCR1528 3'0" x 6'8"



Mahogany

CCR3400XHSL

12" x 6'8"
14" x 6'8"



CCV1528 3'0" x 6'8"



CCV100XHSL 12" x 6'8" 14" x 6'8"



PROVINCIAL™ ◆ #

CCR30028 3'0" x 6'8"



CCR3408SL

12" x 6'8"
14" x 6'8"

Canvas CCV10028 3'0" x 6'8"



CCV108SL 12" x 6'8" 14" x 6'8"

LONGFORD™ ◆ **!**



Mahogany CCR30023

3'0" x 6'8"



CCR3407SL 12" x 6'8" 14" x 6'8"



CCV10023 3'0" x 6'8"



CCV103SL 12" x 6'8" 14" x 6'8"

LUCERNA. • ::



CCR10022 3'0" x 6'8"





CCV10022 3'0" x 6'8"



CCV3412SL 12" x 6'8" 14" x 6'8"

Full Lites

Continued



Mahogany Grain

Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- **■** Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

 $\begin{array}{ll} XK = Reeded & XJ = Chinchilla \\ XE = Satin \ Etch & XR = Rainglass \\ XC = Chord & XN = Granite \\ \end{array}$

ZAHA. • ::



CCR1851 3'0" x 6'8"



CCR1851SL 12" x 6'8" 14" x 6'8"



CCV1851 3'0" x 6'8"



Canvas
CCV1851SL

12" x 6'8"
14" x 6'8"

PRIVACY & TEXTURED







CCA2320__ \$\bigset{3}\infty\bigset{3}\infty\bigset



CCA2330_ ▲ ◯ CCA82330_ ▲ ◯ E 3'0" x 6'8" 3'0" x 8'0"









Full Lites

Continued



Key


- Flush-Glazed Glass with Square Sticking (FG)
- * Low-E Glass (LE)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- E Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options


Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48–49.


XK = Reeded XJ = Chinchilla XE = Satin Etch XR = Rainglass XC = Chord XN = Granite

PRIVACY & TEXTURED



LOW-E







CCA82360 ♦ *** 5 E** 3'0" x 8'0"

CCA2370 ** 4 3'0" x 6'8"


CCA82370 ♦ ***** □ **E** 3'0" x 8'0"

CCA2360 ** 5 3'0" x 6'8"





CCA4900 ** 3 3'0" x 6'8"



Full Lites

Continued



Mahogany Grain


Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- 6 Simulated Divided Lites (SDLF6)
- E Elevated 10" Bottom Rail Options

LOW-E







♦ * 5 3'0" x 6'8"

♦ * ⑤ E 3'0" x 8'0"











CCA2300SL 12" x 6'8" 14" x 6'8"





CCA82310SL * 4 12" x 8'0" 14" x 8'0" 12" x 6'8" 14" x 6'8"



CCA2320SL CCA82320SL **♦ * ③** 12" x 6'8" 12" x 8'0" 14" x 8'0" 14" x 6'8"

CCA2330SL CCA82330SL 12" x 8'0" 14" x 8'0"



CCA2340SL * 3 12" x 6'8" 14" x 6'8"

CCA82340SL

** 83

12" x 8'0"

14" x 8'0"



CCA2400SL

♦ * 12" x 6'8" 14" x 6'8"

CCA82400SL ** 12" x 8'0" 14" x 8'0"



Mahogany

CCR30020

3'0" x 6'8"



Mahogany



Mahogany

CCR3400SL

♦ * 12" x 6'8" 14" x 6'8"



Canvas

CCV10020

3'0" x 6'8"



Canvas

CCV950SL

12" x 6'8" 14" x 6'8"



Canvas

CCV100SL

♦ * 12" x 6'8" 14" x 6'8"





3/4 Lites



- **Brushed Nickel Caming (1C)**
- X Wrought Iron (1W)

HOMEWARD™ ◆



CCM2801 CCM82801 **♦** 3'0" x 6'8" | **♦** 3'0" x 8'0"



CCM9923 3'0"x 6'8"



CCR9925SL 12" x 6'8"

14" x 6'8"

Mahogany

CCR89925SL 12" x 8'0" 14" x 8'0"



CCV9922 3'0" x 6'8" CCV89922 3'0" x 8'0"

Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)

ARBORWATCH. ◆ ::



CCM81418 3'0" x 8'0"



CCM1419 3'0"x 6'8"



CCR1423SL CCR81423SL 12" x 6'8" 14" x 6'8" 12" x 8'0" 14" x 8'0"

Canvas CCV911SL 12" x 6'8" 14" x 6'8"

CCV8111SL 12" x 8'0" 14" x 8'0"

AUGUSTINE. X



CCM805027 3'0" x 8'0"



CCM1485 3'0"x 6'8"

Canvas

CCV1418 CCV81418 3'0" x 6'8" 3'0" x 8'0"



Canvas CCV1423SL CCV81423SL 12" x 8'0" 12" x 6'8" 14" x 6'8" 14" x 8'0"



CCM1495 3'0" x 6'8"



Mahogany CCR3400XNSL CCR8000XNSL 12" x 6'8" 14" x 6'8" 12" x 8'0" 14" x 8'0"



CCV05027 3'0" x 6'8" CCV805027 3'0" x 8'0"



CCV100XNSL CCV8100XNSL 12" x 6'8" 14" x 6'8" 12" x 8'0" 14" x 8'0"

BORRASSA. X



CCM81519 3'0" x 8'0"



CCM1475 3'0"x 6'8"



CCM1465 3'0" x 6'8"



CCR3400XHSL | CCR8000XHSL 12" x 6'8" 12" x 8'0" 14" x 8'0"

14" x 6'8"



CCV1519 CCV81519 3'0" x 6'8" 3'0" x 8'0"

LONGFORD™ ♦ ::



Canvas CCV100XHSL | CCV8100XHSL 12" x 6'8" 14" x 6'8" 12" x 8'0" 14" x 8'0"



Mahogany CCM892 3'0" x 8'0"



Mahogany CCM203 3'0"x 6'8"



Mahogany CCM303 3'0" x 6'8"

3/4 Lites

Continued



Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

XK = Reeded XJ = Chinchilla XE = Satin Etch XR = Rainglass XC = ChordXN = Granite

LONGFORD™ ◆



CCM3303SL 12"x 6'8" 14"x 6'8"

Mahogany CCR3407SL CCR8007SL

12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"



CCV05023 3'0" x 6'8" CCV805023 3'0" x 8'0"



CCV103SL CCV8103SL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"

LUCERNA. • ::



Mahogany CCM2802 CCM82802 3'0" x 6'8" | 3'0" x 8'0"



CCR3412SL CCR8102SL 12" x 8'0" 12" x 6'8" 14" x 6'8" 14" x 8'0"



CCM204 3'0"x 6'8"



CCM302 3'0"x 6'8"



Mahogany CCM3302SL 12"x 6'8" 14"x 6'8"



CCV05022 CCV805022 3'0" x 6'8" 3'0" x 8'0"



Canvas CCV3412SL CCV8102SL 12" x 8'0" 14" x 8'0" 12" x 6'8" 14" x 6'8"

*Not available with Chinchilla (XJ) glass.

Note: See page 277 for important product details that may help with your purchase decision.

PROVINCIAL™ ◆ ::





CCV05028 3'0" x 6'8" | CCV805028 3'0" x 8'0"





ZAHA. • ::






CCM1844 3'0"x 6'8"



CCM1842 3'0"x 6'8"



CCM1843SL 12"x 6'8" 14"x 6'8"



CCV1843 3'0" x 6'8" | CCV81843 3'0" x 8'0"



CCV1851SL | CCV81851SL | 12" x 6'8" | 12" x 8'0" | 14" x 8'0"

PRIVACY & TEXTURED



CCM2804_*
3'0" x 6'8"

CCM82804_*
3'0" x 8'0"





CCM2812_*

CCM82815_*

CCM82815_*

CCM82815_*

CCM82815_*



3/4 Lites

Continued



Canvas

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF6)

Privacy & Textured

door and glass combination.

XE = Satin Etch

XC = Chord

XN = Granite

XJ = Chinchilla

PRIVACY & TEXTURED



Mahogany

CCM200XC CCM200XN 3'0"x 6'8"



Mahogany

CCM300XC CCM300XN 3'0" x 6'8"



Mahogany

CCR2025__SL 12" x 6'8" 14" x 6'8"

CCR82035__SL 12" x 8'0" 14" x 8'0"



Mahogany

CCR3400__SL **12"** x 6'8" 14" x 6'8"

CCR8000__SL 12" x 8'0" 14" x 8'0"

Key

- Flush-Glazed Glass with Detailed Sticking (FG)

Glass Options

Add the code to the blank in the style number for the desired For details on glass options, see pages 48-49.

XR = Rainglass



CCV05020XC CCV05020XN 3'0"x 6'8"



CCV950_SL **▲ №** 12" x 6'8" 14" x 6'8"





CCV100__SL 12" x 6'8" 14" x 6'8"

CCV8100__SL* 12" x 8'0" 14" x 8'0"

LOW-E



CCM2804

CCM82804 **♦ * 6 3**'0" x 6'8" **3**'0" x 8'0"



CCM2806

CCM82806 ***** * 6 3'0" x 6'8" 3'0" x 8'0"



CCM2812 ***** # 6

CCM82815 **♦ * 6** 3'0" x 8'0" 3'0" x 6'8"

*Not available with Satin Etch (XE) glass. Note: See page 277 for important product details that may help with your purchase decision. Right Page: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Door - CCM2806, Finish - Acorn



Mahogany

CCM2800

CCM82800 **♦ * 3**'0" x 6'8" **3**'0" x 8'0"



Mahogany





Mahogany

CCR3400SL | CCR8000SL **♦ *** 12" x 6'8" 14" x 6'8" **▲ *** 12" x 8'0" 14" x 8'0"



Mahogany

CCM200

3'0"x 6'8"



Mahogany

CCM300 3'0" x 6'8"



Mahogany

CCM3300SL **♦ *** 12"x 6'8" 14"x 6'8"



CCV05020

3'0" x 6'8"

CCV805020 3'0" x 8'0"



CCV950SL ♦ ₩ № 12" x 6'8" 14" x 6'8"







Canvas

CCV100SL **♦ *** 12" x 6'8" 14" x 6'8"

CCV8100SL **♦ *** 12" x 8'0" 14" x 8'0"



2/3 Lites



Canvas

Key

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

X Wrought Iron (1W)

Optional Accessories



Strap Hinge

HOMEWARD™ ◆



Mahogany

CCR9921 3'0" x 6'8"

CCR89921 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR9919

CCR89919 3'0" x 6'8" 3'0" x 8'0" 3'6" x 8'0"



CCR9918 3'0" x 6'8"

CCR89918 3'0" x 8'0"



Mahogany

CCR822218 3'0" x 8'0" 3'6" x 8'0"



CCV9919 CCV89919 3'0" x 6'8" 3'0" x 8'0"



Canvas

CCV9918 3'0" x 6'8" CCV89918 3'0" x 8'0"

ARBORWATCH. • ::



CCR1417 3'0" x 6'8"

CCR81417 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR1415 CCR81415 3'0" x 8'0" 3'6" x 8'0" 3'0" x 6'8"



CCR1414 3'0" x 6'8"

CCR81414 3'0" x 8'0"



Mahogany

CCR822214 3'0" x 8'0" 3'6" x 8'0"



Canvas

CCV81415

3'0" x 8'0"

CCV1415 3'0" x 6'8"



Canvas

CCV1414 3'0" x 6'8" | CCV81414 3'0" x 8'0"

AUGUSTINE. X



Mahogany

CCR04027 3'0" x 6'8" CCR804027 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR20527 3'0" x 6'8" 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR20027 3'0" x 6'8" CCR820027 3'0" x 8'0"



Mahogany


CCR822227 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR04037 3'0" x 6'8" CCR804037 3'0" x 8'0" 3'6" x 8'0"

AUGUSTINE Continues on next page.



2/3 Lites

Continued



Canvas

Key

- Black Nickel Caming (1D)

Strap Hinge



AUGUSTINE. X



CCR20537 3'0" x 6'8"

CCR820537 3'0" x 8'0" 3'6" x 8'0"



CCR20037 3'0" x 6'8" CCR820037 3'0" x 8'0"



CCR20537A 3'0" x 6'8"

CCR820537A 3'0" x 8'0" 3'6" x 8'0"

- **Brushed Nickel Caming (1C)**
- X Wrought Iron (W)

Optional Accessories





CCR20037A 3'0" x 6'8" | CCR820037A 3'0" x 8'0"



CCV20527 3'0" x 6'8"

CCV820527 3'0" x 8'0"



CCV22027

CCV822027 3'0" x 6'8" 3'0" x 8'0"

BORRASSA. X



CCV20537 3'0" x 6'8"

CCV820537 3'0" x 8'0"



CCR1518 3'0" x 6'8"

CCR81518 3'0" x 8'0" 3'6" x 8'0"



CCR1516 3'0" x 6'8"

CCR81516 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR1515 3'0" x 6'8"

CCR81515 3'0" x 8'0"



Mahogany

CCR822215 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR1514 3'0" x 6'8" CCR81514 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR1512 3'0" x 6'8"

CCR81512 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR1511 3'0" x 6'8" CCR81511 3'0" x 8'0"



Mahogany

CCR1512A 3'0" x 6'8" CCR81512A 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR1511A 3'0" x 6'8" CCR81511A 3'0" x 8'0"



CCV81516 CCV1516 3'0" x 8'0" 3'0" x 6'8"



CCV1515 3'0" x 6'8" CCV81515 3'0" x 8'0"



CCV1512 | CCV81512 3'0" x 6'8" | 3'0" x 8'0"

PROVINCIAL™ ◆



Mahogany

CCR804028 3'0" x 8'0"



Mahogany

CCR820528 3'0" x 8'0"

2/3 Lites

Continued



Canvas

Key

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Optional Accessories





Strap Hinge

PROVINCIAL™ ◆ **#**



CCR820028 3'0" x 8'0"



CCR822228 3'0" x 8'0"



CCV820528 3'0" x 8'0"



CCV822028 3'0" x 8'0"

LONGFORD™ ◆ ::



CCR804023

3'0" x 8'0"

CCR04023 3'0" x 6'8"



CCR820523 CCR20523 3'0" x 6'8" 3'0" x 8'0"



CCR820023 CCR20023 3'0" x 6'8" 3'0" x 8'0"



CCR822223 3'0" x 8'0"



CCV20523 CCV820523 3'0" x 6'8" 3'0" x 8'0"

Note: See page 277 for important product details that may help with your purchase decision.



CCV22023 3'0" x 6'8"

CCV822023 3'0" x 8'0"

LUCERNA. • ::



CCR04022 3'0" x 6'8"

CCR804022 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR20522 3'0" x 6'8" CCR820522 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR20022 3'0" x 6'8"

CCR820022 3'0" x 8'0"



Mahogany

CCR822222 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR804032 3'0" x 8'0"



Mahogany CCR820532

3'0" x 8'0"



Mahogany

CCR820032 3'0" x 8'0"



Mahogany

CCR820532A 3'0" x 8'0"



Mahogany

CCR820032A 3'0" x 8'0"

ZAHA. • ::



CCV20522 3'0" x 6'8" CCV820522 3'0" x 8'0"



CCV22022 3'0" x 6'8"

CCV822022 3'0" x 8'0"



Canvas CCV820532

3'0" x 8'0"

CCR1841

CCR81841 3'0" x 8'0" 3'0" x 6'8"

Mahogany

2/3 Lites

Continued



Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

XE = Satin Etch XR = Rainglass

XC = ChordXN = Granite

Optional Accessories



Strap Hinge





CCR81839

3'0" x 8'0"

CCR1839 3'0" x 6'8"



CCR1838

Mahogany CCR81838 3'0" x 6'8" 3'0" x 8'0"



CCR822238 3'0" x 8'0"



Mahogany

CCR81847 3'0" x 8'0"



CCR81846 3'0" x 8'0"



Mahogany

CCR81845 3'0" x 8'0"



CCR81846A 3'0" x 8'0"



Mahogany

CCR81845A 3'0" x 8'0"



CCV1839 CCV81839 3'0" x 6'8" 3'0" x 8'0"



CCV1838 CCV81838 3'0" x 6'8" 3'0" x 8'0"



CCV81846 3'0" x 8'0"

PRIVACY & TEXTURED









CCR04020__* | CCR804020__* 3'0" x 6'8" 3'0" x 8'0"

CCR20520__* | CCR820520__* 3'0" x 6'8" | 3'0" x 8'0"

CCR20020__* | CCR820020__* 3'0" x 6'8" | 3'0" x 8'0"

CCR822220__* 3'0" x 8'0"







CCR820530__* 3'0" x 8'0"



CCR820030__* 3'0" x 8'0"



CCR820530A__* 3'0" x 8'0"



CCV20520__* CCV820520__* 3'0" x 6'8" 3'0" x 8'0"



CCV22020__* CCV822020__* 3'0" x 6'8" 3'0" x 8'0"



CCV820530__* 3'0" x 8'0"



Mahogany CCM302L__ CCM302R__ 3'0" x 6'8" 3'0" x 6'8"



CCM8302L__ CCM8302R__ 3'0" x 8'0" 3'0" x 8'0"

2/3 Lites

Continued



Key

Flush-Glazed Glass with Square Sticking (FG)

Low-E Glass (LE)

Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options

XC = Chord XN = Granite

PRIVACY & TEXTURED







Mahogany

CCM304L__ **3**'0" x 6'8"

CCM304R__ **▲ 6** 3'0" x 6'8"

CCM8304L__

CCM8304R__ **▲ ⑤** 3'0" x 8'0"

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

XE = Satin Etch XR = Rainglass









Mahogany

CCM303R_ **▲ 6** 3'0" x 6'8"

CCM8303R__ 3'0" x 8'0"









Mahogany

CCM301CAL_ 3'0" x 6'8"

CCM301CAR_ 3'0" x 6'8"

CCM8301CAL_ 3'0" x 8'0"

CCM8301CAR__ 3'0" x 8'0"





CCM8305CAL__ \$ 6 3'0" x 8'0"













3'0" x 8'0" 3'6" x 8'0"







2/3 Lites

Continued



Canvas

Key

Flush-Glazed Glass with Square Sticking (FG)

Low-E Glass (LE)

Simulated Divided Lites (SDLF6)

LOW-E



Mahogany CCR820530A

3'0" x 8'0"







CCV20520

3'0" x 6'8"

CCV820520 3'0" x 8'0"



CCV22020 3'0" x 6'8"

Canvas CCV822020 3'0" x 8'0"



CCV820530 3'0" x 8'0"

Note: See page 277 for important product details that may help with your purchase decision.



CCM302L **♦ *** 3'0" x 6'8"



CCM302R **♦ *** 3'0" x 6'8"



CCM8302L

♦ * 3'0" x 8'0"

CCM8302R **♦ *** 3'0" x 8'0"



CCM304L

CCM304R **♦ * 6** 3'0" x 6'8"











CCM8304L ** 6 3'0" x 8'0" CCM303L ** 6 3'0" x 6'8"

CCM8303L * 6 3'0" x 8'0"



♦ * 3'0" x 6'8"



CCM301CAR **♦ *** 3'0" x 6'8"



CCM8301CAL CCM8301CAR **♦ *** 3'0" x 8'0" **♦ *** 3'0" x 8'0"



Mahogany CCM305CAR ** 6 3'0" x 6'8"



CCM8305CAL **♦ ※ ⑤** 3'0" x 8'0"

Mahogany



♦ * 6 3'0" x 6'8"



Mahogany



CCM8306CAL **♦ * 6** 3'0" x 8'0"

1/2 Lites



Canvas

Key

- * Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

XE = Satin Etch

HOMEWARD™ ◆ **#**



CCM9926 3'0" x 6'8"



CCV9926 3'0" x 6'8"

ARBORWATCH. ♦



CCM1424 3'0" x 6'8"



CCV1424 3'0" x 6'8"

PROVINCIAL™ ◆





CCV06028 3'0" x 6'8"

LONGFORD™ ◆



CCM603 3'0" x 6'8"



CCV06023 3'0" x 6'8"

LUCERNA. + ::



CCM612 3'0" x 6'8"



CCV06022 3'0" x 6'8"

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Canvas, Lucerna Glass, Door - CCV06022, Finish - Cabernet

PRIVACY & TEXTURED



CCM600XE 3'0" x 6'8'



CCV06020XE 3'0" x 6'8"

LOW-E



CCM600

* 3'0" x 6'8"



CCV06020

* 3'0" x 6'8"



Craftsman



Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48–49.

XC = Chord XR = Rainglass XJ = Chinchilla XN = Granite

Optional Dentil Shelves

Available for all Classic Craft Craftsman-lite doors.

16-Block Dentil Shelf

200 100 100 100

4-Block Dentil Shelf

4-Block Dentil Shelf Pairs with 3'6" wide doors.

4-Block Dentil Shelf

HOMEWARD™ ◆ **!!**



CCA8231

3'0" x 8'0"





CCA211 3'0" x 6'8"

CCA8211 3'0" x 8'0"



CCA87112 3'6" x 8'0"





CCA211SL 12" x 6'8" 14" x 6'8"





CCV911 • 3'0" x 6'8"



CCV911SL

12" x 6'8"
14" x 6'8"



Canvas CCV9011SL 12" x 6'8" 14" x 6'8"

ARBORWATCH. ♦














14" x 6'8"







PRIVACY & TEXTURED









Craftsman

Continued



Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

XE = Satin Etch

XR = Rainglass

XC = Chord

XN = Granite

XJ = Chinchilla

Optional Dentil Shelves

Available for all Classic Craft Craftsman-lite doors.

16-Block Dentil Shelf



4-Block Dentil Shelf

4-Block Dentil Shelf Pairs with 3'6" wide doors.

4-Block Dentil Shelf

For transoms, see page 94. Note: Product images show exterior side of door.

PRIVACY & TEXTURED











CCA260 * 3'0" x 6'8"

CCA8260__* 3'0" x 8'0"



CCA87600XR 3'6" x 8'0"



CCA210__* CCA8210__* 3'0" x 8'0" 3'0" x 6'8"



CCA87100XR 3'6" x 8'0"



CCA3450 SL* CCA3560 SL* 12" x 8'0" 14" x 8'0"

12" x 6'8" 14" x 6'8"



12" x 8'0"

14" x 8'0"





14" x 6'8"

*Not available with Satin Etch (XE) glass.

Note: See page 277 for important product details that may help with your purchase decision.

12" x 6'8"

14" x 6'8"







3'0" x 6'8"






CCV960__* 3'0" x 6'8"

3'0" x 6'8"







CCV100__SL CCV8100__SL* 12" x 8'0" 14" x 8'0" 12" x 6'8" 14" x 6'8"



CCV920__SL* 12" x 6'8" 14" x 6'8"



CCV910__SL* 12" x 6'8" 14" x 6'8"

LOW-E





3'6" x 8'0"







Craftsman

Continued



Canvas

Key

Flush-Glazed Glass with Detailed Sticking (FG)

Flush-Glazed Glass with Square Sticking (FG)

Low-E Glass (LE)

Simulated Divided Lites (SDL)

Optional Dentil Shelves

Available for all Classic Craft Craftsman-lite doors.

16-Block Dentil Shelf

4-Block Dentil Shelf



4-Block Dentil Shelf


LOW-E







CCA260 **3**'0" x 6'8"





CCA87600 **≜** ₩ **■** 3'6" x 8'0"



CCA210 CCA8210 3'0" x 6'8" 3'0" x 8'0"



3'6" x 8'0"



CCA3560SL **♦ * ■** 12" x 8'0" **♦ * ■** 12" x 6'8" 14" x 6'8" 14" x 8'0"



CCA3400SL CCA3500SL 12" x 6'8" 12" x 8'0" 14" x 8'0" 14" x 6'8"



CCA220SL **♦ ₩ ■** 12" x 6'8" 14" x 6'8"



CCA210SL 12" x 6'8" 14" x 6'8"



CCV920 **≜ ≈ ≈** 3'0" x 6'8"



CCV930 **♦ * ■** 3'0" x 6'8"



≜ ≈ 3'0" x 6'8"





CCV910 ▲ ** 3'0" x 6'8"







CCV9020SL

**
12" x 6'8"
14" x 6'8"



CCV9010SL ** 12" x 6'8" 14" x 6'8"



Solid Panels




Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Door Divider Bars (DDBF3)
- Door Divider Bars (DDBF4)
- Door Divider Bars (DDBF5)
- **9** WBDR Options
- E Elevated 10" Bottom Rail Options











CCA81127 9 E 3'0" x 8'0"







CCA4915L 5 3'0" x 6'8"



CCA4915R (3) 6 3'0" x 6'8"







CCA4925L | CCA4925R | 5 6 | 3'0" x 6'8" | 3'0" x 6'8"

























Solid Panels

Continued



Key

Low-E Glass (LE)



E Elevated 10" Bottom Rail Options



Walnut

CCW1000 9 E

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW81000 **9 E**

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW900L

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8900L

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW900R

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8900R

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW901L

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8901L

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW901R

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8901R

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW902L

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8902L

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Note: See page 277 for important product details that may help with your purchase decision.

Bottom: Classic Craft Walnut Grain Door - CCW902R; Low-E Glass Direct Set Sidelites - DRS2131SL,

Transoms - 19200T, 19210T, Finish - Shale

Right Page: Classic Craft Walnut Grain Door - CCW8906R; Low-E Glass Direct Set Sidelite - DRS82131SL, Finish - Driftwood



Walnut

CCW8902R

CCW902R

2'6" x 6'8" (7'0") 2'6" x 8'0" 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0") 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW8903

2'6" x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

3'6" x 8'0"

CCW903

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



Walnut

CCW904L

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW904R

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8904R 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW905

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")





Walnut

CCW906L

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW906R

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8906R

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW907L

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8907L

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"





Walnut

CCW907R

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8907R

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"

LOW-E



Direct Set

DRS2131SL

DRS82131SL 12" x 6'8" (7'0") | 12" x 8'0" 14" x 6'8" (7'0") | 14" x 8'0"

Solid Panels

Continued



Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF6)
- **9** WBDR Options
- WBDR / HVHZ Options

Optional Accessories



Clavos





Mahogany CCR8100

CCR100 3'0" x 6'8" 3'6"x 6'8" 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCM890 **6** 3'0" x 8'0"



Mahogany

CCR8222 3'0" x 8'0" 3'6" x 8'0"



Mahogany CCR100R

CCR8100R 3'0" x 6'8" 3'6"x 6'8" 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR8005A 3'0" x 8'0"



Mahogany

CCR205A 3'0" x 6'8" CCR8205A 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR200A | CCR8200A 3'0"x 6'8" | 3'0" x 8'0"



Mahogany

CCR8225 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR8005 3'0" x 8'0"



CCR040 5 3'0" x 6'8"

CCR8040 5 3'0" x 8'0" 3'6" x 8'0"



Mahogany CCR205 CCR8205 **6** 3'0" x 6'8" 3'0" x 8'0" 3'6" x 8'0"



CCR200 CCR8200



CCM60 6 3'0" x 6'8"

HAMMERED



Mahogany



CCV200 **5** 3'0" x 6'8"



CCV205 CCV8205 6 3'0" x 6'8" 3'0" x 8'0"



CCV220 CCV8220 **6** 3'0" x 6'8" **6** 3'0" x 8'0"

Canvas CCV831 5 3'0" x 8'0"



CCV060 3'0" x 6'8"



CCV050 3'0" x 6'8"

HAMMERED



Ca	invas
CCV950XHSL	CCV8950XHSL
å №	▲ ■
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

Transoms

Transoms can be stained or painted to match Classic Craft. door systems.

HOMEWARD™ ◆ ::



HWRT 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



HW30T 3'0" Door Only

ARBORWATCH. • ::



ABRT 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



AB30T 3'0" Door Only

LONGFORD™ ◆



LFET 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



I FRT 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



I F30T 3'0" Door Only

PROVINCIAL™ ◆



CC040T 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only







CC400T 3'0" Door Only

LUCERNA. • ::



LCET 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



LCRT 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



LC30T 3'0" Door Only

ZAHA.



ZHRT 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

LOW-E



Grille Sticks Applied



19020T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T 3'0" Door Only



19210T

12" & 14" Sidelite Only

Key






Brushed Nickel Caming (1C)



Classic Craft_® Hinged Patio Doors

A premium entrance to outdoor living.

The unmatched craftsmanship of Classic Craft premium entryways extends to the patio as an uncompromising entrance to the outdoors. Select from remarkably authentic wood grains and premium smooth surfaces to create a seamless indoor-outdoor connection.



GRAIN & TEXTURE OPTIONS








Fir Grain

Mahogany Grain

Canvas

GLASS OPTIONS



Low-E Glass



Flush-Glazed Glass


Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

EnLiten™ Flush-Glazed Warranty Riders

See page 115 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

■ = Available	Classic Craft
Door Selections	
Material	Fiberglass
Warranty	1x Transferable Lifetime
Finish Options	Stain or Paint
Flush-Glazed Glass Selections	
Low-E Glass with and without Divided Lites ♦	•
Privacy & Textured Glass with and without Divided Lites ▶	•
Lip-Lite Glass Selections	
Low-E Glass with and without Divided Lites	•
Privacy & Textured Glass with and without Divided Lites	•
Available Sizes	
Heights	6'8", 8'0"
Single Widths	3'0"
Double Widths	6'0"
Triple Widths	9'0"
Retrofit Openings	
Additional Options	
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame
Impact-Rated Options	
Tru-Defense Eligible	

AVAILABLE CONFIGURATIONS



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

EnLiten™ Flush-Glazed Low-E Glass




AVAILABLE COLLECTIONS

- Classic Craft_® Fir Grain
- Classic Craft_® Mahogany Grain

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



EnLiten™ Flush-Glazed Low-E Glass with Divided Lites




AVAILABLE COLLECTIONS

■ Classic Craft_® Mahogany Grain

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Low-E Glass




AVAILABLE COLLECTIONS

- Classic Craft_® Mahogany Grain
- Classic Craft_® Canvas

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS





Fiber-Classic. & Smooth-Star.

Great style for any home.

With many door styles in common and glass families that cross over between door collections, Fiber-Classic and Smooth-Star offer options to fit virtually every entrance — from front entry to patio to utility doors — at an excellent value.

Top: Fiber-Classic Oak Collection, Salinas Glass, Door – FC115, Sidelite – FC115SL, Finish – Raven Bottom: Fiber-Classic Mahogany Collection, Saratoga Glass, Door – FCM6240, Finish – New Earth Right Page: Smooth-Star, Calix Glass, Door – S4521, Finish – Estuary









Grain Options



FIBER-CLASSIC.
MAHOGANY COLLECTION...

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



FIBER-CLASSIC. OAK COLLECTION.

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



SMOOTH-STAR.

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.

See the difference color can make.

Therma-Tru offers a wide variety of finish options for our doors. Explore PrismaGuardopremium finish and Same-Dayo Stain color options on pages 250–256.












Glass Options

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options starting on page 106.
- Lite frame options include Advanta. lite frame with no screw plugs and a standard Lip-lite frame, starting on page 130. Both feature 22" wide glass and are suitable for use with a storm door.
- Welcome even more light into the home with EnLiten™ flush-glazed designs with 25-27" wide glass, starting on page 115.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.



Door Construction

Fiber-Classic and Smooth-Star doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



WEATHER RESISTANCE

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 SECURITY

Our fiberglass door slabs are up to 30% more resistant to kick-ins than standard steel doors.¹ Our Fiber-Classic and Smooth-Star doors feature an enhanced lock block combined with a 1-1/4" engineered lumber lock stile which increases rigidity and stability.

3 DURABILITY

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

A R-VALUES

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood², Therma-Tru_{*} fiberglass doors insulate against cold and heat for exceptional energy efficiency.



Additional Options

- WBDR Options: Look for this icon to find door styles that can be configured for WBDR.
- WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.
- Fire-Rated Options: Available on solid-panel doors. See pages 232–235.

FLUSH-GLAZED OPTIONS

Look for these icons (♠ ♠) to find doors styles with flush-glazed glass. See pages 116–129.

Warranties



Fiber-Classic and Smooth-Star products are backed by a lifetime limited warranty. See page 277 for more information.

- ▲ Fiber-Classic and Smooth-Star products with flush-glazed glass are also backed by the EnLiten, Flush-Glazed Rider for Construction & Installation, and the EnLiten, Flush-Glazed Rider for Homeowners. See page 115 for more information.
- Fiber-Classic and Smooth-Star door systems are eligible for the Tru-Defense. Warranty Rider when properly assembled and installed with all Therma-Truspecified system components, in accordance with the Rider. See page 8–9 for details.



 = Available = Not Applicable S = Stain P = Paint 	Fiber-Classic Mahogany Collection	Fiber-Classic Oak Collection	Smooth-Star
Door Widths			
2'0"			
2'4"			
2'6"			
2'8"			
2'10"			
3'0"			
3'6"	-		
Door Heights			
6'6"			
6'8"			
7'0"			
8'0"			
Glass Options			
Decorative	16	16	16
Privacy & Textured	6	6	6
Internal Blinds			
Flush-Glazed			
Screen Vented	-	-	
Simulated Divided Lites			
Grilles Between Glass			
Low-E			
Clear			
Additional Options			
Finish	S/P	S/P	Р
Vented Sidelites			

RETROFIT HINGED PATIO DOORS


Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 28–29.

5'0" Patio Opening = (2) 2'4" Doors 6'0" Patio Opening = (2) 2'10" Doors

¹Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for more, including details on limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.

Left: Smooth-Star, Clear Glass, Door – S8140 Right Page: Smooth-Star, Granite Glass with SDLs, Door – S2103XN, Sidelites – S2000XNSL



Vented Sidelites

Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen door. Choose from convenient specialty glass options or eye-catching decorative designs. In fact, only Therma-Tru offers vented sidelites with decorative glass. Look for the () icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens available in bronze and white — are designed for worry-free use.

AVAILABLE SIZES

	Width		
Height	12"	14"	
6'6"			
6'8"			
8'0"			

Note: Impact-rated options not available for vented sidelites. Advanta lite frame only available with 14" vented sidelites.



AVAILABLE CONFIGURATIONS



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)

Decorative & Specialty Glass Designs

Blackstone

Traditional English design meets


1 clear curved bevels, 2 rainglass and caming to create the distinctive styling of Blackstone. Entries get the best of both privacy and

PRIVACY RATING

simple refinement.









Brushed Nickel

Crystalline™

This time-honored design features geometric styling brought to life with

1 glue chip glass, 2 glue chip bevels,

3 clear bevels and caming. Offering modest privacy, Crystalline is a shining example of traditional decorative glass with lasting beauty.

PRIVACY RATING



Black Nickel





Brushed Nickel

Sedona

Art meets glass in Sedona where Arts and Crafts simplicity is designed with

1 slump glass, 2 clear bevels,

3 clear artique glass and caming.

PRIVACY RATING







Brushed Nickel



Salinas_®

1 Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.

PRIVACY RATING





Wrought Iron


Maple Park®

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with 1 waterglass, 2 clear bevels, 3 granite glass and caming. The curved design adds unique appeal.

PRIVACY RATING









Brushed Nickel

Saratoga™


Saratoga evokes a certain urban sophistication while offering modest privacy with its 1 clear bevels, 2 diamond glass, 3 reeded glass and caming. The geometric pattern bridges both modern and traditional designs.

PRIVACY RATING









Brushed Nickel

Texas Star

Beautifully crafted with 11 clear bevels,




4 granite glass, 5 glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.

PRIVACY RATING










Brushed Nickel

Wellesley_{TM}

Simple yet charming, Wellesley's Victorian-inspired design uses 1 clear baroque glass, 2 clear curved bevels, 3 waterglass, 4 granite glass and caming to add beauty to any entry.


PRIVACY RATING







Brushed Nickel



Brass

Black Nickel

Riserva_®

Riserva decorative glass features a combination of linear and curved wrought iron elements that create a simple yet graceful design. Riserva features 1 oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.

PRIVACY RATING



Wrought Iron




Concorde_™


There's just something friendly about Concorde's cheery four-leaf design.

1 Glue chip glass, 2 clear curved bevels, 3 clear glass and caming make up its Old World charm.

PRIVACY RATING







Brushed Nickel



Brass

Black Nickel

Kensington™


Kensington speaks European elegance while offering modest privacy with its

1 clear bevels, 2 glue chip glass,

3 granite glass and caming.

PRIVACY RATING







Brushed Nickel


Black Nickel

$\textbf{Pembridge}_{^{\text{\tiny{M}}}}$

Simplistic in its design, Pembridge features a field of 1 hammered glass framed by 2 gray baroque glass and 3 multifaceted bevels. A central diamond shape adds a decorative touch.

PRIVACY RATING






Black Nickel





Brushed Nickel



Brass¹

Axis_®

Simple and smart, Axis combines

1 narrow reeded glass in horizontal and vertical arrangements to create contrast and modest privacy. A vertical band of 2 clear glass bevels completes this linear design, ideal for Modern home styles.

PRIVACY RATING







Calix

Calix includes an on-trend "x" design and a delicate diamond pattern with 1 clear glass, providing fine-lined geometric appeal.

PRIVACY RATING







Brushed Nickel



Brass

Black Nickel


Latitude

Latitude showcases 1 seedy glass and simple curved details in a half-moon geometric design.

PRIVACY RATING







Brushed Nickel



Brass


Black Nickel

Echelon

Echelon provides 1 clear glass accented with eased angles and clean edges infused with elements of diamonds and triangles.

PRIVACY RATING







Brushed Nickel




Brass

Internal Blinds

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.

1 Single-Hand Operator





Screen Vented

Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.



Privacy & Textured Glass



REEDEDPrivacy Rating: 7



CHINCHILLAPrivacy Rating: 10



SATIN ETCH
Privacy Rating: 10



RAINGLASS
Privacy Rating: 8




CHORDPrivacy Rating: 10



GRANITEPrivacy Rating: 10






GRILLES BETWEEN GLASS (GBGs) Contour or flat GBG bars are thermally sealed between two panes of tempered glass for the convenience of a smooth, easy-to-clean glass surface. Look for the (* * * * * *) icons.





SDL BAR OPTIONS



Smooth SDL bars are color-matched to PrismaGuard. Alpine.


GBG BAR OPTIONS



- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)


Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware.



Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.






¹Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
²EnLiten flush-glazed designs offer up to a 16% increase in visible glass area compared to conventional lite frames.

Note: See your Therma-Tru seller or visit thermatru.com for details on product sizes and options, limited warranties, exclusions and Riders.

EnLiten™ Flush-Glazed Designs

EnLiten flush-glazed designs feature double- or triple-pane glass built directly into the door with a high-performance dual adhesive weather seal. This creates a seamless look with a simple profile around the glass and no lite frame or screw plugs. Expand your view by 16%² — choose flush-glazed glass for more natural light and a sleek, uninterrupted aesthetic.





See the difference.

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass with Detailed Sticking Look for the () symbol.



Flush-Glazed Glass with Square Sticking
Look for the (•) symbol.



Lip-Lite Frame

Warranty riders for peace of mind.

EnLiten™ Flush-Glazed Riders


For Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

For Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.





TRANSOMS

For transoms, see page 201.



PRIVACY & TEXTURED GLASS WITH DIVIDED LITES ♦



FC1205_ 2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8"



FC1207_ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"



2010_ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"



2050_ 2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8"



2050_SL 12" x 6'8" 14" x 6'8"





FC5710_ 2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8"



3'0" x 8'0"





FC691_ FC8691_ 2'6"x 6'8" 2'6"x 8'0" 2'8" x 6'8" 2'8" x 8'0" 3'0" x 6'8" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 8'0"



FC685L_ 2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8"



FC685R_ 2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8"

FC8685R_ 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded XE = Satin Etch XC = Chord
XJ = Chinchilla

FC8685L_

△ 2 2'6"x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0'

XR = Rainglass XN = Granite

Note: See page 277 for important product details that may help with your purchase decision.

^{*}Not available with Reeded (XK) glass.





FC5700_SL **2** 12" x 6'8" 14"x 6'8"



FC5710_SL **2** 12" x 6'8" 14"x 6'8"



FC5720_SL **2** 12" x 6'8" 14"x 6'8"



S1205 **♦ ♦ * ■ © E 9** 2'10" x 6'8" 🕸 3'0" x 6'8" 🛕



S1207 **△ ◆ * ■ E 9** 2'6"x 6'8" **△** 2'8" x 6'8" 🛕 2'10" x 6'8" 🕸 3'0" x 6'8" 🛕



S2010_ **♦** ♦ ₩ **E** 6 2'10" x 6'8" A 3'0" x 6'8" A



S2050 △ ★ ■ E 9 2'6"x 6'8" Å 2'8" x 6'8" Å 2'10" x 6'8" Å 3'0" x 6'8" 🗘



S85705

2'6"x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

S5705_ **♦♦*****©**E9 2'6"x 6'8" 🗘 2'8" x 6'8" 🗘 2'10" x 6'8" 🗘 3'0" x 6'8" 🛕



S5715_ **♦♦*****©**E6 2'10" x 6'8" 🕸

3'0" x 6'8" 🛕



S85715 **▲▲***■E9 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0' 3'0" x 8'0"



S5725_ S85725_ **▲ ▲ # © E 6 ▲▲*N**E**9** 2'6"x 8'0" 2'8" x 8'0" 2'10" x 6'8" 🕸 2'10" x 8'0' 3'0" x 6'8" 🛕 3'0" x 8'0"



S2010_SL S85226_SL **≜**₩₽E 12" x 8'0" 14" x 8'0"



S2000_SL-2C* **♦** * **■** • E



S2000_SL-4C* **♦ * ■ • E** 10"x 6'8" Å 12" x 6'8" 🛕

14"x 6'8" ੈ



S5700 S85700_ **△ △ * 2 E 9 △ ◆ * 2 E 5** 2'6"x 6'8" 🗘 2'6"x 8'0" 2'8" x 6'8" 🗘 2'8" x 8'0" 2'10" x 6'8" 🗘 2'10" x 8'0"

3'0" x 6'8" A



S5710_ S85710_ **△ ◆ * ≥ E 6 △ ◆ * 2 E 6** 2'6"x 6'8" 🗘 2'6"x 8'0" 2'8" x 6'8" 🗘 2'8" x 8'0" 2'10" x 6'8" 🛣 2'10" x 8'0" 3'0" x 8'0"



S5720_ S85720_ **♦ ♦ ₽ E 9 △ △ ※ № E 6** 2'6"x 6'8" 🛕 2'6"x 8'0" 2'8" x 6'8" 🛣 2'8" x 8'0" 2'10" x 6'8" 🗘 2'10" x 8'0" 3'0" x 6'8" A 3'0" x 8'0"



S691_ S8691_ **△ ♦ * □ E 9 △ ◆ * ≥ E 9** 2'6"x 6'8" 🗘 2'6"x 8'0" 2'8" x 6'8" 🛕 2'8" x 8'0" 2'10" x 6'8" 🕸 2'10" x 8'0" 3'0" x 6'8" A 3'0" x 8'0'

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES Continues on next page.

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)

3'0" x 8'0"

- Simulated Divided Lites (SDL) Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- **Vented Sidelite Options** 6 **WBDR Options**
- Elevated 10" Bottom Rail Options
- ★ 6'6" Height Available

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR, requirements in all 50 states indicated in gold V.



S3400L

△ ◆ ★ □ E 9 2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S83400L **△ △ ★ □ E 9** 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



S83400R

2'6"x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

♦ ♦* ₽ E 9

S3400R **△ ◆ * ≥ E 9** 2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



S83300

2'6"x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

△ ★ ≥ E 9

S3300 **♦♦*** □ E 9 2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



S3500L **▲ ★ □ E 9** 2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S83500L **▲ ★ □ E 9** 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

S83500R_ **♦♦*** ► **9 ♦ ♦ ₽ E 9** 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S685L **♦ ♦ ₽ E 9** 2'6"x 6'8" 🛕 2'8" x 6'8" 🗘 2'10" x 6'8" 🕸 3'0" x 6'8" ፟፟፟



2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



S8685R S685R **△ ◆ * ≥ E 9 △ △ * ≥ E 9** 2'6"x 8'0" 2'8" x 8'0" 2'10" x 6'8" 🕸 2'10" x 8'0" 3'0" x 6'8" Å 3'0" x 8'0"



S3600L S83600L **▲▲***□E9 2'6"x 6'8" 2'6"x 8'0" 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S3600R S83600R **△ ◆ * □ E 9 △ ◆ * ≥ E 9** 2'6"x 8'0" 2'6"x 6'8" 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S3500R

2'6"x 6'8"

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

S85227_SL S5700_SL ***** 🔁 🔵 **♦ * 2 E** 12" x 8'0" 14" x 8'0"



Smooth S5710_SL S85228_SL **≜** * 🔁 E **▲** * **2** • 12" x 8'0" 14" x 8'0" 14" x 6'8" A (7'0")



S5720_SL S85229_SL **≜** * 🔁 E 12" x 8'0" 14" x 8'0" 14" x 6'8" A (7'0")



Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

≜ * 2 •

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

PRIVACY & TEXTURED GLASS



2000 2'6"x 6'8"

8000 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 2'8" x 6'8" 3'0" x 6'8"

3'0" x 8'0"



2000_SL 12" x 6'8"

14"x 6'8"



S2000_ **△△*E9**

2'6" x 6'8" 🗘 2'8" x 6'8" 🛕 2'10" x 6'8" Å 3'0" x 6'8" 🛣



S2000 SL

S85225 SL **♦ * E** 12" x 8'0"

14" x 8'0"

♦ ₩ **E** 3'0" x 6'8" 🛕

S2600

S82600 **♦ ※ E** 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Smooth

INTERNAL BLINDS **A**

CLEAR GLASS WITH DIVIDED LITES



FCM1205SL **A** * • • • • 12" x 6'8" (7'0")

14" x 6'8" (7'0")



Mahogany FCM1206SL **** * * * *** 12" x 6'8" (7'0") 14" x 6'8" (7'0")



FCM1204SL **** * * * *** 12" x 6'8" (7'0") 14" x 6'8" (7'0")



S8000

△ △ * E 9

2'6" x 8'0"

2'8" x 8'0"

2'10" x 8'0'

3'0" x 8'0"

Mahogany FCM2009SL **** * * * * •** 12" x 6'8" (7'0") 14" x 6'8" (7'0")



FC1205 A * P + + 2'6"x 6'8" 2'8" x 6'8"

3'0" x 6'8"



FC1206 **** * * * *** 2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8"



FC1207 **▲ * ■ * * *** 2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8"



2010 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"



FC1204 **** * * * *** 2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8"



2050 2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8"



8000-12 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



8000-18 **▲** * ♦ • • 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC1205SL ${\color{red} \blacktriangle} \, {\color{blue} *} \, {\color{blue} \dagger} \, {\color{blue} \dagger} \, {\color{blue} \dagger}$ 12" x 6'8" 14"x 6'8"



FC1206SL **▲** * • • • 12" x 6'8" 14"x 6'8'

CLEAR GLASS WITH DIVIDED LITES Continues on next page.

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- * Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat Almond Grilles** Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)

WBDR Options

- **Vented Sidelite Options**
- E Elevated 10" Bottom **Rail Options**
- ★ 6'6" Height Available

NEW

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR, requirements in all 50 states indicated in gold V.





2050SL ** ** ** 12" x 6'8" 14"x 6'8"



8000-9

△ * ♦ • ♦

2'0"x 8'0"

2'6"x 8'0"

2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"

2009

* * • • •

2'0"x 6'8"

2'6"x 6'8"

2'8" x 6'8"

3'0" x 6'8"





FC85700

△ * 2 2'6"x 8'0"

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

FC5700 ** 2 2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8"



FC5710 ** 2 2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8"

FC85710

** 2
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



≜ * 2 2'6"x 8'0"

2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"

FC5720 * 2 2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8"



FC691 ** 2 2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8"



FC8691

** 2
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FC8685L

♦ * 2 2'6"x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

FC685L ** 2 2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8"



FC685R

** 2
2'6"x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC8685R

♦ * 2 2'6"x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



FC5700SL ** 2 12" x 6'8" 14"x 6'8"



FC5710SL ** 2 12" x 6'8" 14"x 6'8"



FC5720SL • * 2 12" x 6'8" 14" x 6'8"



3'0" x 6'8" 🗘



\$1206 ** * * * * * * * E 2'6" x 6'8" \$\times 2'8" x 6'8" \$\times 2'10" x 6'8" x 6'8" \$\times 2'10" x 6'8" x 6'8"

3'0" x 6'8" 🗘







\$1204 • * • • • • • E 2'6" x 6'8" \$\(\Lambda \)
2'8" x 6'8" \$\(\Lambda \)
2'10" x 6'8" \$\(\Lambda \)
3'0" x 6'8" \$\(\Lambda \)





S8000-12 **▲** * * * * * E

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0' 3'0" x 8'0"



S8000-18 **△** * ♦ • • • E

Smooth

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S85705 S5705 **▲*** ■ E 9 **♦** # NE 9 2'6"x 8'0" 2'6"x 6'8" A 2'8" x 6'8" 🗘 2'8" x 8'0" 2'10" x 6'8" 🕸 2'10" x 8'0" 3'0" x 6'8" 🛕 3'0" x 8'0"



Smooth

S5715 **♦** # NE 9 2'6"x 6'8" 🗘 2'8" x 6'8" 🗘 2'10" x 6'8" 🗘 3'0" x 6'8" 🗘



3'0" x 8'0"



Smooth

S5725 **♦**#RIE9 2'6"x 6'8" A 2'8" x 6'8" 🗘 2'10" x 6'8" 🗘 3'0" x 6'8" 🗘

S85725 ♦#RIE 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



S1205SL

**** * * * * * •** 14" x 6'8" Å (7'0")



Smooth S1206SL

▲ * * * * * • 14" x 6'8" A (7'0")



Smooth

S1204SL **△** * ♦ • • • • 14" x 6'8" 1 (7'0")



S2010SL **△*≈©†**† * * • 10"x 6'8" 🗘 12" x 6'8" (7'0")

14" x 6'8" A (7'0")





S2000SL-2C **å * №**



Smooth

S2000SL-4C **å * №** 14" x 6'8" 🛕 (7'0")



S2009 **△** * * * * * E 2'0" x 6'8" A 2'6" x 6'8" Å 2'8" x 6'8" 🗘 2'10" x 6'8" Å 3'0" x 6'8" 🕸

S8000-9 **▲** * * * * * E 2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S2009SL **A * • • • •** 10"x 6'8" Å



Smooth

S5700 **▲ * № 6** 2'6"x 6'8" 🗘 2'8" x 6'8" 🗘 2'10" x 6'8" A 3'0" x 6'8" 🗘

S85700 **♦ * ≥ E 9** 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



Smooth

S5710 **▲* ≥ E 9** 2'10" x 6'8" 🗘 3'0" x 6'8" 🗴





Smooth

S5720 **▲* ≥ E 9** 2'10" x 6'8" 🗘 3'0" x 6'8" 🗘

S85720 **▲* ≥ E 9** 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0"



Smooth

S691 **♦** # ₽ E 9 2'6"x 6'8" A 2'8" x 6'8" 🗘 2'10" x 6'8" A 3'0" x 6'8" 🛕





Smooth S3400L

♦ # 2 E 9 2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S83400L **♦*****©E9** 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES Continues on next page.

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC) **Vented Sidelite Options**
- **WBDR Options**
 - Elevated 10" Bottom Rail Options
- ₹ 6'6" Height Available



\$3400R \$ \(\alpha \) \(\alph

3'0" x 6'8"

S83400R

*** E 6
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

\$3300

■ ★ ② E 6

26"x 6'8"

28"x 8'0"

28"x 8'0"

28"x 8'0"

210"x 8'0"

310"x 6'8"

310"x 8'0"



Smooth

\$3500L

■ ★ ② E 9

26" x 6'8"

210" x 6'8"

210" x 6'8"

210" x 6'8"

30" x 6'8"

30" x 8'0"



\$3500R \$83500R \$83500R \$\ \cdot \tilde{\ti}}}}} \tilde{\tilde{\tilde{\tilde{\tilde{\tilde{\tilde{\tilde{\ti



\$685L \$8685L \$26°x 6'8" \(\) 2'6"x 6'8" \(\) 2'8" x 6'8" \(\) 2'10" x 6'8" \(\) 2'10" x 6'8" \(\) 3'0" x 6'8" \(\) 3'0" x 8'0"



\$685R \$8685R \$26"x 6'8" \$25" \$26"x 8'0" 2'8" x 6'8" \$210" x 8'0" 2'0" x 6'8" \$210" x 8'0" 3'0" x 6'8" \$30" x 8'0"



\$3600L **** 2 E 5** 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S83600R

2'6"x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0'

▲* ≥ E 9



\$5700\$L

\$85227\$L

\$85227\$L

\$85227\$L

\$85227\$L

\$\$2 €

12" x 6'8" Å

12" x 6'8" Å

17" (70")

\$14" x 6'8" Å

\$\$70"



\$5710\$L

\$\$710\$SL

\$\$85228\$L

\$\$85228\$SL

\$\$85228\$SL

\$\$85228\$SL

\$\$85228\$SL

\$\$85228\$SL

\$\$85228\$SL

\$\$85228\$SL

\$\$85228\$SL

\$\$12" x 8'0"

\$\$14" x 8'0"

\$\$14" x 8'0"





S83600L

2'6"x 8'0"

2'8" x 8'0"

2'10" x 8'0"

CLEAR GLASS **6**

3'0" x 8'0'

4 # ₽E 9

2000	8000
≜ *	▲ *
2'0"x 6'8"	2'0"x 8'0"
2'6"x 6'8"	2'6"x 8'0"
2'8" x 6'8"	2'8" x 8'0"
3'0" x 6'8"	2'10" x 8'0"
	3'0" x 8'0"



2000SL ** 12" x 6'8" 14"x 6'8"



Ciliodai	
S2000	S8000
△ *E9	▲ *E9
2'0" x 6'8" 🗘	2'0"x 8'0"
2'6" x 6'8" 🗘	2'6" x 8'0"
2'8" x 6'8" 🗘	2'8" x 8'0"
2'10" x 6'8" 🛕	2'10" x 8'0
3'0" x 6'8" 🗘	3'0" x 8'0"




Smooth			
S2000SL	S85225SL		
△ * ● E	△ * E		
10"x 6'8" 🛕	12" x 8'0"		
12" x 6'8"	14" x 8'0"		

Privacy & Textured Glass Options


Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite



TRANSOMS

For transoms, see page 201.



PRIVACY & TEXTURED GLASS WITH DIVIDED LITES ♦



S2103_

2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'10" x 8'0"

3'0" x 8'0"



S2104_ 2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



S82105_ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0' 3'0" x 8'0"



S82106_ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0"



S2250_ 2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S82107_ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0"



S84886_SL 12" x 8'0" 14" x 8'0"

Smooth

S2103_SL 12" x 6'8"

14"x 6'8"




S2104_SL 12" x 6'8" 14"x 6'8"



S2250_SL 12" x 6'8"

14"x 6'8"



S2200_ S82200_ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0" x 8'0" 3'0"x 6'8"



S8000_SL 12" x 8'0" 14" x 8'0"



S2200_SL 12" x 6'8" 14"x 6'8"



- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- 2 Simulated Divided Lites (SDLF2)

- **WBDR Options**
- Elevated 10" Bottom Rail Options
- Å 6'6" Height Available





2'8" x 6'8"

2'10" x 6'8'

3'0" x 6'8"





S2104 S82104 **▲** * • • • • **▲ * ■ © (** 2'6" x 8'0" * * * 2'8" x 8'0" 2'6" x 6'8" 2'10" x 8'0" 2'8" x 6'8" 3'0" x 8'0" 2'10" x 6'8" 3'0" x 6'8"



S2105 S82105 **** * * * * *** 2'6" x 6'8" * * * 2'8" x 6'8" 2'6" x 8'0" 2'10" x 6'8" 2'8" x 8'0" 3'0" x 6'8" 2'10" x 8'0" 3'0" x 8'0"



S2250 S82250 **△ * № ↑ ▲** * ♦ • • 2'6" x 8'0" 2'6" x 6'8" 2'8" x 8'0" 2'8" x 6'8" 2'10" x 8'0" 2'10" x 6'8" 3'0" x 8'0" 3'0" x 6'8"



S82106 **▲ * ■ † † †** 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S82107 **▲ * ■ † † †** 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth S84886SL 12" x 8'0" 14" x 8'0"



S2103SL **♦ * • •** * * * 12" x 6'8" 14" x 6'8"



S2104SL **△ *≈ □ ↑ * * *** 12" x 6'8" 14" x 6'8"



S92SL **▲** * • • • • 12" x 6'8" 14" x 6'8"



S1401 S81401 **▲** * ♦ • • • **△** * ♦ ♦ ♦ 2'6" x 6'8" 2'6" x 8'0" 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8' 3'0" x 8'0"



S1401SL **▲** * ♦ • • • 12" x 6'8" 14" x 6'8"

CLEAR GLASS ****



S82200

S2200 2'6" x 6'8" 2'6" x 8'0" 2'8" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 2'10" x 6'8" 3'0" x 6'8"



S8000SL 12" x 8'0" 14" x 8'0"



S90SL 12" x 6'8" 14" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite



TRANSOMS

For transoms, see page 201.



PRIVACY & TEXTURED GLASS WITH DIVIDED LITES **\(\)**



S4200_

ARTIE 2'8" x 6'8"(7'0") 2'10" x 6'8"(7'0") 3'0" x 6'8"(7'0")



S84200_

♦ E

2'8" x 8'0"

2'10" x 8'0'

3'0" x 8'0'



S6200_ **♦ E** 2'8" x 6'8"(7'0")

2'10" x 6'8"(7'0") 3'0" x 6'8"(7'0")





S9200_ **♦ E** 2'8" x 6'8"(7'0") 2'10" x 6'8"(7'0")

S89200_ **♦ E** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8"(7'0")



S4200 SL

S84200 SL A RIE ARIE 12" x 6'8" (7'0") 12" x 8'0" 14" x 6'8" (7'0") 14" x 8'0"



S6200 SL & RIJE

S86200 SL 12" x 6'8" (7'0") 12" x 8'0" 14" x 6'8" (7'0") 14" x 8'0"

PRIVACY & TEXTURED GLASS **\(\)**



Smooth

S3200_ ΔE 2'8" x 6'8"(7'0") 2'10" x 6'8"(7'0") 3'0" x 6'8"(7'0")

S83200_ **▲ E** 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



S3200_SL 12" x 6'8" (7'0") 14" x 6'8" (7'0")

S83200 SL ΔE 12" x 8'0" 14" x 8'0"

CLEAR GLASS WITH DIVIDED LITES



S1350

***** * * 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"



S2150 **△ * ■ † † † †** 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"



S1409

△ * ♦ ♦ ♦ ♦ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES Continues on next page.

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- * Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Elevated 10" Bottom Rail Options



S4200 **♦ * © E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S84200 **♦ * © E** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S86200

♦ * © E

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

S6200 **♦ * © E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



Smooth

S9200 **▲ * N**E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")





S4200SL S84200SL **♦ * N**E **♦ * □ E** 12" x 6'8" (7'0") 12" x 8'0" 14" x 6'8" (7'0") 14" x 8'0"



S6200SL **♦ * N**E 12" x 6'8" (7'0") 14" x 6'8" (7'0")

S86200SL **♦ * N**E 12" x 8'0" 14" x 8'0"

CLEAR GLASS **•**



Smooth

S2100 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"



S3200 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



▲ * E 2'8" x 8'0"

2'10" x 8'0" 3'0" x 8'0"



S3200SL **▲** * E 12" x 6'8" (7'0") 14" x 6'8" (7'0")





Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

^{*}Not available with Reeded (XK) glass.

^{**}Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 277 for important product details that may help with your purchase decision.

EnLiten Flush-Glazed Craftsman Lites



TRANSOMS

For transoms, see page 201.

OPTIONAL DENTIL SHELVES**

4-Block Dentil Shelf

Available for all Craftsman-lite Fiber-Classic Mahogany Collection doors.

4-Block Dentil Shelf

Available for all Craftsman-lite Smooth-Star doors.

SARATOGA™ ♦ ♦



Mahogany FCM6240 FCM86240 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



FCM6201SL FCM86201SL 12" x 6'8" (7'0") 12" x 8'0" 14" x 6'8" (7'0") 14" x 8'0"



FCM6240SL FCM86240SL 12" x 6'8" (7'0") 12" x 8'0" 14" x 6'8" (7'0") 14" x 8'0"



S6240 S86240 ΔE 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



S6201SL S86201SL 12" x 8'0" 10"x 6'8" 12" x 6'8" (7'0") | 14" x 8'0" 14" x 6'8" (7'0")



Smooth		
S6240SL	S86240SL	
•	&	
12" x 6'8" (7'0")	12" x 8'0"	
14" x 6'8" (7'0")	14" x 8'0"	

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES |



FCM4812_* FCM84812_* **ARIE** 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 6'8"(7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



FCM4813_* FCM84813_* ANE 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0'



FCM4814_* **ARIJE** 2'8" x 6'8" (7'0") 2'10" x 6'8"(7'0") 3'0" x 6'8" (7'0")



FCM4816_* ARIE 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM84816_* 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



FCM2050_SL FCM84886 SL **A R** 12" x 6'8" (7'0") 12" x 8'0"

14" x 8'0"

14" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES Continues on next page.

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- 🜟 Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)

FCM84814_*

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options
- Elevated 10" Bottom Rail Options



FCM4812_SL* 12" x 6'8"(7'0") 14" x 6'8"(7'0")





S4812_* **▲ N**E 2'8" x 6'8" (7'0")

S84812_* 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



S4813_*

A RIJE 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



S4814_* **▲ N**E

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S84814_* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Smooth

S4816_* A RUE 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S84816_* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

PRIVACY & TEXTURED GLASS **\(\)**

S84813_*



S2010_SL

S84886_SL 10"x 6'8" 🗘 12" x 8'0" 12" x 6'8" 🛕 (7'0") 14" x 8'0" 14" x 6'8" \$ (7'0")



S4812_SL* 12" x 6'8" (7'0")

S84812_SL* 12" x 8'0" 14" x 6'8" (7'0") 14" x 8'0"



Mahogany

FCM4810_*	ı
≜E	ı
2'8" x 6'8" (7'0")	2
2'10" x 6'8" (7'0")	2
3'0" x 6'8" (7'0")	1

FCM84810 * 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM2000_SL

12" x 6'8" (7'0") 14" x 6'8" (7'0")

FCM8000_SL 12" x 8'0" 14" x 8'0"



FCM4810_SL*

FCM84810_SL* 12" x 6'8" (7'0") 12" x 8'0" 14" x 6'8" (7'0") 14" x 8'0"

Smooth

S4810 * ΔE 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

\$84810 * 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S2000_SL 10"x 6'8" ♣ 12" x 6'8" 🗘 (7'0")

14" x 6'8" \(\((7'0") \)



S8000 SL 12" x 8'0" 14" x 8'0"



S4810 SL* S84810 SL* 12" x 6'8"(7'0") 12" x 8'0" 14" x 6'8"(7'0") | 14" x 8'0"

CLEAR GLASS WITH DIVIDED LITES 🍐



FCM4812

▲ * □ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

FCM84812 **♦ * □** 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



FCM4813 **♦ * © E** 2'8" x 6'8" (7'0")

2'10" x 6'8"(7'0")

3'0" x 6'8" (7'0")

FCM84813 **♦ * □** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite



Mahogany

FCM84814

♦ ★ 1 1 2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

FCM4814 **♦ * © E**

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



Mahogany

FCM4816 **♦ * © E**

FCM84816 ***** * * 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8" (7'0")



FCM2050SL 12" x 6'8"(7'0")

14" x 6'8"(7'0")

♦ * • • • • 12" x 8'0" 14" x 8'0"

FCM84886SL



FCM4812SL *** *** 12" x 6'8" (7'0") 14" x 6'8" (7'0")





Smooth

S4812 **♦ * © E**

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S84812 **♦** ₩ 🛍 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S4813 **♦ # N** E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S84813 *** •** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S4814

2'8" x 6'8" (7'0") 2'10" x 6'8"(7'0") 3'0" x 6'8" (7'0")

♦ * © E

S84814

♦ * №

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



Smooth

S4816 **♦ * N** E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S84816 **♦ * 1** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S84886SL

▲ * №

12" x 8'0"

14" x 8'0"

S2010SL **†** •



Smooth

S4812SL *** *** 12" x 6'8"(7'0") 14" x 6'8"(7'0")

S84812SL ***** 12" x 8'0" 14" x 8'0"

CLEAR GLASS ****



Mahogany

FCM4810 FCM84810 **▲** # E **▲** ₩ 2'8" x 6'8"(7'0") 2'8" x 8'0" 2'10" x 8'0" 2'10" x 6'8"(7'0") 3'0" x 6'8"(7'0") 3'0" x 8'0"



FCM2000SL

***** 12" x 6'8"(7'0") 14" x 6'8"(7'0")



14" x 8'0"



FCM4810SL FCM84810SL

12" x 6'8"(7'0") 12" x 8'0" 14" x 6'8"(7'0") 14" x 8'0"



Smooth

▲ * E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S4810

S84810 **A** *

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S8000SL

12" x 8'0"

14" x 8'0"

***** * 10"x 6'8" Å

S2000SL



Smooth

S4810SL 12" x 6'8"(7'0") 14" x 6'8"(7'0")

S84810SL 12" x 8'0" 14" x 8'0"

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE) Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat Almond Grilles** Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- **Vented Sidelite Options**
- Elevated 10" Bottom ★ 6'6" Height Available



Lite Frames

Therma-Tru_{*} doors and sidelites are available with select lite frame options to complement the door's overall aesthetic.





Advanta_® Lite Frame¹

With a patented design, Advanta lite frames deliver a clean look with no unsightly screw plugs to detract from the entry's overall aesthetic.

Standard Lite Frame


With a variety of sizes and shapes to choose from, our standard lite frame features a weather-resistant material and plugs designed to cover the screws.

	ADVANTA LITE FRAME	STANDARD LITE FRAME
Flat Option		
Scrolled Option		
Plugless Design		
Buff Option		
White Option (Alpine Color-Matched)		
Durable Weather- Resistant Material		•
Decorative & Privacy Glass ¹	•	
Clear & Specialty Glass ¹	•	•

¹See your Therma-Tru seller for details on product availability.

^{*}Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



TRANSOMS

For transoms, see page 201.



BLACKSTONE. • ::



FCM871

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

16

FCM108

16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM310

■ 16 E 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM816

2'6" x 8'0"*

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

4



Mahogany FCM871SL

12" x 8'0" 14" x 8'0"



FCM808SL

10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")



••16 12" x 8'0"

14" x 8'0"

9 I E 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")



16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC310

■**1**6E 2'6" x 6'8" \$\(\begin{array}{c} (7'0")* \\ 2'8" x 6'8" \$\(\beta\) (7'0") \\ 2'10" x 6'8" \$\(\beta\) (7'0") \\ (7'0") \\ (7'0") \\ (7'0") \end{array} 3'0" x 6'8" \$\(\frac{1}{2}\) (7'0")

FC816 **4** 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Oak FC108SL

81918PSL

16

12" x 8'0"

14" x 8'0"

16 10" x 6'8"* 12" x 6'8" 14" x 6'8"



FC808SL **•• 1 9**

81918SL **••1**6 12" x 6'8" 🛕 (7'0") 12" x 8'0" 14" x 6'8" \$\(\frac{1}{4}\) (7'0") 14" x 8'0"



Smooth

S6002 **1**6€ 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")



S85892

16 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S310 ■16E 2'6" x 6'8" A * 2'8" x 6'8" 🗘 (7'0") 2'10"x 6'8" \$\(\frac{1}{2}\) (7'0")
3'0" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'6" x 6'8"

S816 **1**46

2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0' 3'0" x 8'0" 3'6" x 8'0"



S6002SL 16 12" x 6'8"

14" x 6'8"

S85892SL 16 12" x 8'0" 14" x 8'0"



Smooth

S4570SL **9 9** 10" x 6'8"* 12" x 6'8" \$ (7'0") 14" x 6'8" \$ (7'0")

S85927SL **•• 4 6** 12" x 8'0" 14" x 8'0"



Brushed Nickel Caming (1C)









Fiber-Classic & Smooth-Star

CRYSTALLINE™ ◆ **■**



FCM16 16 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"

FCM8114 16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM814

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

4

Mahogany FCM668 ■**1**6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")



Mahogany FCM8114SL 16 12" x 8'0"

14" x 8'0"



FCM18101SL FCM81800SL **••**16 **•• 1 6** 10" x 6'8"* 12" x 8'0" 12" x 6'8" (7'0") 14" x 8'0" 14" x 6'8" (7'0")



FC16 **1**6€ 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC668 FC814 ■ **26 E** 2'8" x 6'8" **∆** (7'0") 2'8" x 8'0" 2'10"x 6'8" A (7'0") 2'10" x 8'0" 3'0" x 6'8" 1 (7'0") 3'0" x 8'0"



FC46SL 16 10"x 6'8"* 12" x 6'8" 14"x 6'8"



18101SL **••19** 14" x 6'8" \$\(\frac{1}{2}\) (7'0")



S916 **1**6€ 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")

16

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



S668 ■ 16E 3'6"x 6'8"

19

2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0'

3'6"x 8'0"



81800P

2'10" x 8'0"

3'0" x 8'0"

46 2'8" x 8'0"

S916SL S814SL 16 16 12" x 8'0" 12" x 6'8" 14"x 6'8" 14" x 8'0"



S6130SL S84586SL **••19 ••19** 10" x 6'8"* 12" x 8'0" 12" x 6'8" \$ (7'0") 14" x 8'0" 14" x 6'8" \$\(\frac{1}{2}\) (7'0")

SEDONA ♦

81800PSL

16

12" x 8'0"

14" x 8'0"



FCM100 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM872 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



••16

12" x 8'0"

14" x 8'0"

FCM241 FCM822 ■ **/** E

2'6" x 6'8" (7'0")* 2'8"x 8'0" 2'8" x 6'8" (7'0") 2'10"x 8'0" 2'10" x 6'8" (7'0") 3'0"x 8'0" 3'0" x 6'8" (7'0")



Mahogany FCM872SL 12" x 8'0" 14" x 8'0"



FCM816SL FCM81968SL 12" x 8'0" 10"x 6'8"* 12" x 6'8" (7'0") 14" x 8'0"

14" x 6'8" (7'0")



FC100 **E** 2'6"x 6'8"* 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")



81968P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Oak

FC241 ■ 🛮 E 2'6"x 6'8" \$ (7'0")*

FC822 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC100SL 81968PSL

12" x 8'0" 10" x 6'8"* 14" x 8'0" 12" x 6'8" 14"x 6'8'



Oak FC816SL 81968SL 12" x 6'8" 🛕 (7'0") 12" x 8'0"

14" x 6'8" 🛕 (7'0")

14" x 8'0"



S139

∡E 2'6"x 6'8"* 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")



S241

■ 🛮 E 2'6"x 6'8" 🗘 * 2'8" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0" x 6'8" \$ (7'0") 3'6"x 6'8"



S139SL

12" x 6'8" 14"x 6'8"



Smooth S604SL

10"x 6'8"* 14" x 6'8" \$\(\frac{1}{4}\) (7'0")

SALINAS. X



FCM873

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

46


FCM113

16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM369 ■ 16E 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Mahogany

FCM814SL **-1** 10"x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")

FCM81919SL **•• 16** 12" x 8'0" 14" x 8'0"



Mahogany

FCM873SL 16 12" x 8'0" 14" x 8'0"



Oak

FC113 **16** € 2'6"x 6'8"* 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")

81919P **4**6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



■ 16E

2'6"x 6'8" \$ (7'0") 2'8" x 6'8" \$\(\frac{1}{2}\) (7'0") 2'10"x 6'8" 1 (7'0") 3'0" x 6'8" & (7'0")

FC817 **1** 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC113SL 16 10"x 6'8" 12" x 6'8"

14"x 6'8"

81919PSL 16 12" x 8'0"

FC814SL **•• 1 6** 14" x 6'8" **★** (7'0")



81919SL **•• 16** 12" x 8'0" 14" x 8'0"



S6008 **16** €

2'6"x 6'8"* 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")



S85893 **16**

2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S369 ■ 16E 2'6"x 6'8" * 2'8" x 6'8" \$ (7'0") 2'10"x 6'8" 1 (7'0") 3'0" x 6'8" 1 (7'0") 3'6"x 6'8"

S817 **I 4** 6

3'6"x 8'0"

2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S6008SL S85893SL 16 16 12" x 8'0" 12" x 6'8' 14"x 6'8" 14" x 8'0"



S6134SL **•• 4** 6 10"x 6'8"* 12" x 6'8" 🗘 (7'0") 14" x 6'8" 1 (7'0")

S85931SL **•• 1 6** 12" x 8'0" 14" x 8'0"

No Stile Lines





Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.



WBDR / HVHZ Options



★ 6'6" Height Available

MAPLE PARK. • ::



Mahogany

FCM900 **16** 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



Mahogany

FCM1006 ■ 46E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



Mahogany

FCM812SL 10"x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")



Oak FC900 **2**'8" x 6'8" (7'0") 2'10"x 6'8" (7'0")

3'0" x 6'8" (7'0")



Oak

FC1006 3'0" x 6'8" 1 (7'0")



Oak

FC900SL 16 10"x 6'8"* 12" x 6'8" 14"x 6'8"



Oak

FC812SL 12" x 6'8" \$\(\frac{1}{2}\) (7'0")
14" x 6'8" \$\(\frac{1}{2}\) (7'0")



Smooth

S6100 **16** € 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Smooth

S1006 3'6"x 6'8"



Smooth S6100SL

12" x 6'8" 14"x 6'8"



S6131SL

10" x 6'8"* 12" x 6'8" \$ (7'0") 14" x 6'8" 🛕 (7'0")

Smooth





Mahogany

FCM905 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



Mahogany

FCM6093 ■ **3 5 E** 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")





FCM815SL 10"x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")

FCM81986SL 12" x 8'0" 14" x 8'0"



Mahogany

FCM893SL 12" x 8'0" 14" x 8'0"



FC905

16€ 2'6"x 6'8"* 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")



Oak FC6093

■ **16** 6 E 2'6" x 6'8" \$\(\frac{1}{4}\) (7'0")*
2'8" x 6'8" \$\(\frac{1}{4}\) (7'0")
2'10" x 6'8" \$\(\frac{1}{4}\) (7'0") 3'0" x 6'8" 1 (7'0")



FC905SL 16 10"x 6'8"* 12" x 6'8"

14"x 6'8"



12" x 8'0" 14" x 8'0"



FC815SL

•• 4 6 12" x 6'8" \(\begin{array}{c} (7'0") \\ 14" x 6'8" \(\begin{array}{c} (7'0") \\ \end{array} \)



S154 **16**E

12" x 8'0"

14" x 8'0"

2'6"x 6'8"* 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")



Smooth

S6093 3'0"x 6'8" 🛕 (7'0") 3'6"x 6'8"



S154SL 16

S8602SL 16 12" x 6'8" 12" x 8'0" 14"x 6'8" 14" x 8'0"

TEXAS STAR ♦ **!!**



S602SL

10"x 6'8"* 12" x 6'8" **★** (7'0") 14" x 6'8" \$\(\frac{1}{2}\) (7'0")





Mahogany

FCM142 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM1029 ■ 🛮 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



Mahogany

FCM817SL 10"x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")



FC142

∡ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



Oak

FC1029

■ 🖊 E



FC142SL

10"x 6'8"* 12" x 6'8" 14"x 6'8"

WELLESLEY™ ◆ ❖



Oak

FC817SL 12" x 6'8" \$ (7'0") 14" x 6'8" \$\(\frac{1}{2}\) (7'0")



Smooth

S6070 **⊿**E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S1029 ■ I E 2'8" x 6'8" \$ (7'0") 2'10" x 6'8" \$\(\frac{1}{2}\) (7'0")
3'0" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'6" x 6'8"



Smooth

S6070SL 12" x 6'8" 14"x 6'8"



Smooth

S6135SL 10"x 6'8"* 12" x 6'8" **★** (7'0") 14" x 6'8" \$\frac{1}{\Delta}\$ (7'0")



Mahogany

FCM104 **4**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM874 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM821

2'6" x 8'0"*

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

4 9

FCM6094

■**1**6E 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM818SL

•• 16 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")



••16

FCM81921SL 12" x 8'0" 14" x 8'0"



Mahogany FCM874SL 16

12" x 8'0"

14" x 8'0'



FC104 **16** € 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

81921P **16** 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



FC6094

■ **1**6E 2'6"x 6'8" 1 (7'0")* 2'8" x 6'8" 1 (7'0")

FC821 **4** 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"

WELLESLEY Continues on next page.

No Stile Lines

Black Nickel Caming (1D)

Brushed Nickel Caming (1C) Brass Caming (1A)

Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.

Vented Sidelite Options



WBDR / HVHZ Options

Elevated 10" Bottom **Rail Options**





81921PSL

16

12" x 8'0"

14" x 8'0"

FC104SL **1**6 10" x 6'8"* 12" x 6'8" 14" x 6'8"



FC818SL **- 4** 12" x 6'8" A (7'0") 14" x 6'8" A (7'0")



S155 S85896 **3 6 E** 2'6" x 6'8"∗ **4**6 2'6" x 8'0"* 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10"x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



S6094 S821 ■ 16E **4** 2'6"x 6'8" A * 2'6" x 8'0"* 2'8" x 6'8" \$\(\frac{1}{4}\) (7'0") 2'8" x 8'0" 2'10"x 6'8" 🛕 (7'0") 2'10" x 8'0" 3'0"x 6'8" 🛕 (7'0") 3'0" x 8'0" 3'6"x 8'0" 3'6"x 6'8"



S155SL S85896SL 16 16 12" x 6'8" 12" x 8'0" 14"x 6'8" 14" x 8'0"

RISERVA. X

81921SL

9 9

12" x 8'0"

14" x 8'0"



S5870SL **9 9** 10" x 6'8"* 12" x 6'8" 🛕 (7'0") 14" x 6'8" 🛕 (7'0")

S85934SL

•• 1 6

12" x 8'0"

14" x 8'0"



FCM8574

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

FC8571

2'6" x 8'0"*

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

FCM574 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM8571

2'6" x 8'0"*

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0'

4 6

FCM571 ■ 16E 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM572SL 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")



FCM8572SL 12" x 8'0" 14" x 8'0"



FCM8573SL 12" x 8'0" 14" x 8'0"



FC574 **16**E 2'6"x 6'8"* 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC571 ■ 16E 2'6"x 6'8" 1 (7'0")* 2'8" x 6'8" 🛕 (7'0") 2'10"x 6'8" 1 (7'0") 3'0" x 6'8" 1 (7'0")



FC573SL FC8573SL 12" x 8'0" 16 10"x 6'8"* 12" x 6'8" 14" x 8'0" 14"x 6'8"



FC572SL FC8572SL **••**16 **•• 1 6** 12" x 6'8" \$\(\bar{\Lambda}\) (7'0") 12" x 8'0" 14" x 6'8" 🛕 (7'0") 14" x 8'0"



S574 **16** € 2'6"x 6'8"* 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")

S8574 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

FC8574

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

16



Smooth

S571 ■ **1**6E 2'6"x 6'8" 🛕 * 3'0" x 6'8" 🗘 (7'0") 3'6"x 6'8"



S8571

4 4 6

2'6" x 8'0"*

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

3'6"x 8'0"



S573SL

S8573SL 16 16 12" x 6'8" 12" x 8'0" 14"x 6'8" 14" x 8'0"



S572SL **9 9**

10" x 6'8"*



S8572SL

- 4 12" x 8'0" 14" x 8'0"





Mahogany

FCM910 **4**6 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"





FCM6095 ■ 16E 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

FCM820 **4 4 6** 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Mahogany FCM809SL

8016 10"x 6'8"* 12" x 6'8" \$ (7'0")



12" x 8'0" 14" x 8'0"



Mahogany

FCM890SL 16 12" x 8'0" 14" x 8'0"



16 € 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")



46

2'8" x 8'0" 2'10"x 8'0" 3'0" x 8'0"



Oak

FC6095 **■** 46E 2'6"x 6'8" \$ (7'0")* 2'8" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0"x 6'8" 1 (7'0")



3'0" x 8'0"



FC910SL | 81928PSL 16 16 10" x 6'8"* 12" x 8'0" 12" x 6'8" 14" x 8'0"

14"x 6'8'



81928SL

12" x 8'0"

9 9 4 9

FC809SL 12" x 6'8" \(\((7'0") \) 14" x 6'8" 🛕 (7'0") | 14" x 8'0"



S6090 **1**6€

2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S85895

16 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S6095 ■ 16E

3'0"x 6'8" 🗘 (7'0")

3'6"x 6'8"

S820 **1**46 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6"x 8'0"



Smooth

S416SL S85895SL 12" x 6'8" 16 12" x 8'0" 14"x 6'8" 14" x 8'0'



S4070SL

• 1 9 10"x 6'8" 12" x 6'8" \$\(\frac{1}{4}\) (7'0") 14" x 6'8" **★** (7'0")

S85930SL **8016** 12" x 8'0" 14" x 8'0"




Black Nickel Caming (1D)





Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.





Å 6'6" Height Available

KENSINGTON™ ◆ ******



Mahogany FCM148

46 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM626 ■ 16E 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



Mahogany

FCM813SL 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")



Oak

FC148 **4 9 E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



Oak

FC626 ■ 16E 2'8" x 6'8" \$\(\hat{1}\) (7'0")
2'10"x 6'8" \$\(\hat{1}\) (7'0")
3'0"x 6'8" \$\(\hat{1}\) (7'0")

PEMBRIDGE™ ◆ **!!** ❖



Oak FC148SL

10" x 6'8"* 12" x 6'8" 14"x 6'8"



Oak

FC813SL 12" x 6'8" \$\(\hat{1}\) (7'0") 14" x 6'8" \$\(\hat{1}\) (7'0")



Smooth

S160 **1**9E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



Smooth

\$626 ■ **1**9 E

2'8" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10"x 6'8" \$\(\frac{1}{2}\) (7'0")
3'0"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'6"x 6'8"



Smooth

S160SL 12" x 6'8" 14"x 6'8"



Smooth

S6132SL **• 1 9**



Mahogany

FCM6550 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





Mahogany

FCM6500 ■ **1**6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

FCM86500 **1**46 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Mahogany

FCM86550SL 12"x 8'0" 14" x 8'0'



FCM6500SL **•• 16**

10" x 6'8"* 12" x 6'8" (7'0") 14"x 6'8" (7'0")



FC6550 **1**6€

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC86550 **4**6 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



FC6500

■ **16** E 2'8" x 6'8" \$\(\begin{array}{c} (7'0") \\ 2'10" x 6'8" \$\(\begin{array}{c} (7'0") \\ 3'0" x 6'8" \$\(\begin{array}{c} (7'0") \\ \end{array}\)

FC86500 **1**46

2'8" x 8'0" 2'10" x 8'0"



FC6550SL

16 10" x 6'8"* 12" x 6'8" 14"x 6'8"



16 12"x 8'0"

14" x 8'0"

FC86550SL

••16 12"x 6'8" Å (7'0")



FC6500SL

FC86500SL 12"x 8'0" 14"x 6'8" \$\(\frac{1}{2}\) (7'0") | 14" x 8'0"

FCM86500SL

•• 16

12"x 8'0"

14" x 8'0"



S86550

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

16

S6550

16€ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S6500

■ **1** 6 E 3'6"x 6'8"



Smooth

S6550SL S86550SL 12"x 6'8" **4 6** 12"x 8'0" 14"x 6'8' 14" x 8'0'



S6500SL **9 9** 10"x 6'8"* 12"x 6'8" \$ (7'0") 14"x 6'8" A (7'0")





Mahogany

FCM1652 **∡ 6** 2'8" x 6'8" 2'10" x 6'8' 3'0" x 6'8"

FCM81652 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Mahogany

FCM1651 ■16E 2'4" x 6'8"* 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0")

2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")

FCM81651 **1**46 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



FCM1651SL

-16 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")



S86500

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0'

3'6"x 8'0"

146

FCM81651SL **-16**

Mahogany

12"x 8'0"

14" x 8'0"



Mahogany

FCM81652SL 16 12" x 8'0" 14" x 8'0"



FC1652 **16**E 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"

■ 16E 2'4"x 6'8" 1 * 2'6"x 6'8" 🛕 (7'0")* 2'8" x 6'8" \$ (7'0") 2'10" x 6'8" \$ (7'0") 3'0" x 6'8" 1 (7'0")

FC1651



Oak

FC81651 **1**46 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



10" x 6'8"* 12" x 6'8"

14"x 6'8"

FC81652SL 12" x 8'0" 14" x 8'0"



FC1651SL

•• 4 6 12" x 6'8" \$\(\Delta\) (7'0") 14" x 6'8" 🗘 (7'0")





S1652

16€ 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S1651 ■ 16 E 2'4"x 6'8" A *

2'6"x 6'8" 🕹 * 2'8" x 6'8" \$ (7'0") 2'10" x 6'8" \$ (7'0") 3'0" x 6'8" 🛕 (7'0") 3'6"x 6'8"



146 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6"x 8'0"



\$1652\$L 2 9 12" x 6'8" 14"x 6'8"

S81652SL **2 6** 12" x 8'0" 14" x 8'0"



Smooth

S1651SL 10" x 6'8"*





 Black Nickel Caming (1D) Brushed Nickel Caming (1C)





Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.



WBDR Options WBDR / HVHZ Options



CALIX ♦ # ❖

Mahogany

FCM2223 **4**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM82223 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Mahogany

FCM82389

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

FCM2389 ■ 16 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



Mahogany

FCM2389SL 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")

FCM82389SL 12"x 8'0" 14" x 8'0"



FCM82223SL 12" x 8'0" 14" x 8'0"



FC2223 19E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")

FC82223 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC2389 ■ **1**9E 2'8" x 6'8" \$\(\hat{1}\) (7'0")
2'10" x 6'8" \$\(\hat{1}\) (7'0")
3'0" x 6'8" \$\(\hat{1}\) (7'0")

FC82389 **4**9 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



FC2223SL 10" x 6'8"* 12" x 6'8"

14" x 6'8"

Oak FC82223SL 12" x 8'0" 14" x 8'0"



FC2389SL



LATITUDE 🔷 🎞 💠



Smooth

S2223 **1**9€ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S82223

3'0" x 8'0"

S2389

Smooth \$82389 ■ **6** E 2'8" x 6'8" \$\(\frac{1}{2}\) (7'0") 2'10" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0" x 6'8" \$\(\frac{1}{2}\) (7'0") **4**9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6"x 6'8" 3'6"x 8'0"



S2223SL 12" x 6'8"

14"x 6'8"



14" x 8'0'



S2389SL 10"x 6'8"* 12" x 6'8" \$\frac{1}{\times}\$ (7'0")
14" x 6'8" \$\frac{1}{\times}\$ (7'0")





FCM2213 **4**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM82213 **16** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Mahogany

FCM2382 ■16E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

FCM82382 **1**46 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM2382SL 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")

FCM82382SL **■ ● 1 6** 12"x 8'0" 14" x 8'0"

14" x 8'0"



Mahogany

FCM82213SL 12" x 8'0" 14" x 8'0"



FC2213 **1**9E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



Oak

FC82382

4

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

FC2382 ■16E 2'8" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0" x 6'8" 1 (7'0")



FC2213SL 10" x 6'8"* 12" x 6'8" 14"x 6'8"

FC82213SL 160221 12" x 8'0" 14" x 8'0"



FC2382SL

1 6 12" x 6'8" Å (7'0") 14" x 6'8" ★ (7'0")

FC82382SL 12" x 8'0"



14" x 8'0"



Smooth

S82213

S2213 **1**9€

16 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8" (7'0")



S82382

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

3'6"x 8'0"

149

FC82213

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

16

S2382

■**1**9E 3'0" x 6'8" \$ (7'0") 3'6"x 6'8"



Smooth S2213SL

S82213SL

16

12" x 8'0"

14" x 8'0"

16 12" x 6'8" 14"x 6'8"



Smooth

S2382SL **1 6** 10"x 6'8"*

12" x 6'8" 🛕 (7'0") 14" x 6'8" A (7'0")





ECHELON ♦ # ❖

Mahogany

FCM2233 **16** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM82233 **4**6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM2385 ■**1**9E 2'8" x 6'8" (7'0")

FCM82385 **1**49 2'8" x 8'0" 2'10" x 8'0' 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"



FCM2385SL

• • 4 6

10" x 6'8"* 12" x 6'8" 🛕 (7'0") 14" x 6'8" A (7'0")

FCM82385SL **• • 4** 6

12"x 8'0" 14" x 8'0"



Mahogany

FCM82233SL **12**" x 8'0"

14" x 8'0"



FC2233 **1**6€ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

FC82233 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC2385


■ 16E 2'8" x 6'8" \$ (7'0") 2'10" x 6'8" \$\(\frac{1}{2}\) (7'0")
3'0" x 6'8" \$\(\frac{1}{2}\) (7'0")

FC82385 **1**46 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

ECHELON Continues on next page.








Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.

Vented Sidelite Options





Å 6'6" Height Available

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR, requirements in all 50 states indicated in gold .



FC2233SL 10"x 6'8"* 12" x 6'8" 14" x 6'8"



FC82233SL 12" x 8'0" 14" x 8'0"



FC82385SL

12" x 8'0"

14" x 8'0"

FC2385SL **1 6** 12" x 6'8" \$\(\bar{\Lambda}\) (7'0") 14" x 6'8" \$\(\frac{1}{2}\) (7'0")



S2233 **16**€ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S2385 ■**1**6E 2'8" x 6'8" \$\(\bar{\Lambda}\) (7'0") 2'10" x 6'8" 🛕 (7'0") 3'0" x 6'8" \$\(\frac{1}{4}\) (7'0") 3'6"x 6'8'



S82233SL S2233SL **1**9 12" x 6'8" 16 12" x 8'0" 14"x 6'8" 14" x 8'0"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

S82233

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

16



S2385SL **•• 4** 6 10"x 6'8"* 12" x 6'8" **Å** (7'0") 14" x 6'8" 1 (7'0")





FCM138 * N 2'8" x 6'8"

3'0" x 6'8"



FCM1285 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FCM18 * 📦 🛚 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



146

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

3'6"x 8'0"

FCM1284 ■* **■** 🛚 E 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FCM12102 SL ■* N ● 7 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")



FCM6124_SL** ■* 📦 🔵 10" x 6'8"* 12" x 6'8" (7'0")

14" x 6'8" (7'0")



Mahogany FCM6125_SL** 10" x 6'8"* 12" x 6'8" (7'0")

14" x 6'8" (7'0")



FCM6126_SL** ■* N ● 🗾 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")



FC138_ * **≥** 🛚 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1285_ 2'8" x 6'8" \$\(\frac{1}{4}\) (7'0") 2'10" x 6'8" 1 (7'0") 3'0" x 6'8" 1 (7'0")



FC18_ * 📦 🛚 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1284_ 2'8" x 6'8" \$\(\frac{1}{4}\) (7'0") 2'10" x 6'8" 1 (7'0") 3'0" x 6'8" \$\(\frac{1}{4}\) (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.


XC = Chord XJ = Chinchilla


XR = Rainglass XN = Granite

XK = Reeded XE = Satin Etch

^{*}Not available with Advanta lite frame.

^{**}Not available with Reeded (XK) glass.







PRIVACY & TEXTURED GLASS Continues on next page.



Low-E Glass (LE)Simulated Divided Lites (SDL)

Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.



Vented Sidelite Options

E Elevated 10" Bottom Rail Options




NEW

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR, requirements in all 50 states indicated in gold .



INTERNAL BLINDS



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded XC = Chord XR = Rainglass XK = Satin Etch XJ = Chinchilla XN = Granite



1286 ■ * **I F 6 E** 2'4"x 6'8" 🗘 2'6" x 6'8" \$\(\begin{array}{c} (7'0")* \\ 2'8" x 6'8" \$\(\begin{array}{c} (7'0") \\ \end{array}\) 2'10" x 6'8" \$ (7'0") 3'0" x 6'8" \$ (7'0")





FC141SL | 81225PSL *** ≥ / 6 *IF6** 12" x 8'0" 10"x 6'8"* 12" x 6'8" 14" x 8'0" 14"x 6'8"



1286SL 81225SL ****** • *** * * *** • **/ / / /** 12" x 6'8" 1 (7'0") 12" x 8'0" 14" x 6'8" \$\(\bar{\Lambda}\) (7'0") 14" x 8'0"




S130 ***▼6E** 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S6061 2'4" x 6'8" 🛣 2'6" x 6'8" 🛕 * 3'0" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'6" x 6'8"

S81225 *** / / / /** 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6"x 8'0"





* † † † 🗾 🚩 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1201 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



2'6" x 8'0"*

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

FCM1211 * • • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1202 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM1212 * + + + | | 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1203 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM138 ***■†††≠///** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1285 ■***■**†††**▼**5E 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM1208 ******I/6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1200 ■******I**F6E 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM18 ***≈**†††**≥F**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES Continues on next page.

- No Stile Lines
- Low-E Glass (LE) Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat Almond Grilles** Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- Standard Lite Frame Available
- **Vented Sidelite Options**
- WBDR Options
- WBDR / HVHZ Options Elevated 10" Bottom Rail Options
- ♣ 6'6" Height Available

NEW

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR, requirements in all 50 states indicated in gold .



3'0" x 6'8" (7'0")











FCM1201SL

■ * ↑ ↑ ↑ ■ ▼

10" x 6'8"*

12" x 6'8" Å (7'0")

14" x 6'8" Å (7'0")





FCM1200SL

10" x 6'8"*
12" x 6'8" \((7'0") \)
14" x 6'8" \((7'0") \)











14" x 6'8" 🛕 (7'0")





3'0" x 6'8"









FC1201


** • • • • • IFE
2'6" x 6'8" \$\frac{1}{2}\$ (7'0")*
2'8" x 6'8" \$\frac{1}{2}\$ (7'0")
2'10" x 6'8" \$\frac{1}{2}\$ (7'0")
3'0" x 6'8" \$\frac{1}{2}\$ (7'0")



FC1211

** • • • • • • E
2'6"x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")





CLEAR GLASS WITH DIVIDED LITES Continues on next page.



- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.
- Standard Lite Frame Available
- Vented Sidelite Options
 WBDR Options

WBDR / HVHZ Options

Rail Options

6'6" Height Available

Elevated 10" Bottom

NEW

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR, requirements in all 50 states indicated in gold 🗸.



FC06188SL

* ~ / /
10"x 6'8"*
12" x 6'8"
14"x 6'8"



FC06184SL

** • (7'0")

14" x 6'8" \$\(\frac{1}{2}\) (7'0")



FC06189SL

* 2 /
10"x 6'8"*
12" x 6'8"
14"x 6'8"













Oak

FC198SL

* • • • •

10"x 6'8"*

12" x 6'8"

14"x 6'8"



FC1289SL ■ * ♦ ♦ ♦ ● ☑ ► 12" x 6'8" Å (7'0") 14" x 6'8" Å (7'0")
























\$108

6


2'6" x 6'8"*

2'8" x 6'8" (7'0")

2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")





CLEAR GLASS WITH DIVIDED LITES Continues on next page.



Flat Almond Grilles Between Glass (GBGF)

Flat Bronze Grilles Between Glass (GBGF)

Flat or Contour Black Grilles Between Glass (GBGF / GBGC)



Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.







Elevated 10" Bottom Rail Options

CLEAR GLASS WITH **CLEAR GLASS DIVIDED LITES** Continued Smooth Smooth Mahogany Mahogany Mahogany S198SL S6062SL FCM10 FCM870 FCM1283 FCM81200 FCM12101SL FCM81200SL * • • • • **•11 ***#|||||||||** *#**I**/6 ■***★▼5**E ■***★▼6 **** • **1 1 7 6** 10" x 6'8"* 2'8" x 6'8" 2'8" x 8'0" 2'4"x 6'8"* 2'0"x 8'0"* 10" x 6'8"* 12" x 6'8" 12" x 6'8" 🛕 (7'0") 2'6" x 6'8" (7'0")* 2'4"x 8'0"* 12" x 6'8" (7'0") 2'10" x 6'8" 2'10" x 8'0" 12" x 8'0" 14"x 6'8" 14" x 6'8" A (7'0") 3'0" x 6'8" 3'0" x 8'0" 2'8" x 6'8" (7'0") 2'6" x 8'0"* 14" x 6'8" (7'0") 14" x 8'0" 2'10" x 6'8" (7'0") 2'8" x 8'0" 3'0" x 6'8" (7'0") 2'10" x 8'0' 3'0" x 8'0" Mahogany Oak Oak 81200 FC47SL 81200PSL 12101SL 81200SL FCM870SL FC10 81200P 1283 *_11F6 **■*****±≥//**6 ***_1176 * ⊿ 7 9** 12" x 8'0" * **★ ▼ / / / / / /** * # **I F** 6 ***** • **1 1 7 6** 10" x 6'8"* 2'6" x 6'8"* 2'8" x 8'0" 2'4"x 6'8" 🕸 * 2'0"x 8'0"* 12" x 8'0" 2'8" x 6'8" (7'0") 2'6" x 6'8" \$\(\frac{1}{2}\) (7'0")* 2'4"x 8'0"* 12" x 6'8" 14" x 8'0' 2'10" x 8'0" 14" x 8'0" 12" x 8'0" 14"x 6'8" 2'6"x 8'0"* 2'10" x 6'8" (7'0") 3'0" x 8'0" 2'8" x 6'8" \$\(\frac{1}{2}\) (7'0") 14" x 8'0" 3'0" x 6'8" (7'0") 2'10" x 6'8" **(7'0")** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" \$ (7'0") 3'0" x 8'0" Smooth Smooth Direct Set Smooth Smooth S8140 ■ * ■ **2 7 6** \$140 ■ * **■ ▼ 5 E** DRS2131SL DRS82131SL S118 S818 S100SL S8601SL S601SL S81086SL ***#||||||** * 41 ***** 6 * 41 **7**6 **•11 **F**6 **** -**1**176** 12" x 6'8" (7'0") 12" x 8'0" 2'6"x 6'8"* 2'6" x 8'0"* 2'0" x 6'8"** 2'0"x 8'0"* 10"x 6'8"* 14" x 8'0" 2'4"x 8'0"* 12" x 6'8" 12" x 8'0" 12" x 6'8" **★** (7'0") 14"x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'8" x 8'0" 12" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 8'0' 2'6"x 8'0"* 14"x 6'8" 14" x 8'0' 14" x 6'8" \$\frac{1}{4}\$ (7'0") | 14" x 8'0" 3'0" x 6'8" (7'0") 2'8" x 8'0" 3'0" x 8'0'

3'0" x 6'8" \$ (7'0")

2'10" x 8'0"

3'0" x 8'0"

^{*}Not available with Advanta lite frame.

^{**}Available with Impact-rated lite frame only.

Note: See page 277 for important product details that may help with your purchase decision.



TRANSOMS

For transoms, see page 201.



BLACKSTONE. • ::



FCM765 **16** 2'8"x 6'8"

2'10" x 6'8"

3'0" x 6'8"



FCM765SL 12"x 6'8" 14"x 6'8"



FCM882SL **12**"x 8'0" 14" x 8'0"



FC765 **16** 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC770 81952P 16 2'8" x 8'0" 2'8"x 6'8" 2'10" x 6'8" 2'10"x 8'0" 3'0" x 6'8" 3'0" x 8'0"

CRYSTALLINE™ ◆ **■**



FC765SL 81952PSL 16 16 12"x 6'8" 12"x 8'0" 14"x 6'8" 14" x 8'0"



S975 16 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S979 16 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



2'10"x 8'0"

3'0"x 8'0"



S975SL S894SL 12"x 6'8" 16 12"x 8'0"

14" x 8'0"

14"x 6'8"



FCM38 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM38SL | FCM8105SL 12" x 6'8" 12" x 8'0"

14"x 6'8"



FC38 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC772 **16** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

81953P 16 2'8" x 8'0" 2'10"x 8'0" 3'0" x 8'0"

CRYSTALLINE Continues on next page.

- No Stile Lines
- Low-E Glass (LE)
- **Turtle Glass**
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Flat Lite Frame
- Standard Lite Frame Available

14" x 8'0"

- Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options

WBDR / HVHZ Options

- WBDR Options
- E Elevated 10" Bottom **Rail Options**
- ★ 6'6" Height Available

CRYSTALLINE™ ◆ **::** Continued Oak

FC38SL 81953PSL 12" x 8'0" 12" x 6'8" 14"x 6'8" 14" x 8'0"



S977 2'8" x 6'8" 2'10" x 6'8"



S981 S888 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S758SL S888SL 12" x 6'8" 12" x 8'0" 14"x 6'8" 14" x 8'0"



SEDONA ♦ #

FCM131 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM131SL FCM883SL 12" x 6'8" 12" x 8'0" 14"x 6'8" 14" x 8'0"



FC131 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC773 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



81954P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC131SL 81954PSL 12" x 8'0" 12" x 6'8" 14"x 6'8" 14" x 8'0"



S95 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S91 S887 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S91SL S887SL 12" x 8'0" 12" x 6'8" 14" x 8'0" 14"x 6'8"

SALINAS. X



FCM115 **4**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM115SL FCM884SL 16 16 12" x 6'8" 12" x 8'0" 14"x 6'8" 14" x 8'0"



FC115 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC775 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



81955P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



81955PSL

12" x 8'0" 14" x 8'0"

FC115SL 12" x 6'8" 14"x 6'8"



S6009 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S895

2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"

S6010 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



S895SL

12" x 8'0"

14" x 8'0"

S6009SL 12" x 6'8" 14"x 6'8"



MAPLE PARK. • ::

FCM902 2'8" x 6'8" 2'10"x 6'8"

3'0" x 6'8"



FCM902SL | 6 | 5 | 12" x 6'8" FCM887SL 12" x 8'0" 14"x 6'8" 14" x 8'0"



FC902 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



81957P 2'8" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 8'0"



81957PSL

16

12" x 8'0"

14" x 8'0"

FC902SL 12" x 6'8" 14"x 6'8"



S6102 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S6103 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S85898 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S85898SL **4 6** S6102SL 12" x 6'8" 12" x 8'0" 14"x 6'8" 14" x 8'0"



FCM907 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FCM907SL FCM889SL 12" x 6'8" 16 12" x 8'0" 14"x 6'8" 14" x 8'0"



FC907



FC776 81956P **16** 16 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FC907SL 81956PSL 16 16 12" x 6'8" 12" x 8'0" 14"x 6'8" 14" x 8'0"



S6092 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S891

16

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

S982 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth S6092SL 12" x 6'8" 14"x 6'8"

S891SL 16 12" x 8'0" 14" x 8'0"

16 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"

X Wrought Iron (1W)

 Black Nickel Caming (1D) Brushed Nickel Caming (1C)







TEXAS STAR ♦



Mahogany

FCM143 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM143SL FCM8103SL 16 12" x 6'8" 12" x 8'0" 14" x 8'0"



Oak

FC143 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



Oak

WELLESLEY™ ◆ ******

FC778 **4**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

81958P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC143SL 81958PSL 12" x 6'8" 12" x 8'0" 14" x 8'0"



Smooth

S6071 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S6072 2'8" x 6'8" 2'10" x 6'8' 3'0" x 6'8"

S85901 2'8" x 8'0" 2'10" x 8'0"



S6071SL 12" x 6'8" 14"x 6'8"

85901SL 12" x 8'0" 14" x 8'0"



Mahogany

FCM147 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM885SL

12" x 8'0"

14" x 8'0"

FCM147SL 4 9 12" x 6'8" 14"x 6'8"



FC147 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC779 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"

81959P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC147SL 2 9 12" x 6'8" 14"x 6'8" 81959PSL 12" x 8'0" 14" x 8'0"



S6091

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S983

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Smooth S892 **4**6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S6091SL 4 6 12" x 6'8" S892SL 12" x 8'0" 14"x 6'8" 14" x 8'0'

RISERVA. X



Mahogany

FCM543 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



12" x 6'8"

FCM545SL | FCM8545SL 12" x 8'0" 14" x 8'0" 14"x 6'8"



FC543 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC8529

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

FC529 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC545SL FC8545SL 12" x 8'0" 16 12" x 6'8" 14"x 6'8" 14" x 8'0"



S543 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S529 S8529 2'8" x 6'8" **4**6 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S545SL S8545SL 16 12" x 6'8" 12" x 8'0" 14"x 6'8" 14" x 8'0"

16

CONCORDE™ ◆ **!!** ❖



FCM912 **16** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM912SL | FCM892SL 12" x 8'0" 16 12" x 6'8" 14"x 6'8" 14" x 8'0"



FC912 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC780 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



81960PSL

12" x 8'0"

14" x 8'0"

FC912SL 4 6 12" x 6'8" 14"x 6'8"



S912 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

KENSINGTON™ ◆ ##



S97 **16** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S757SL S85902SL 12" x 6'8" 16 12" x 8'0"

14" x 8'0"

14"x 6'8"



FCM156 **4**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 8'0"

2'10"x 8'0"

3'0" x 8'0"

FCM1442SL FCM8107SL **12** x 6′8″ 12" x 8'0"

14" x 8'0"

14"x 6'8"



FC156 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC20042 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

81961P 16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

KENSINGTON Continues on next page.



Brushed Nickel Caming (1C)

S85902

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

16



PEMBRIDGE™ ◆ ## ❖ **KENSINGTON**™ ◆ **::** Continued Smooth Oak Smooth Smooth Mahogany Mahogany \$1442\$L 6 12" x 6'8" S902SL FC1442SL 81961PSL S20042 S902 S156 FCM6582 FCM6580SL FCM86580SL 12" x 8'0" 2'8" x 6'8" 2'8" x 8'0" 2'8" x 6'8" 12" x 8'0" 2'8" x 6'8" 12" x 6'8" 12" x 8'0" 16 12" x 6'8" 14"x 6'8" 14" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 2'10" x 6'8" 14" x 6'8" 14" x 8'0" 2'10" x 6'8" 14" x 6'8" 14" x 8'0" 3'0" x 6'8" 3'0" x 8'0" 3'0" x 6'8" 3'0" x 6'8" Oak Oak Oak Smooth Smooth Smooth FC6582 FC6580 FC86580 FC6580SL FC86580SL S6582 S6580 S86580 S6580SL S86580SL 2'8"x 6'8" 2'8" x 8'0" 12"x 6'8" 15 12"x 8'0" 2'8"x 6'8" 2'8"x 6'8" 2'8" x 8'0" **12**"x 6'8" 2'8"x 6'8" 12"x 8'0" 2'10" x 6'8" 2'10" x 6'8" 2'10" x 8'0" 14"x 6'8" 14" x 8'0" 2'10" x 6'8" 2'10" x 6'8" 2'10" x 8'0" 14"x 6'8" 14" x 8'0" 3'0" x 6'8" 3'0" x 8'0" 3'0" x 6'8" 3'0" x 6'8" 3'0" x 8'0" AXIS.

Oak

FC1646SL | FC81646SL

12" x 8'0" 14" x 8'0"

16

12" x 6'8"

14"x 6'8"

Smooth

S1647

2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"

Mahogany

FCM1647

3'0" x 6'8"

2'8" x 6'8" 2'10" x 6'8" Oak

FC1647

2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"

Oak

FC81646

2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"

FC1646

2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"

Mahogany

16

12" x 8'0"

14" x 8'0"

FCM1646SL

16

12" x 6'8"

14"x 6'8"

FCM81646SL



S1646 **1**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S81646 **1**6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S1646SL S81646SL 12" x 6'8" 12" x 8'0" 14"x 6'8" 14" x 8'0"



CALIX ♦ # ❖

FCM389 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM4521SL FCM84521SL **1 6** 12" x 8'0" 16 12" x 6'8" 14"x 6'8" 14" x 8'0"



FC389 **4**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC4521 FC84521 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FC4521SL | FC84521SL | 6 | 5 | 12" x 6'8" | 12" x 8'0" 14"x 6'8' 14" x 8'0"



S389 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S4521 S84521 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S4521SL S84521SL 12" x 6'8" 12" x 8'0" 14"x 6'8" 14" x 8'0"



FCM476 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM4525SL 2 9 12" x 6'8" 14" x 6'8" 14" x 8'0" FCM84525SL 2 9 12" x 8'0" 14" x 8'0"



FC476 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC4525 FC84525 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FC84525SL FC4525SL 4 9 12" x 6'8" 12" x 8'0" 14"x 6'8" 14" x 8'0"



S476 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S4525 4 62'8" x 6'8" 2'10" x 6'8' 3'0" x 6'8"



S84525

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



\$4525\$L 6 12" x 6'8" S84525SL 12" x 8'0" 14" x 8'0" 14"x 6'8"



- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.






ECHELON ♦ # ❖



PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR, requirements in all 50 states indicated in gold .




Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

PRIVACY & TEXTURED GLASS





3'0" x 6'8"

FCM32_ 2'8" x 6'8" 2'10" x 6'8"

14"x 6'8"



14" x 8'0"





FC766_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 6'8"

81943P_ 3'0" x 8'0"



81943P_SL FC32_SL 1632_ 12"x 6'8" 12" x 8'0" 14"x 6'8" 14" x 8'0"



S80_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S90_ S880_ 2'8" x 6'8" 2'10" x 6'8" * **5 6 2**'8" x 8'0" **2**'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S880_SL 12" x 8'0" 14"x 6'8" 14" x 8'0"



INTERNAL BLINDS

Mahogany FCM5425 * 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FCM5425SL ***I/**6 12" x 6'8" 14" x 8'0" 14"x 6'8"





FC5425 ***IF**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1964P 81964P ***IF**6 ***I/**6 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FC5425SL | 81964PSL * **1**/**6** 12" x 6'8" * **1 5 1 5 1 1 2** " **x 8 1 0** " 14"x 6'8" 14" x 8'0"



S5425 ***||||**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S8682

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

S682 ***I/**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S5425SL S8682SL * **1**/**6** 12" x 6'8" * 12" x 8'0" 14"x 6'8" 14" x 8'0"















NEW

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR₁ requirements in all 50 states indicated in gold ▼.











2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"



CLEAR GLASS WITH DIVIDED LITES Continues on next page.



12" x 6'8"

14"x 6'8"

Simulated Divided Lites (SDL) Flat or Contour White Grilles Between Glass (GBGF / GBGC)

14" x 8'0"

- Flat Bronze Grilles Between Glass (GBGF)
- **Flat Almond Grilles** Flat or Contour Black Grilles Between Glass (GBGF) Between Glass (GBGF / GBGC)

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8'


Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.





NEW


Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR, requirements in all 50 states indicated in gold .





2'10" x 6'8"

3'0" x 6'8"













81943P

3'0" x 8'0"

FC766 *** | | | | |** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



81943PSL * _ 12" x 8'0" FC32SL * 12" x 6'8" 14"x 6'8" 14" x 8'0"



S80 *176 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S90



Smooth

\$751\$L * **1**2" x 6'8" S880SL * 12" x 8'0" 14"x 6'8" 14" x 8'0"







Simulated Divided Lites (SDL)

Flat or Contour White Grilles Between Glass (GBGF / GBGC)

- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)





Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.



Standard Lite Frame Available **6** WBDR Options







TRANSOMS

For transoms, see page 201.



BLACKSTONE. • ::



FCM110 2'8"x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FCM164 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC714 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC164 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC794 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$771 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



\$6085 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

WELLESLEY™ ◆ ## ❖



\$997 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM106 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM163 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC713 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC163 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC796 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S774

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6082 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S999 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"





Mahogany

FCM916 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



Mahogany FCM915

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC916

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC915 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Oak

FC797 2'8" x 6'8" 2'10"x 6'8"

3'0" x 6'8"



S773

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6084

2'8" x 6'8" 2'10" x 6'8' 3'0" x 6'8"



S1000

2'8" x 6'8" 2'10" x 6'8' 3'0" x 6'8"





Mahogany

FCM151 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM789

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC709 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FC151 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FC798





S709 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



S163 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S1001 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





Mahogany

FCM6577 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6575 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"

PEMBRIDGE Continues on next page.







Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.



Oak

FC6577 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC06575

2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Oak

FC6576 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S6577 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S6575 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S6576 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS



FCM80 * [] 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'10" x 6'8" 3'0" x 6'8"



FC710 * [] 2'8" x 6'8"

2'10" x 6'8" 3'0" x 6'8"



FC160 * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC789 **★** ✓ **F** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"







Smooth

\$6080 * [] 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"




\$992 * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



^{*}Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



TRANSOMS

For transoms, see page 201.



BLACKSTONE. • ::



FCM109 FCM863 2'8"x 6'8" 16 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FCM6032

16 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany FCM6052

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM109SL 12"x 6'8" 14"x 6'8"

FCM863SL 12"x 8'0" 14" x 8'0"



FC109 **3 6 E** 2'6"x 6'8"∗ 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")

81933P 2'8" x 8'0" 2'10"x 8'0" 3'0" x 8'0"



81975P 16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC109SL **12**"x 6'8" 14"x 6'8"

81933PSL 12"x 8'0" 14" x 8'0"



Smooth

S6000 **16** € 2'6"x 6'8"* 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

S81933P 16 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"





S6032 **16E**

S86032 **1**6€ 2'8"x 6'8" (7'0") 2'8" x 8'0" 2'10"x 6'8" (7'0") 2'10" x 8'0" 3'0"x 6'8" (7'0") 3'0" x 8'0"



Smooth

\$4314 **2** 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S84314 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S6052 16 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S972 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S85905 16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S6000SL 16 12"x 6'8" 14"x 6'8"

S85912SL 16 12"x 8'0" 14"x 8'0"

Low-E Glass (LE)















E Elevated 10" Bottom **Rail Options**



FCM898 16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM898SL 12" x 8'0" 14" x 8'0"



81935P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



81977P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



81935PSL 12" x 8'0" 14" x 8'0"



S81935P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S86027 **3 9 E** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$84319 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S85907 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S85914SL 12" x 8'0" 14" x 8'0"




2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

SEDONA ♦ ∷

FCM101 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6045 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM101SL FCM864SL 12" x 6'8" 12" x 8'0" 14"x 6'8" 14" x 8'0"



FC101 **∡**E 2'6"x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



81978P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC101SL 81936PSL 12" x 6'8" 12" x 8'0" 14"x 6'8" 14" x 8'0"



S211 ■E 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

81936P

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



Smooth

S86025

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

⊿E

S6025 **⊿**E

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



Smooth

S4328 ΖE 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



3'0" x 8'0"



S6045

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S35 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





S294SL

12" x 6'8" 14"x 6'8"

S85915SL 12" x 8'0" 14" x 8'0"

SALINAS. X



Mahogany

FCM114 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM865 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Mahogany

FCM6031 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"







Mahogany FCM114SL

FCM865SL 12" x 6'8" 14"x 6'8" **12** x 8′0″ 14" x 8'0"



FC114

9 E 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



2'10" x 8'0" 3'0" x 8'0"



81980P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC114SL 12" x 6'8"

14"x 6'8"

Oak 81937PSL 12" x 8'0" 14" x 8'0'



S6006 **2**6"x 6'8"∗

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S81937P

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth

S6031 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S86031 **360031 36 E** 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



S4325 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S84325

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S6051

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SALINAS Continues on next page.









Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.





SALINAS_® **X** Continued



S973 2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"





Smooth S6006SL S85916SL 12" x 6'8" 12" x 8'0"

14" x 8'0"

14"x 6'8"



Mahogany

FCM901 **16** 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"

FCM886 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

MAPLE PARK. • ::



FCM6107

16 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



Mahogany

FCM6108 **16** 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



Mahogany

16 16 12" x 6'8" 14"x 6'8" 14" x 8'0"





FC901 **1**6€ 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0")

3'0" x 6'8" (7'0")



3'0" x 8'0'



81982P **16** 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



12" x 6'8" 14"x 6'8"



FC901SL 81939PSL 12" x 8'0" 14" x 8'0"



S6101 **4 6 E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")



S81939P 2'8" x 8'0" 2'10"x 8'0" 3'0" x 8'0"

SARATOGA™ ♦ #



S6107 S86107 **16**E **1**6€ 2'8" x 6'8" (7'0") 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0" x 6'8" (7'0") 3'0"x 8'0"



\$4324 **E** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

\$84324 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth S6108 16 2'8'x 6'8"

2'10"x 6'8'

3'0" x 6'8"



S6106 **16** 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S85897 **16** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S85918SL 16 12" x 8'0" 14" x 8'0"

S6101SL

16

12" x 6'8"

14"x 6'8"



Mahogany

FCM906 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"





FCM6029

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM6049 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM906SL | FCM888SL **1 6** 12" x 6'8' 12" x 8'0" 14"x 6'8" 14" x 8'0"



81938P

2'8" x 8'0"

2'10"x 8'0"

3'0" x 8'0"

16

FC906 **■**6E

2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")



Oak

81981P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Oak

FC906SL | 81938PSL 12" x 6'8" 14"x 6'8" 12" x 8'0" 14" x 8'0"



S213 **1**6€ 2'6"x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")





S6029 **1**6€ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S86029 **16** € 2'8" x 8'0" 2'10"x 8'0" 3'0" x 8'0"



Smooth

S4327 **46 €** 2'8" x 6'8" 2'10" x 6'8' 3'0" x 6'8'

S84327 **4**9 2'8" x 8'0" 2'10" x 8'0' 3'0" x 8'0'



S6049 16 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



S41 **■** 6

2'8" x 6'8" 2'10" x 6'8' 3'0" x 6'8"





S291SL

S85917SL 12" x 6'8" 16 12" x 8'0" 14" x 8'0" 14"x 6'8'





FCM144

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM899 16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM6074

16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6075 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM899SL 12" x 8'0" 14" x 8'0"



Oak

FC144

16€ 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")



81940P

16 2'8" x 8'0" 2'10"x 8'0" 3'0" x 8'0"



81983P

46 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



81940PSL

S6073 12" x 8'0" 14" x 8'0"



Smooth

16 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S81940P **16** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Smooth


S6074 **1**6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S86074 2'8" x 8'0" 2'10"x 8'0" 3'0" x 8'0"

TEXAS STAR Continues on next page.



Black Nickel Caming (1D)









WBDR Options





TEXAS STAR → :: Continued



S84329

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

S4329 **2'8"** x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6075 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S81983

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

S6076 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



85919SL 16 12" x 8'0"

14" x 8'0"

WELLESLEY™ ♦ ## ❖

Mahogany

FCM105 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM866 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Mahogany

FCM6030 **16** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM6050 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM105SL

FCM866SL 12" x 6'8" 14"x 6'8" 12" x 8'0" 14" x 8'0"



FC105 **1**6€ 2'6"x 6'8"* 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")



3'0" x 8'0"

81941P 2'8" x 8'0" 2'10" x 8'0"



Oak

81984P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



81941PSL FC105SL 12" x 6'8" 14"x 6'8" 12" x 8'0" 14" x 8'0"



S214

26"x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S81941P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S6030 **16** € 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S86030 **16**E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S4330

49E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S84330

49 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S6050 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

\$42 **1 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'10" x 8'0"

3'0" x 8'0"

Smooth

S292SL 12" x 6'8" 14"x 6'8"

S85922SL 16 12" x 8'0" 14" x 8'0"

RISERVA. X



Mahogany

FCM581 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM8581 16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM575 **16** 2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"



Mahogany FCM577

16

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"



Mahogany

12" x 6'8"

14"x 6'8"

FCM583SL FCM8583SL

16

12" x 8'0"

14" x 8'0"



2'8" x 6'8" (7'0")

2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")



FC581 **1**6E 2'6"x 6'8"*



Oak

FC8579 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



Oak

FC8583SL FC583SL 16 16 12" x 6'8" 12" x 8'0" 14"x 6'8" 14" x 8'0"



S581

16€ 2'6"x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S8581 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

16



S575

16€ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



Smooth

S4326 **49 €** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





Smooth

S577 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S579 2'8" x 6'8" 2'10" x 6'8' 3'0" x 6'8'

\$8579 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S583SL S8583SL 12" x 8'0" 16 12" x 6'8" 14" x 8'0" 14"x 6'8'



S8575

16€

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

CONCORDE™ ◆ ## ❖

Mahogany

FCM911 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8'

FCM891 16 2'8" x 8'0" 2'10" x 8'0' 3'0" x 8'0"

Mahogany

FCM6026 **1**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6046 **1**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



12" x 6'8" 14"x 6'8"

FCM911SL | FCM891SL **4 6** 12" x 8'0" 14" x 8'0"

CONCORDE Continues on next page.



Brushed Nickel Caming (1C)







■ Elevated 10" Bottom Rail Options

81942P

2'8" x 8'0"

2'10"x 8'0"

3'0" x 8'0"



FC911 **1**6€ 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")



81985P 2'8" x 8'0" 2'10"x 8'0" 3'0" x 8'0"



FC911SL 81942PSL 12" x 6'8" 12" x 8'0" 14"x 6'8" 14" x 8'0"



S81942P

2'8" x 8'0"

2'10"x 8'0"

3'0" x 8'0"

S426 **16** € 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S6026 **16** € 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S86026 **1**6E 2'8" x 8'0" 2'10"x 8'0" 3'0" x 8'0"



S84316

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

S4316 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6046 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S37 S837 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 8'0"



S430SL S85920SL 16 16 12" x 6'8" 12" x 8'0" 14"x 6'8" 14" x 8'0"



FCM149 FCM8149 2'8" x 6'8" 2'8" x 8'0" 2'10"x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FCM6036 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6056 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM149SL FCM867SL 12" x 6'8" 14"x 6'8" **16** 12" x 8'0" 14" x 8'0"



FC149 **1**9€ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"



FC89701 16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC149SL 12" x 6'8" 14"x 6'8"



S161

FC8867SL

12" x 8'0"

14" x 8'0"

S8149 2'8" x 8'0" **16** € 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10"x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



Smooth

S6036 S86036 **360030 36E** 2'8" x 8'0" **2'8"** x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10"x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



Smooth

S84320

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

S4320 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6056

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S43

S89701 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S161SL S867SL 12" x 6'8" 12" x 8'0" 14"x 6'8" 14" x 8'0"

PEMBRIDGE™ ◆ ## ❖



FCM86560

16

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

FCM6560

16 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Mahogany

FCM6565 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany FCM6568

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM6565SL 12"x 6'8" 14"x 6'8"





FC6560 **16E** 2'8"x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

FC86560 16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC86536 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC6565SL

16 12"x 6'8" 14"x 6'8"

Oak FC86560SL 16 12"x 8'0" 14" x 8'0"



Smooth

S6560 **46E** 2'6"x 6'8"* 2'8"x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S86560 **16** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S6565 **1**6E 2'8"x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S4323

49E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S84323 4 2'8" x 8'0"

2'10" x 8'0" 3'0" x 8'0"



Smooth

S6568 **16** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

PEMBRIDGE Continues on next page.











S86565

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

16 €

S6536 **16** 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Smooth S86536 16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S6565SL S86560SL 12"x 8'0" 16 12"x 6'8"

14" x 8'0"

14"x 6'8"



FCM81654

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

16

AXIS.

Mahogany FCM1654 **16** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1656 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1658 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1656SL FCM81654SL **12**" x 6'8" 12" x 8'0" 14" x 8'0" 14"x 6'8"



FC81654

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

16

FC1654 **2**6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC81653 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC1656SL | FC81654SL **1 6** 12" x 8'0" 14"x 6'8" 14" x 8'0'



S81654

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

16

S1654 **16** € 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S1656 **365 E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S81656 **36 E** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



3'0" x 6'8"

S84311 **4**9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S1658 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S1653 S81653 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S1656SL 16 12" x 6'8" 14"x 6'8"

S81654SL 16 12" x 8'0" 14" x 8'0"



FCM8386

2'8" x 8'0"

2'10" x 8'0"

16

FCM386 16 2'8" x 6'8" 2'10" x 6'8"



FCM387 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM394 16 2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"



FCM387SL FCM8386SL 12" x 6'8" 12" x 8'0" 14"x 6'8" 14" x 8'0"



FC386 **1**6€ 2'6"x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC8392 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC387SL FC8386SL 12" x 6'8" 12" x 8'0" 14" x 8'0" 14"x 6'8"



S8386 16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S387 **16** € 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S4310 **■** 9 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC8386

2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"

\$394 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S392 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

16

2'8" x 8'0"

2'10" x 8'0'

3'0" x 8'0"



S386

16€

2'6"x 6'8"*

2'8" x 6'8" (7'0")

2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S8386SL S387SL 12" x 6'8" 12" x 8'0" 14"x 6'8" 14" x 8'0"

LATITUDE ♦ :: ❖

S8387

16E

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



FCM8498 16 2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



FCM8498SL 16 12" x 8'0" 14" x 8'0"



2'10" x 8'0"

3'0" x 8'0"

FC8498 **4**6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC8489 **16** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC8498SL 16 12" x 8'0" 14" x 8'0"



S8498 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S8467 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

LATITUDE Continues on next page.




Brushed Nickel Caming (1C)









LATITUDE ◆ **::** ❖ Continued

Smooth

\$84322 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$8489 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



14" x 8'0"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



FCM65_ 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FCM6022_ 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FCM6042_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM8321_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM65_SL 12" x 6'8" 14" x 6'8"



14" x 8'0"



FC65_ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC8321_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC832_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC63_SL 12"x 6'8" 14"x 6'8"



FC3487_SL
12" x 8'0"
14" x 8'0"



\$262_ ► E 2'8" × 6'8" (7'0") 2'10" × 6'8" (7'0") 3'0" × 6'8" (7'0")



\$6022_ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S6042_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S32_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$8321_ 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



\$86022_ E 2'8"x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$832_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

PRIVACY & TEXTURED GLASS











12" x 8'0"

14" x 8'0"

FCM62_ FCM862_ 2'8" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 8'0"

FCM6021_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM6041_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM104_ **E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S206_

16€

12" x 6'8"

14"x 6'8"

FCM62_SL FCM862_SL **12**" x 6'8" 16 12" x 8'0"

14"x 6'8"

Mahogany

14" x 8'0"



81929P_

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

16

FC62_ **2'8"** x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC104_ ■ **1**6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



81971P_ 16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC48_SL 81929P_SL 16 16 12"x 6'8" 12" x 8'0" 14"x 6'8" 14" x 8'0"



16 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"

Smooth S81929P_ 2'8" x 8'0"



S6021_ **1**6€ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S86021_ **1**6€ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S4305 S84305_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6041_ 16 2'8" x 6'8" 2'10" x 6'8' 3'0" x 6'8"



S104 ■16E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S30 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S830 16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S210 SL S85910 SL 16 16 12" x 6'8" 12" x 8'0" 14"x 6'8" 14" x 8'0"











WBDR Options





FCM678

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM8678 ***I**/6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Mahogany FCM6035

***≥/**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany FCM6055

* 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM116 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM678SL *** ≥ | 5** 12" x 6'8"

14"x 6'8"

FCM8678SL *** ≥ | 5** 12" x 8'0" 14" x 8'0"



FC678 * **I / 6** E 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

FC8678 3'0" x 8'0"



Oak FC116

■ * **1 7 6** E 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC8971

***///**6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC678SL ***IF**6 12" x 6'8"

14"x 6'8"

FC8678SL ***I/**6 12" x 8'0" 14" x 8'0"



S132 ***≥**/5E

2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S6035

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



3'0" x 8'0"

S4308 ***∠/6**E 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"





Smooth S6055

3'0" x 6'8"



S131 * **/ 6** E 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")



S971 * **1** 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth S8971 * **1 5** 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



S8132

***≥**►6

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

S132SL ***IF6** 12" x 6'8" 14"x 6'8"

S8132SL **₩₽/**6 12" x 8'0" 14" x 8'0"

SCREEN VENTED LITES**



S243 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S6034 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

^{*}Not available with Advanta lite frame.

^{**}Features a gliding operation and sash locking system.

CLEAR GLASS WITH DIVIDED LITES



S6054 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S137 FE 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM8322 * • • • **/ /** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM8323 * * * * * *** / / / / 6** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM8324 * • • • **I** 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



FCM65 *** ≥** † † † **≥ / / 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany FCM6022 ***≥**†††**≥/**6 2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"



FCM6042 *** ≥** † † † **≥ / / 6** 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FCM8321 ***≈**†††**≥/**/6 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0'



Mahogany FCM8675SL * * * * **|** | **|** | 12" x 8'0" 14" x 8'0"



FCM7125SL

***** • • • 🗾

F6

12" x 8'0"

FCM65SL # ■ • • • 176 12" x 6'8" 14"x 6'8" 14" x 8'0"



Mahogany FCM3487SL *≈******/** 12" x 8'0" 14" x 8'0'



FCM8145

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

* • • • **/** /

FCM1408 * • • • 🗾 🚩 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1405 * † † † 🗾 🚩 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1406 * • • • **/ /** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1405SL | FCM8145SL * • • • 🗸 🚩 * • • • **/ /** 12" x 6'8" 12" x 8'0" 14"x 6'8" 14" x 8'0"



FC8322 * • • • • 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC8323 * + + + 1 7 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC8324 * • • • • 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC65 ***≈**†††**≥F**6E 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC8321 *****■+++**≥F**6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES Continues on next page.

- No Stile Lines Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- **Contour or Flat White Grilles** Between Glass (GBGF / GBGC)
- Contour or Flat Almond Grilles Between Glass (GBGF / GBGC)
- **Contour or Flat Bronze Grilles** Between Glass (GBGF / GBGC)
- Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites
- Standard Lite Frame Available





FC8318 * • • • 🗸 🚩 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC8319 * + + + **] / / 6** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0'



FC8320 * • • • 🗸 🚩 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC832 * N + + + 1 7 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC8675SL * • • • **I** 12" x 8'0" 14" x 8'0"



FC63SL 176 12" x 6'8" 14"x 6'8"



14" x 8'0"

FC3487SL * **1111** 12" x 8'0" 14" x 8'0"

Oak



FC8145

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

* † † † 🗾 🚩

FC1408 * • • • **I F**E 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC8144 * † † † 🗾 🚩 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC1408SL | FC8145SL * * * * * 12" x 6'8" 14" x 8'0" 14"x 6'8"

* • • • **I**

12" x 8'0"



S8322 * • • • • 🛮 🚩 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S8326 * • • • • **I F**E 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



S84318 * * * * * | | 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S8323 * * * * * * *** / / / / 6** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S8327 * * * * * * **I F 6 E** 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



S84313 * * * * * * **I F** 6 2'8" x 8'0" 2'10" x 8'0' 3'0" x 8'0"



S8324 * * * * * * **] /** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S8328 * • • • • **I F**E 2'8"x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S84309 * * * * * | | 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S262 *≈****** **F**6E 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S6022 **₹**6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



\$4307 ***** ♦ ♦ ♦ ♦ **/ / /** 2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8'



\$6042 * • • • • • • • • 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"























\$3487\$L ** \(\)



S8145 **** ♦ ♦ ♦ ♦** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"




Smooth

3'0" x 8'0"









S1408

2'6" x 6'8"*


* • • • • **I F**E

2'8" x 6'8" (7'0")

2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")





Flat or Contour White Grilles Between Glass (GBGF / GBGC)

- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles
 Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)



Scrolled & Flat
Advanta Lite Frame
Not available for 2'4" and
2'6" doors or 10" sidelites.

Standard Lite Frame Available





FCM62 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM862 *** | | | | |** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Mahogany

FCM6021 * **I F** 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM6041 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM670 * **I / 6 E** 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



***IF6**





FC62

***⊿/**6E 2'6" x 6'8"* 2'8"x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

81929P *** | | | | |** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Oak FC670

■***IF**6E 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



81971P

* **I F** 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC48SL *** / / 6**

81929PSL 12" x 6'8" 12" x 8'0" 14" x 8'0" 14"x 6'8"

*** / / / /**



S206

* **/** / 6 E 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



3'0" x 8'0"

S81929P * **I F** 6 2'8" x 8'0" 2'10" x 8'0"



S6021 ***ℤ**ፆ6E

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'8" x 8'0" 2'10"x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"

S4315 S86021 * **I F 6** E

* **PE** 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S84315 * **I 5** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Smooth



S6041

***≥//**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S104



Right Page: Smooth-Star, Clear Glass, Door - S289, Finish - Onyx



S105 2'6" x 6'8"* 2'8" x 6'8" (7'0")

2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")



S30 ***176** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"








S210SL ***17**6 12" x 6'8" 14"x 6'8"

S85910SL ***176** 12" x 8'0" 14" x 8'0"



TRANSOMS

For transoms, see page 201.



BLACKSTONE. • ::



S6013 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SEDONA ♦ #



S294 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SALINAS. X



S6014 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

MAPLE PARK. • ::



S6104 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SARATOGA™ ♦ ##



S291 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

WELLESLEY™ ♦ ## ❖



S292 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

RISERVA. X



S585 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CONCORDE™ ♦ ## ❖



S430 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

No Stile Lines





Brushed Nickel Caming (1C)



Standard Lite Frame Available

Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.



Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.



E Elevated 10" Bottom **Rail Options**

KENSINGTON™ ◆ ::



\$162 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Smooth

PEMBRIDGE™ ◆ :: ❖



S6572 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

AXIS.



\$1661 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"

CALIX ♦ :: ❖



S398 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



\$807_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

PRIVACY & TEXTURED GLASS



\$289_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES





\$1411 ** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS



\$289 * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite



TRANSOMS

For transoms, see page 201.



BLACKSTONE. • ::



FC80943 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86243 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S9343 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Smooth



S83143 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

SEDONA ♦ #



FC80952 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86252 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S9352 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SALINAS. X



S83152 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC80953 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86253 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S9353 **∡ 6** 2'8" x 6'8" 2'10" x 6'8' 3'0" x 6'8"



S83153 **16** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"





FC80955 **16** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86255 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- X Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
 - Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites. Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat
- Scrolled Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- Standard Lite Frame Available

MAPLE PARK. • ::





3'0" x 6'8"

2'10" x 8'0"

3'0"x 8'0"



Smooth S83155 2'8"x 8'0"

SARATOGA™ ◆ **::**

Oak

FC80954 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86254

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S9354 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S83154 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

WELLESLEY™ ◆ ******



FC80949 **1**6 2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"



FC86249 16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S9349 16 2'8" x 6'8" 2'10" x 6'8' 3'0" x 6'8"



S83149 **16** 2'8" x 8'0" 2'10" x 8'0'

3'0" x 8'0"

RISERVA. X



FC507

16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC549 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S507

16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CONCORDE™ ◆ **!!** ❖



S549 16 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



FC80947 16 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



3'0" x 8'0"



FC86247 16 2'8" x 8'0" 2'10" x 8'0"



S9347 16 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



S83147 16



Smooth

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"





FC80942

16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86242 16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla

XR = Rainglass XN = Granite

PEMBRIDGE™ ♦ ## ❖



S9342 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S83142 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Oak

FC6534 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86533 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S6534 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S86533 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

AXIS.



FC1655 16 2'8" x 6'8"

2'10" x 6'8" 3'0" x 6'8"



FC81649 16



2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S1655 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S81649 **4**6 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

CALIX ♦ :: ❖



FC393 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC8390 **1**6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S393 **16** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



S8390 16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC809203__

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC862203_ 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



S93203_

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S831203_

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"











PRIVACY & TEXTURED GLASS



FC80920_ **4**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86220_ **16** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S9320_ **16** 2'8" x 6'8" 2'10" x 6'8' 3'0" x 6'8"



S83120_ **4**6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

INTERNAL BLINDS



FC925 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC8972 ***≥/**6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S925 ***I/**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



S8972 * **I F** 6 2'8" x 8'0" 2'10" x 8'0' 3'0" x 8'0"



***≈**+++**≥F**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC862203 ***≈** +++**≥F**6 2'8" x 8'0" 2'10" x 8'0' 3'0" x 8'0"



S93203 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8'



***≥**††††**≥≥/** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0'



FC1404 * • • • **I** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8'



* • • • 🛮 🚩 2'8" x 8'0" 2'10" x 8'0' 3'0" x 8'0"

CLEAR GLASS



S1404 * * * * * **|** | | 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S8141 * * * * * **|** | | 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC80920 ***//**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86220 ***//**6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S9320 ***///**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S83120 ***///**6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla

XR = Rainglass XN = Granite

^{*}Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

^{**}Available with Advanta flat lite frame only.

^{***}Available with Advanta flat lite frame or Impact-rated lite frame only. Right Page: Smooth-Star, Calix Glass, Door- S3540, Finish - Arctic Ice

Note: See page 277 for important product details that may help with your purchase decision.



TRANSOMS

For transoms, see page 201.

OPTIONAL DENTIL SHELVES*

4-Block Dentil Shelf

Available for all Craftsman-lite Fiber-Classic Mahogany Collection doors.

4-Block Dentil Shelf

Available for all Craftsman-lite Smooth-Star doors.

SEDONA + ::



S2650**

ΖE 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S82650** 2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



FCM604

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S604

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S8604 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

MAPLE PARK. • ::



Smooth

S2630*** **■ 6 E** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S82630*** 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"

FCM609 16

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany



16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

SARATOGA™ ◆ **:**:



Mahogany

FCM602 16 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S2660***

■ 9 E

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



3'0" x 8'0"



Smooth S8602

16 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"

RISERVA. X



Mahogany

FCM508 **4**6 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S2670*** **■ 6 E** 2'8" x 6'8" 2'10" x 6'8' 3'0" x 6'8"

S82670*** **4**6 2'8"x 8'0" 2'10" x 8'0' 3'0" x 8'0"

RISERVA Continues on next page.

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
 - Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.





RISERVA. X Continued

\$508 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Smooth

| \$8508 | 6 |
| 2'8"x 8'0" |
| 2'10"x 8'0" |
| 3'0"x 8'0" |

PEMBRIDGE™ ♦ ## ❖



FCM6520 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$2640*

6 E
2'8'x 6'8"
2'10" x 6'8"
2'10" x 6'8"
2'10" x 8'0"
3'0" x 8'0"
3'0" x 8'0"



\$6520 ▲ \$6 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8" \$86520 ▲ \$6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



AXIS.

FCM1650 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



\$2620*
| 6 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"





\$1650 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





CALIX • :: •

FCM6975 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



\$3540*
| S83540*



\$6975 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" \$20" x 8'0" \$30" x 8'0" \$30" x 8'0"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



FCM605_

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM606_ 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"







FCM608_ 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



S605_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S8605_ ≥'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Smooth

\$606_ 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"

\$8606_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

PRIVACY & TEXTURED GLASS



S607_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S8607_ 2'8" x 8'0" 2'10" x 8'0'

3'0" x 8'0"



S608_ 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"





FCM601_ **4**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S82610__

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

S2610_ **2** 9 **E** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S601_ **16** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S8600_ **4**6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES



FCM605 * 📦 🛚 💌 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FCM606 * 📦 🛚 🚩 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM607 ***** ■ **Z** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM608 * N 7 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$605 *** ■ Z F** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$606 *** ■ Z P** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





S607 * 📦 🛮 🔻 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



3'0" x 8'0"



S608 S8608 * 📦 🖊 🚩 * 📦 🛚 💌 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FCM601 ***∡//**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



* _176

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

S2610* * JUF6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"




S601 ***|||||**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S8601 ***|||||**6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"













Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.





TRANSOMS

For transoms, see page 201.



MAPLE PARK. • ::



FCM736 FCM8736 2'8" x 8'0"

2'8" x 6'8" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8"



FC736 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



\$736 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S8736 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

SARATOGA™ ◆ **::**



FCM707 FCM8707 2'8" x 8'0" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 2'10" x 8'0" 3'0" x 8'0"



FC707	FC8707
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

WELLESLEY™ ◆ ## ❖

FC8736

2'8" x 8'0"

2'10" x 8'0" 3'0" x 8'0"



S707 S8707 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



FCM721 FCM8721 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FC721 FC8721 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10"x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



S721 S8721 2'8" x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"

CONCORDE™ ◆ **::** ❖



FCM735 2'8" x 6'8" 2'10"x 6'8"

3'0" x 6'8"

FCM8735 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



FC735

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S735

E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S8735

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

PEMBRIDGE™ ♦ ## ❖



Mahogany

FCM745 2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

FCM8745 2'8" x 8'0"

2'10" x 8'0" 3'0" x 8'0"



Oak

FC745

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

FC8745 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES



S745 FE 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S8745

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC8735

2'8" x 8'0"

2'10"x 8'0"

3'0" x 8'0"

Mahogany

FCM752 * • • • **/** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM8752 * **† † † *** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC752 * • • • • 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

FC8752 * * * * **> /** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S752 * ♦ ♦ ♦ ◆ **F**E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S8752 * * * * **> >** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM704 * ◆ ▶ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM8704 * • 🚩 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"

Oak

FC704 * 🔷 🏲 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

FC8704 * 🔷 🏲 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



S704 *** ◆ F**E

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S8704 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

CLEAR GLASS



Mahogany

FCM708 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM8708 * -2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC708

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

FC8708 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S708 */E

2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")

S8708 * -2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)



Fixed Grilles (FXG)

Standard Lite Frame Available

Elevated 10" Bottom **Rail Options**















2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" (Scalloped Lite Frame)

PEMBRIDGE_™ ♦ :: ❖



FCM6570 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"





FC6570 FC86570 **⊿**E 2'6" x 6'8" (7'0")* 2'8" x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8" (7'0")



S6570 ∡ E 2'6" x 6'8"* 2'8"x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



AXIS.

S236



FCM1645 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM81645 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC1645 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

S1645 **E** 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Smooth

S81645 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

PRIVACY & TEXTURED GLASS



FCM61_ 2'8" x 6'8" 2'10" x 6'8' 3'0" x 6'8"

FCM861_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC61_ ∡ E 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")

FC861_

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S296_ ∡E 2'6"x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S896_ 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0'

CLEAR GLASS



FCM61 ₩ 🗸 🚩 2'8" x 6'8"

2'10" x 6'8' 3'0" x 6'8'

FCM861 * 🛮 🚩 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



FC61 * **I E** 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S296 *** ▼ E** 2'6" x 6'8"* 2'8" x 6'8" (7'0")







Noise Reduction Doors

* 🛮 🚩

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

Therma-Tru. Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction lites also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-lite glass option in aluminum Lip-lite frame.





2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



2'6" x 8'0"* 2'8" x 8'0" 3'0" x 8'0"



Smooth S141STC ■ * + **/**E

2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



Smooth

S6063STC ■ * **→ F**E 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



Brushed Nickel Caming (1C)

- Brass Caming (1A)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
 - Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat White Grilles Between Glass Only (GBGFW) Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- Standard Lite Frame Available



TRANSOMS

For transoms, see page 201.





FCM31 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM220 **5** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany FCM205 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM755 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM600 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM60 FCM860 9 2'8" x 6'8" **5** 2'8" x 8'0" 2'10" x 6'8" 3'0" x 6'8" 2'10" x 8'0" 3'0" x 8'0"



= 9

2'0"x 8'0"

2'4"x 8'0"

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"

FCM1000 ■ 9 E 2'0"x 6'8" 2'4"x 6'8" 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC31 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC809 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC755 6 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC862 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC860 FC60 2'6"x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

9E



2'10" x 6'8" \$ (7'0")

3'0" x 6'8" 1 (7'0")

81000 2'0"x 8'0" 2'4"x 8'0" 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$93 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$45 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S8200

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

6E

\$220 **5** E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



\$1100 **5** E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





S83301

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

26

\$3301 2 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"




26

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

S3401L 2'5 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S83401R

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

\$3401R 2 5 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S83501L

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

26

\$3501L 2 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$3501R 2 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S83501R 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S3601L 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"

Smooth

S83601L

(2'6" x 8'0"
2'10" x 8'0"

3'0" x 8'0"



\$3601R \$83601R \$2 6 E \$28" x 6'8" \$210" x 6'8" \$10" x 8'0" \$10" x 8'0" \$10" x 8'0" \$10" x 8'0"



\$5701 **2 6 E** 2'8" x 6'8" 2'10" x 6'8" 2'10" x 6'8" 2'10" x 8'0" 2'10" x 8'0" 2'0" x 8'0"



\$5721 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

\$85721 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

SOLID PANEL Continues on next page.



Door Divider Bars (DDBF2)

WBDR Options



Å 6'6" Height Available

■ Elevated 10" Bottom Rail Options



S85230SL ۵E 12" x 8'0"

14" x 8'0"



S85700 SL ***** 2 12" x 8'0"

14" x 8'0"



S85710 SL ***** 2 12" x 8'0"

14" x 8'0'



S85720 SL **♦ * 2** 12" x 8'0" 14" x 8'0"



S85700SL ***** 2 12" x 8'0" 14" x 8'0"



S85710SL **♦ * 2** 12" x 8'0" 14" x 8'0'



S85720SL **♦ * 2** 12" x 8'0" 14" x 8'0"





S8120

9E 2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

\$120 **9 E** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S200 **6** 2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S897 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



6 2'8" x 8'0"

2'10" x 8'0" 3'0" x 8'0"

S205 **6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S755 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S31 S831 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S960 2'8" x 6'8" 2'10" x 6'8' 3'0" x 6'8"



S4800 S84800 **54000 E** 2'8" x 6'8" **9** 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S600 **5** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S8600 **5** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S210 **9E** 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S100 **■ 6 E**2'0" x 6'8" Å
2'4" x 6'8" Å 2'6" x 6'8" \$\frac{1}{2}\$ (7'0") 2'10" x 6'8" 1 (7'0") 3'0" x 6'8" 1 (7'0") 3'6" x 6'8'

S81000 **5** 2'0"x 8'0" 2'4"x 8'0" 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla

5 2'6"x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

XR = Rainglass XN = Granite

Transoms

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

BLACKSTONE. • ::



BSRT

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

SEDONA 🔷 🔡



19055T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



19520T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

SALINAS. X



SART

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

MAPLE PARK. • ::



FWRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

SARATOGA... • ::



19750T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only



19740T 3'0" Door Only

WELLESLEY™ ◆ ## ❖



19730T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only



19720T 3'0" Door Only

RISERVA. X



RSRT

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

CONCORDE™ ◆ ## ❖



CNRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

KENSINGTON™ ◆



KNRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

PEMBRIDGE_™ ◆ **::** ❖



PBRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

AXIS.



AXRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

CALIX • :: .



3'0" door + (2) 12" sidelites Continuous / Boxed Sill Systems



CX30T 3'0" Door Only

LATITUDE • :: *



LTRT

3'0" door + (2) 12" sidelites Continuous / Boxed Sill Systems



IT30T 3'0" Door Only

ECHELON ♦ :: ❖



ECRT

3'0" door + (2) 12" sidelites Continuous / Boxed Sill Systems



EC30T 3'0" Door Only

CLEAR GLASS





19020T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T

3'0" Door Only



12" & 14" Sidelite Only

No Stile Lines



Simulated Divided Lites (SDLF2)

Black Nickel Caming (1D) Brushed Nickel Caming (1C)

Brass Caming (1A)

X Wrought Iron (1W) WBDR Options 6

WBDR / HVHZ Options 6'6" Height Available

E Elevated 10" Bottom Rail Options

Hinged Patio Doors

Fiber-Classic₀, Smooth-Star₀, Profiles™ & Traditions

Flexible options for any home.

Our Fiber-Classic, Smooth-Star, Profiles and Traditions product lines extend to the patio with a wide assortment of options that combine form and function. Explore convenient options to control natural light and privacy, complement window grid patterns and more, all backed by Therma-Tru's outstanding warranties.





Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.


DOOR SELECTIONS







Fiber-Classic.
Oak Collection...



Smooth-Star.



Profiles_™ & Traditions


(Wood-grained images shown in Driftwood stain.)


GLASS SELECTIONS



Internal Blinds

Low-E / Clear









Retractable Screen Doors

With a discreet, hidden design, retractable screen doors allow fresh air and natural light inside while keeping debris and insects out. Available for single and french inswing configurations. See pages 30–31 for details.

Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

EnLiten_™ Flush-Glazed Warranty Riders

See page 115 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

■ = Available	Fiber-Classic	Smooth-Star	Profiles	Traditions
Door Selections				
Material	Fiberglass	Fiberglass	Steel	Steel
Warranty	Lifetime	Lifetime	10 Years	Door: 5 Years Glass: 10 Years
Finish Options	Stain or Paint	Paint	Paint	Paint
Flush-Glazed Glass Selections				
nternal Blinds ♦				
Low-E Glass with and without Divided Lites	•	•		
Clear Glass with and without Divided Lites	•	•		
Privacy & Textured Glass with and without Divided Lites	•	-		
Lip-Lite Glass Selections				
Internal Blinds				-
Low-E Glass with and without Divided Lites	•	•	•	-
Clear Glass with and without Divided Lites	•	•	•	•
Privacy & Textured Glass with and without Divided Lites	•	•	•	•
Available Sizes				
Heights	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0"	6'6", 6'8", 8'0"
Single Widths	2'0"-3'0"	2'0"-3'0"	2'0"-3'0"	2'0"-3'0"
Double Widths	4'0"-6'0"	4'0"-6'0"	4'0"-6'0"	4'0"-6'0"
Triple Widths	6'0"-9'0"	6'0"-9'0"	6'0"-9'0"	6'0"-9'0"
Retrofit Openings	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"
Additional Options				
Vented Sidelites (Single / Double Widths)	6'6", 6'8", 8'0" Heights in 2'4"-6'0" Widths	6'6", 6'8", 8'0" Heights in 2'4"-6'0" Widths		
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Impact-Rated Options	•	•		•
Tru-Defense Eligible	-			

EnLiten_™ Flush-Glazed

Internal Blinds




AVAILABLE COLLECTIONS

■ Smooth-Star_®

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS




Colonial Style Divided Lites




AVAILABLE COLLECTIONS

■ Fiber-Classic_® Oak ■ Smooth-Star_®

AVAILABLE DOOR STYLES





Prairie Style Divided Lites




AVAILABLE COLLECTIONS

- Fiber-Classic_® Oak
- Smooth-Star_®

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Low-E / Clear Glass




AVAILABLE COLLECTIONS

- Fiber-Classic_® Oak
- Smooth-Star_®

AVAILABLE DOOR STYLES





Lite Frames

Internal Blinds



AVAILABLE COLLECTIONS

- Fiber-Classic_® Mahogany
- Fiber-Classic_® Oak
- Smooth-Star_®
- Profiles_™
- Traditions

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Colonial Style Divided Lites




AVAILABLE COLLECTIONS

- Fiber-Classic_® Mahogany
- Profiles_™
- Fiber-Classic_® Oak
- Traditions
- Smooth-Star_®

AVAILABLE DOOR STYLES





Prairie Style Divided Lites




AVAILABLE COLLECTIONS

- Fiber-Classic_® Mahogany
- Fiber-Classic_® Oak
- Smooth-Star。
- Profiles_™
- Traditions

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Low-E / Clear Glass




AVAILABLE COLLECTIONS

- Fiber-Classic_® Mahogany
- Fiber-Classic_® Oak
- Smooth-Star_®
- Profiles_™
- Traditions

AVAILABLE DOOR STYLES





Profiles™ Steel Doors

Versatile, affordable options.

Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Top: Profiles, Screen Vented Glass, Door – 1004HD Bottom: Profiles, Sedona Glass, Door – 996HD, Sidelite – 139SL





Traditions Steel Doors

Back to basics.

It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.

Top: Traditions, Clear Glass, Door – TS118, Sidelites – 100SL Bottom: Traditions Door – TS210





Profiles™ & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-1/4" lock stiles.
- 12-1/2" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.
- WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.1
- ? 20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 232-235.

7	

Profiles Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.





Traditions Steel

Features 25-gauge steel, standard embossed smooth surface. All 8'0" doors are 24-gauge steel with standard embossments.







■ = Available • = Not Applicable P = Paint	Profiles	Traditions
--	----------	------------

Door Widths	
2'0"	
2'4"	
2'6"	
2'8"	
2'10"	
3'0"	
3'6"	

Door Heights	
6'6"	
6'8"	
7'0"	
8'0"	

Glass Options		
Decorative	16	16
Privacy & Textured	6	6
Internal Blinds		
Screen Vented Lites		
Simulated Divided Lites		
Grilles Between Glass		
Fixed Grilles		
Low-E		
Clear		

Frame Options	
Advanta Lite Frame	
Standard Lite Frame	
Impact Lite Frame	

Additional Options		
Finish	Р	Р

RETROFIT HINGED **PATIO DOORS**

Replacing common slider sizes? Find hinged patio door options on pages 202-207.

5'0" Patio Opening = (2) 2'4" Doors 6'0" Patio Opening = (2) 2'10" Doors

¹Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

²Decorative glass designs are shown in Profiles only.

³Brass caming not available for Impact.

Decorative & Specialty Glass Designs²



Brushed Nickel Blackstone.

Glass Privacy Rating: 7

Crystalline_™

Glass Privacy Rating: 7

Brushed Nickel

Black Nickel



Brushed Nickel Wrought Iron Sedona Glass Privacy Rating: 7

Salinas. Glass Privacy Rating: 10



Maple Park.

Black Nickel





Brushed Nickel





Glass Privacy Rating: 6

Saratoga_™ Glass Privacy Rating: 7


Texas Star Glass Privacy Rating: 5

Wellesley_™ Glass Privacy Rating: 6



Riserva. Glass Privacy Rating: 10







Brushed Nickel




Concorde_™ Glass Privacy Rating: 8

Kensington_™ Glass Privacy Rating: 8


Pembridge_™ Glass Privacy Rating: 7



Axis. Glass Privacy Rating: 7



Calix Glass Privacy Rating: 1



Latitude Glass Privacy Rating: 2



Echelon Glass Privacy Rating: 1

Also Available:

Internal Blinds Screen Vented **Glass Privacy Rating Scale**

1 2 3 4 5 6 7 8 9 10

Clear

Opaque

Privacy & Textured Glass



Reeded (XK) Glass Privacy Rating: 7



Satin Etch (XE) Glass Privacy Rating: 10



Chord (XC) Glass Privacy Rating: 10



Chinchilla (XJ) Glass Privacy Rating: 10



Rainglass (XR) Glass Privacy Rating: 8



Granite (XN) Glass Privacy Rating: **10**



Clear

Opaque

Also Available:

Divided Lites Clear Glass



Full Lites

BLACKSTONE. • ::



310 4 6 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



16 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")

CRYSTALLINE™ ◆



916 16 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



916SL 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")

SEDONA ♦ #



139 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



139SL 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")

SALINAS. X



369 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



369SL 4 6 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")

MAPLE PARK





1006 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



1006SL 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")

SARATOGA™ ◆ **!!**



610 6 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



610SL 6 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")

TEXAS STAR ♦



1029 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



1029SL 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")

WELLESLEY™ ♦ ## ❖



620 **4** 6 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



620SL 16 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")

RISERVA. X



571 **1 6** 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



TS572SL 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)** Brass Caming (1A)
- X Wrought Iron (1W)
- Scrolled & Flat Advanta Lite Frame
- WBDR / HVHZ Options
- å 6'6" Height Available



CONCORDE™ ◆ :: ❖



1028 **4** 6 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



416SL 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")

KENSINGTON™ ◆



626 46 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



46 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")

PEMBRIDGE_™ ◆ **!!** ❖



6500HD 16 2'4" x 6'8"* 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



6500SL **4**6 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")

AXIS.



1651HD 2'4" x 6'8"* 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



1651SL **16** 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")

CALIX • # .*



2389HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



2389SL **4**6 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")

LATITUDE • :: .



2382HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



2382SL **4**6 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")

ECHELON ♦ # ❖



2385HD 16 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



2385SL **4**6 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



128_ * m/ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



108_ * N 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



6184___SL** 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")



6185__SL** * N 10" x 6'8"* 12" x 6'8" (7'0")

14" x 6'8" (7'0")



6186___SL** * N 10" x 6'8"* 12" x 6'8" (7'0")

14" x 6'8" (7'0")



632_SL * N 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla

XR = Rainglass XN = Granite

^{*}Not available with Advanta Lite Frame.

^{**}Not available with Reeded (XK) glass.

^{***}Available with Impact-rated lite frame only.

PRIVACY & TEXTURED GLASS



118_ * **5**2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



100__SL *** 4 6** 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")

INTERNAL BLINDS



130 *** ▼ ✓ / /** 2'4" x 6'8"* 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



130SL * **17**6 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")

CLEAR GLASS WITH DIVIDED LITES



* • • • • • • 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



1203 * * * * * * | 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



* NI + + + + > 1 F 6 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



1200 * * * * * * 76 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



108 *****≥+++++≥**//**6 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



1201SL * * * * * * | 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")



1202SL * • • • • 🛮 🚩 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")



* * * * * * * 7 6 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")



632SL *****≥++++ 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")



* • 7 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")

6184SL



6185SL * 📦 🖊 🚩 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")



* 📦 🖊 🚩 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")



* * * * * * *** / / / /** 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



198SL * * * * * | 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")

CLEAR GLASS



*#☑೯6 2'0" x 6'8"*** 2'4" x 6'8"*** 2'6" x 6'8" (7'0")*** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



100SL * **II**/6 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")







- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
 - Flat or Contour White Grilles Between Glass (GBGF / GBGC)
 - Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)





Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites





BLACKSTONE. • ::



1037HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1037SLHD 6 12" x 6'8" 14" x 6'8"

CRYSTALLINE™ ◆



1042HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



956SLHD **2 6** 12" x 6'8" 14" x 6'8'

SEDONA ♦ ::



965HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

965SLHD 12" x 6'8" 14" x 6'8"

SALINAS. X



968HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



971SLHD 4 6 12" x 6'8" 14" x 6'8"

MAPLE PARK. • ::



1009HD 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



1009SLHD 16 12" x 6'8" 14" x 6'8"

SARATOGA™ ◆ **:**:



1039HD 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1039SLHD 16 12" x 6'8" 14" x 6'8"

TEXAS STAR ♦



1040HD 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1040SLHD **4**6 12" x 6'8" 14" x 6'8"

WELLESLEY_™ ◆ **#** ❖



16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1041SLHD 12" x 6'8" 14" x 6'8"

RISERVA. X



544HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



546SLHD 2 5 12" x 6'8" 14" x 6'8"

CONCORDE™ ◆ ## ❖



967HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



967SLHD 12" x 6'8" 14" x 6'8"

KENSINGTON™ ◆



03142HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8'



966SLHD 12" x 6'8" 14" x 6'8"

PEMBRIDGE_™ ◆ **!!** ❖



16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



6580SLHD **12**" x 6'8" 14" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

AXIS.



1644HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1644SLHD 2 6 12" x 6'8" 14" x 6'8"

CALIX ◆ **::** ❖



391HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



391SLHD 2 6 12" x 6'8" 14" x 6'8"

LATITUDE • :: •



469HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



469SLHD 12" x 6'8" 14" x 6'8"

PRIVACY & TEXTURED GLASS



961HD_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



959HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



6720HD_SL 12" x 6'8" 14" x 6'8"



959HD_SL 2 5 12" x 6'8" 14" x 6'8"

INTERNAL BLINDS



5425 * 2 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



CLEAR GLASS WITH DIVIDED LITES





#













CLEAR GLASS



959HD * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



959SLHD * 2 6 12" x 6'8" 14" x 6'8"

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- ♦ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Scrolled & Flat
 Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.
- Standard Lite Frame Available
- 6 WBDR / HVHZ Options

Oval Lites

BLACKSTONE.



1025HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

$\textbf{WELLESLEY}_{\text{\tiny TM}}$



1022HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

$CONCORDE_{TM}$



1024HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

KENSINGTON_{TM}



630HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

PEMBRIDGE_{TM}



6578HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEARGLASS



1020HD * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

1/2 Lites

BLACKSTONE. • ::



309HD 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1001HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1117HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



311SLHD 5 12" x 6'8" (7'0") 14" x 6'8" (7'0")

SEDONA +::



211HD 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



996HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



294SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

SALINAS. X



374HD 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1002HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1115HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



371SLHD 26 12" x 6'8" (7'0") 14" x 6'8" (7'0")

MAPLE PARK. • ::



1007HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1011HD 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



1116HD 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



1007SLHD 4 6 12" x 6'8" (7'0") 14" x 6'8" (7'0")

SARATOGA™ ♦



613HD 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



988HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1112HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



615SLHD 2 5 12" x 6'8" (7'0") 14" x 6'8" (7'0")

TEXAS STAR ♦



1032HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1035HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1111HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

WELLESLEY™ ♦ :: ❖



623HD 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



989HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1120HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



625SLHD
5
12" x 6'8" (7'0")
14" x 6'8" (7'0")

RISERVA. X



582HD 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



576HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



578HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



584SLHD 2 6 12" x 6'8" (7'0") 14" x 6'8" (7'0")

CONCORDE™ ◆ ## ❖



426HD 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



999HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1118HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



430SLHD 2 5 12" x 6'8" (7'0") 14" x 6'8" (7'0")

KENSINGTON™ ◆



627HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



631HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1113HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



628SLHD 12" x 6'8" (7'0") 14" x 6'8" (7'0")

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
 - Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.







6560HD 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



6565HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



6568HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



6565SLHD
2 6
12" x 6'8" (7'0")
14" x 6'8" (7'0")

AXIS.



1660HD 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1657HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1659HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1657SLHD 6 12" x 6'8" (7'0") 14" x 6'8" (7'0")

CALIX ♦ :: ❖



835HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



395HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



397HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



395SLHD 2 6 12" x 6'8" (7'0") 14" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



262HD___ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



982HD___ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1123HD___ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



263SLHD__ 12" x 6'8" (7'0") 14" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS



206HD___ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")





1101___HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



104 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



210SLHD____ 12" x 6'8" (7'0") 14" x 6'8" (7'0")

INTERNAL BLINDS





984HD * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

^{*}Not available with Advanta Lite Frame.

SCREEN VENTED LITES**



1121HD * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"







2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



137 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

CLEAR GLASS WITH DIVIDED LITES



262HD

2'6" x 6'8" (7'0")*

2'8" x 6'8" (7'0")

2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")





2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"

1123HD











CLEAR GLASS



* • • • • 12" x 6'8" (7'0")
14" x 6'8" (7'0")







* 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





105

E2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



210SLHD * 12" x 6'8" (7'0")
14" x 6'8" (7'0")

- * Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
 - Flat or Contour White Grilles Between Glass (GBGF / GBGC)
 - Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- ♦ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat
 Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.
- Standard Lite Frame Available
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

BLACKSTONE.





311HD 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

SEDONA





294HD 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

SALINAS.



371HD 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

MAPLE PARK.

+ :::



1008HD 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

SARATOGA_{TM}

+ :::



615HD 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

WELLESLEY_{TM}





625HD 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

RISERVA®





588HD 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

CONCORDETM





430HD 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

KENSINGTON_{TM}





628HD 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

PEMBRIDGE_{TM}





6572HD 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

AXIS.





1662HD 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

CALIX * # **



396HD 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

PRIVACY & TEXTURED

GLASS



263HD 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



289HD_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

^{*}Not available with Advanta Lite Frame.

^{**}Not available with Reeded (XK) glass.

CLEAR GLASS WITH DIVIDED LITES



3'0" x 6'8" (7'0")



CLEAR GLASS



Craftsman Lites

SEDONA ::



604HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

MAPLE PARK.



609HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SARATOGA™ **I**:



602HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

RISERVA





508HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

$\textbf{PEMBRIDGE}_{^{\text{TM}}}$





6520HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

AXIS.



1650HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CALIX



6975HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



605HD_**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



606HD_***

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



608HD_**

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- X Wrought Iron (1W)
- Simulated Divided Lites (SDL)

 Flat or Contour White Grilles
 - Between Glass (GBGF / GBGC)
 Flat Almond Grilles
 Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat
 Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.



PRIVACY & TEXTURED GLASS



601_HD* 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



605HD *** ≥** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



606HD *** ■ Z Z** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



607HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



608HD ***** ■ **Z P** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS



601HD * 1 7 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Minimal Lites

MAPLE PARK. 🔷 🏭



736HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

SARATOGATM



707HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

WELLESLEY_{TM}



721HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

CONCORDE_{TM}



735HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

PEMBRIDGE_{TM}





745HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

CLEAR GLASS WITH DIVIDED LITES



752HD * * * * **> /** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



704HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

CLEAR GLASS



708HD ☀ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

CONCORDE_{TM} * :: **



454HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla

XR = Rainglass XN = Granite

CLEAR GLASS WITH DIVIDED LITES



CLEARGLASS



256HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

CLEAR GLASS WITH DIVIDED LITES



236HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



237HD

** • [7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
(Scalloped Lite Frame)

PEMBRIDGE™

→ :: ❖



6570HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



6570SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

AXIS.



2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



12" x 6'8" (7'0") 14" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS



2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



296SLHD___ 12" x 6'8" (7'0") 14" x 6'8" (7'0")

CLEAR GLASS



2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



Solid Panel



969HD 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



978HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1005HD 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



205HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



203HD 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



210HD 5 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



100 E 2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")








- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Fixed Grilles (FXG)

 Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.



E Elevated 10" Bottom Rail Options

Full Lites

PRIVACY & TEXTURED

GLASS WITH DIVIDED LITES



TS128 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



6184__SL* 10" x 6'8"** 12" x 6'8" (7'0") 14" x 6'8" (7'0")



6185__SL* 10" x 6'8"** 12" x 6'8" (7'0") 14" x 6'8" (7'0")



10" x 6'8"** 12" x 6'8" (7'0") 14" x 6'8" (7'0")



10" x 6'8"** 12" x 6'8" (7'0") 14" x 6'8" (7'0")



PRIVACY &

3'0" x 8'0"







100__SL 10" x 6'8"** 12" x 6'8" (7'0") 14" x 6'8" (7'0")



INTERNAL BLINDS



TS130 *** ≥ ≥ 6** 2'4" x 6'8"** 2'6" x 6'8"** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8'



***I /**6 2'6" x 8'0"** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



*** ≥ ≥** 6 10" x 6'8"** 12" x 6'8" (7'0") 14" x 6'8" (7'0")




TS1201 * • • • • 🗾 🚩 2'6" x 6'8" ** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



CLEAR GLASS WITH DIVIDED LITES

TS1202 * • • • • 🗾 🚩 2'6" x 6'8" ** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8'



TS1203 * * * * * **|** | | 2'6" x 6'8"** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



TS128 ***≥**††††**√≥//** 2'6" x 6'8"** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



* * * * * * **I F** 6 2'6" x 6'8"** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



*****≥++++ **≥ F**6 2'6" x 6'8"** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



828 * + + + + + 1 F6 2'6" x 8'0"** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



12" x 8'0"

14" x 8'0"

808 * + + + + + | F6 2'6" x 8'0"** 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



10" x 6'8"** 12" x 6'8" (7'0") 14" x 6'8" (7'0")



* * * * * **|** | | 10" x 6'8"** 12" x 6'8" (7'0") 14" x 6'8" (7'0")



*******/**6 10" x 6'8"** 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

XC = Chord XJ = Chinchilla

XR = Rainglass XN = Granite

XK = Reeded XE = Satin Etch

^{*}Not available with Reeded (XK) glass.

^{**}Not available with Advanta Lite Frame.

^{***}Available with Impact-rated lite frame only.







12" x 8'0"

14" x 8'0"







6184SL ***** ■ **Z** 86184SL 10" x 6'8"** 12" x 6'8" (7'0") 14" x 8'0" 14" x 6'8" (7'0")

6185SL * 📦 🔼 🚩 10" x 6'8"** 12" x 6'8" (7'0") 14" x 6'8" (7'0")

86185SL 6186SL ***** ■ **Z F** * 📦 🛚 🏲 10" x 6'8"** 12" x 8'0" 14" x 8'0"

12" x 6'8" (7'0") 14" x 6'8" (7'0")

86186SL 14" x 8'0"



10" x 6'8"**

12" x 6'8" (7'0")

14" x 6'8" (7'0")

TS198 * + + + + **1 F** 6 2'6" x 6'8"** 2'8" x 6'8" 2'10" x 6'8'



198SL * • • • • • 🗸 🚩 10" x 6'8"** 12" x 6'8" (7'0") 14" x 6'8" (7'0")



CLEAR GLASS

* **# | | | | | |** 2'0" x 6'8"*** 2'4" x 6'8"*** 2'6" x 6'8"*** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'0" x 8'0"*** 2'6" x 8'0"*** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



100SL * **6** 🗸 🚩 10" x 6'8"** 12" x 6'8" (7'0") 14" x 6'8" (7'0")

818\$L * 6 I F 12" x 8'0" 14" x 8'0"

1/2 Lites

3'0" x 6'8

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



TS262 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



8321_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



12" x 6'8" 14" x 6'8"

PRIVACY & TEXTURED GLASS



TS206_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



TS104 **1**6E 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



TS210__SL 16 12" x 6'8" 14" x 6'8"

- Low-E Glass (LE)
- **Turtle Glass**
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat Almond Grilles** Between Glass (GBGF)
- Flat Bronze Grilles
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Between Glass (GBGF)

16

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.







INTERNAL BLINDS



***I**/6

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

TS132 2'6" x 6'8"** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8'



TS131 2'6" x 6'8"** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



***≥**/5 12" x 6'8" 14" x 6'8"

SCREEN VENTED LITES*



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



TS137 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



8322 * * * * * | | 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



* + + + + **1 5** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0'



* • • • • **I** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



*****≥++++◆**≥F**6 2'6" x 6'8"** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



8321 *****≥++++**/**/**/**5 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



TS115 * **> F E** 2'6" x 6'8"** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



12" x 6'8" 14" x 6'8"

CLEAR GLASS



TS1408 * • • • • **I** 2'6" x 6'8"** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

8145 * * * * * **|** | 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"







***1**/6

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

TS206 ***17**6 2'6" x 6'8"** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



TS104 * 2 5 E 2'6" x 6'8"** 2'8" x 6'8" 2'10" x 6'8" 🐧 3'0" x 6'8"



TS105 *** ► E** 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 🗘 3'0" x 6'8'



TS210SL * 1 5 12" x 6'8" 14" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

^{*}Features a gliding operation and sash locking system.
**Not available with Advanta Lite Frame.

Note: See page 277 for important product details that may help with your purchase decision.

Twin 1/2 Lites

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



TS263 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



TS263 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8'

3'0" x 6'8"



TS1411 * • • • • 🛮 🚩 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8' 3'0" x 6'8"

PRIVACY & TEXTURED GLASS



TS289 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS



TS289 * | | 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Minimal Lites

PRIVACY & TEXTURED GLASS



TS296 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





TS296___SL 12" x 6'8" 14" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



TS752 * * * * **> >** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



TS704 *** ◆** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



8704 * • 🚩 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



TS255 * * * * * * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



TS236 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"




2'10" x 8'0"

3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES Continues on next page.





- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat Almond Grilles** Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG) Standard Lite

Frame Available

* • • • • **•**

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

Scrolled Advanta Lite Frame



Not available for 2'4" and 2'6" doors or 10" sidelites.







CLEAR GLASS WITH **DIVIDED LITES**



3'0" x 6'8" (Scalloped Lite Frame)

CLEAR GLASS



2'10" x 8'0" 3'0" x 8'0"

TS708

**
2'8" x 6'8"
2'10" x 6'8" 3'0" x 6'8"



TS256

* 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Solid Panel



TS210 6 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"





TS100 **5E** 2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

800 **6E** 2'0" x 8'0" 2'4" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Transoms

Transoms can be painted to match a Profiles™ or Traditions door system.

BLACKSTONE. ::



BSRT

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

SEDONA ♦



19055T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



19520T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

SALINAS. X



SART

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

MAPLE PARK. • ::



FWRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

SARATOGA_™ ◆ **!**:



19750T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only



19740T 3'0" Door Only

WELLESLEY... • :: *



19730T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only



19720T 3'0" Door Only

RISERVA. X



RSRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

CONCORDE™ ♦ :: ❖



CNRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

KENSINGTON™ →



KNRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

PEMBRIDGE™ ◆ ## ❖



PBRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

AXIS.



AXRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

CALIX • :: •



CXRT

3'0" door + (2) 12" sidelites Continuous / Boxed Sill Systems



CX30T 3'0" Door Only

LATITUDE 🔷 :: 💠



LTRT

3'0" door + (2) 12" sidelites Continuous / Boxed Sill Systems



LT30T 3'0" Door Only

ECHELON ♦ :: ❖



ECRT

3'0" door + (2) 12" sidelites Continuous / Boxed Sill Systems



EC30T 3'0" Door Only

CLEAR GLASS



Grille Sticks Applied



19020T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied





19200T *3'0" Door Only

12" & 14" Sidelite Only

* Low-E Glass (LE)

Brass Caming (1A)

Black Nickel Caming (1D)
Brushed Nickel Caming (1C)

X Wrought Iron (1W)

Fixed Grilles (FXG)

Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.

Standard Lite Frame Available






Therma-Tru_® Fire-Rated Doors

Therma-Tru offers products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries. Explore a wide variety of 20-minute Fire-rated fiberglass and steel door styles.

Smooth-Star. 20-minute Fire-rated fiberglass doors are constructed with a polyurethane foam core that reduces overall door slab weight by 45% for easier handling and installation.²



20-Minute Fire-Rated Fiberglass Doors

- Tested to withstand a minimum of 20-minutes of fire exposure with temperatures that reach more than 1,400 degrees Fahrenheit.
- Features a 20-minute positive pressure rating.
- Certified by Intertek, Warnock Hersey for mortise lock use and features a wide lock stile to provide proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- More durable than steel, and resist dents, scratches and rust, making them ideal for high-traffic, heavy-use environments.
- Features full-length lock side blocking, as well as blocking for panic and closure applications.
- Ideal for hotels, apartments, office buildings and other applications with security locks and card readers.

ADDITIONAL OPTIONS

 Solid-panel steel wood-edge doors also available with the 20-minute Fire-rated label, starting on page 235.

For California Projects

Therma-Tru Smooth-Star 20-minute Fire-rated fiberglass doors meet or exceed building codes and regulations specific to the state of California, including:

- ✓ California Wildland Urban Interface (WUI) and other State WUI requirements.
- ✓ California Air Resources Board (CARB) formaldehyde regulations.
- ✓ California State Fire Marshall test CA SFM 12-7A-1.

For Florida Projects

Therma-Tru Smooth-Star foam core 20-minute Fire-rated fiberglass doors include options to meet building codes and regulations specific to the state of Florida.

- ✓ Approved for structural use in Florida.
- ✓ Approved for Wind-Borne Debris Regions (WBDR) including the Gulf and Texas coast.

Note: Therma-Tru Fire-rated doors are approved for use in all Wildland Urban Interface (WUI) zones.

or – SSF120 233

20-Minute Fire-Rated Wood Edge – Fiberglass

SMOOTH-STAR.



SSF93 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



SSF45 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



SSF220 **9 E**2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



SSF1100 53F1100 5 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



53F120 5 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



SSF200 **6** 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SSF8200 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



SSF205 6 2'8" x 6'8" SSF8205 6 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



SSF755 **5** 2'10" x 6'8" 3'0" x 6'8"



9 E2'8" x 8'0"
2'10" x 8'0" 3'0" x 8'0"

9 2'8" x 6'8" 9 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 8'0"



SSF960 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



SSF4800 **9E** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SSF84800 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



SSF600 **9** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





SSF160 **5E**2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



SSF8160 **6** 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



SSF100 **9E** 2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

SSF8100 9 E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



20-Minute Fire-Rated Wood Edge – Steel

PROFILES_{TM}



969HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



978HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



205HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



203HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



210HD 2'6" × 6'8" (7'0") 2'8" × 6'8" (7'0") 2'10" × 6'8" (7'0") 3'0" × 6'8" (7'0")



100 • § E 2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

TRADITIONS



TS210

6
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS100

6 E
2'0" x 6'8"
2'4" x 6'8"
2'6" x 6'8"
2'6" x 6'8"
2'10" x 6'8"
3'0" x 6'8"





PULSE

Modern design, upbeat living.

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement. With three distinct aesthetic approaches — Ari, Línea and Echo — the entrance becomes modern art.











Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals.


It's your decision, by design.


Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at thermatru.com/pulse. Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.

THE CREATIVITY IS UNLIMITED

Stain or paint the entrance any color.

These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.














START WITH A STYLE

Combine doors and sidelites to create an entrance that fits your vision.



2 CHOOSE A MATERIAL

Each style is available in any of these material choices.



Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.)


Fiberglass

3 SELECT A GLASS

Find an available glass design to complete the statement you want to make.

Privacy & Textured Glass


Available for all Pulse door styles.




Low-E also available.

Decorative Glass

Available for Línea.



Available for Ari.



Available for Echo.



- 1 Blackstone
- 2 Crystalline
- 3 Sedona
- 4 Salinas
- 5 Saratoga
- 6 Riserva
- 7 Pembridge
- 8 Axis
- 9 Calix
- 10 Latitude
- 11 Echelon

4 THEN SELECT A FRAME

Choose the flat profile for modern appeal or scrolled profile for vintage style.



Flat Profile Lite Frame



Scrolled Profile Lite Frame



Our patented Advanta¹ lite frame now comes default with every Pulse, door system, unless otherwise noted.


Pulse Size Options						
	Wood-Grained Fiberglass		Smooth Fiberglass		Steel	
	6'8"	8'0"	6'8"	8'0"	6'8"	8'0"
Doors	2'6" x 6'8" ° 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'6" x 8'0" \circ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'6" x 6'8" 0 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	2'6" x 8'0" \circ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	2'6" x 6'8" ° 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	2'6" x 8'0" \circ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
Sidelites	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"

[•] Available in full-lite sidelites only. • Available in Línea and Echo only.



NEW Select styles are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR₀ requirements in all 50 states.























Línea

Note: Product images show exterior side of door.












Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.)


Smooth: Fiberglass or Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.







LÍNEA Continues on next page.

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.


XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite












It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.



ECHO Continues on next page.

Privacy & Textured Glass Options

♦ :: ❖ 🛮 E

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XK = Reeded XE = Satin Etch

♦:: **♦ | E**

E Elevated 10" Bottom Rail Options

XJ = Chinchilla

♦ :: ♦ 🛮 E

XR = Rainglass XN = Granite

***** Low-E Glass (LE)

♦ :: ❖ 🛮 E

Black Nickel Caming (1D)

Brushed Nickel Caming (1C) Brass Caming (1A)

Standard Lite Frame Available


♦ :: ❖ 🛮 E

Scrolled & Flat Advanta Lite Frame

WBDR / HVHZ Options

XC = Chord

















Smooth: Fiberglass or Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.





ECHO Continues on next page.

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XK = Reeded XE = Satin Etch

XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

* Low-E Glass (LE)




Brushed Nickel Caming (1C)


Brass Caming (1A)


Standard Lite Frame Available

Scrolled & Flat
Advanta Lite Frame

E Elevated 10" Bottom Rail Options








It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.



SIDELITES Continue on next page.

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.


XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

* Low-E Glass (LE)

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)
Brass Caming (1A)


 Wrought Iron (1W)
 Vented Sidelite Options
 Scrolled & Flat Advanta Lite Frame Standard Lite Frame Available
WBDR / HVHZ Options
E Elevated 10" Bottom Rail Options





Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238. XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite Low-E Glass (LE)Black Nickel Caming (1D)Vented Sidelite Options





Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.) Smooth: Fiberglass or Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.



Finish Options

Add Curb Appeal with Color

Stain and paint can make all the difference when it comes to a home's curb appeal. Find inspiration and explore professionally applied premium stains and paints, as well as options for in-field applications.









Finished for Lasting Beauty

Today's homeowners expect perfection — PrismaGuard offers an impeccable, factory-applied finish that meets the toughest expectations.

- Designed for optimal performance with Therma-True fiberglass doors and composite door frames.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 10-year limited finish warranty. For Classic Craft, doors, the balance of this warranty can transfer to a second owner.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.














Durable Topcoat











Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of Yellowstone National Park. Select colors in our PrismaGuard portfolio are inspired by the beauty found in Yellowstone National Park. Look for the (1) symbol.







Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.



Tested to meet tough expectations.

PrismaGuard premium finish is put through multiple rigorous tests in our engineering labs. This helps ensure that our PrismaGuard finish is built to last, just like the Therma-Tru_® doors it was designed for.



Lasting beauty and color.

Using specialized equipment, PrismaGuard stains and paints are tested to help deliver a consistent high-end appearance perfect for wood-grained or smooth door surfaces.



Resistance against wear and tear.

PrismaGuard finish is subjected to a simulation of everyday use to provide a durable high-end, low-maintenance finish that protects the door from normal wear and tear.




Protection from the elements.

Therma-Tru simulates exposure to harsh environments to help verify that PrismaGuard finish coating protects the door from the elements, preserving its color for years to come.



Confidence on the coast.

Therma-Tru simulates a highly corrosive atmosphere to help ensure PrismaGuard finish can withstand the damaging effects of high-salt environments near the coast.



PrismaGuard Premium Stain

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru_® fiberglass doors and composite door frames.



- It starts with the realistic wood grains and deep embossments of a Therma-Tru door or composite door frame.
- A base coat provides an even, consistent color across the surface.
- 3 A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
- A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- A second application of the topcoat provides added durability and optimal sheen for a high-end look.


Shown on Classic Craft Fir Grain.



Order 4" x 4" samples of select PrismaGuard finish colors at **store.thermatru.com**.

PrismaGuard_® Premium Paint

Add a pop of color to Therma-Tru_® doors and composite door frames, and tailor the look of the entry to make a beautiful lasting impression.



- 1 It starts with the smooth or wood-grained surface of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability and optimal sheen for a high-end look.





COLOR MATCHES AVAILABLE

Explore other products from Fortune Brands Outdoors designed to match select colors shown here. Look for the (🚜) symbol. See your Therma-Tru seller for details.



Order 4" x 4" samples of select PrismaGuard finish colors at **store.thermatru.com**.

SAME-DAY. **STAIN**

Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Trus fiberglass doors and composite door frames.



ALL-INCLUSIVE KIT

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.¹ Visit **thermatru.com/samedaystain** for ordering information and easy-to-follow instructions.

Shown on Classic Craft Fir Grain.





For complete details on the Same-Day Stain and topcoat limited warranty, visit **thermatru.com/finishing** or ask your seller for more details.


Door System Components

Proven to perform, protect and preserve.


A Therma-Tru complete door system is the culmination of more than 60 years of expertise in material science, engineering and manufacturing. We design on-trend entryways and test them against extreme environmental conditions — far beyond industry standards — to ensure maximum durability and safety. And we back our systems with comprehensive, industry-leading warranties.

Visit our online replacement parts page to maintain the integrity of a complete door system with genuine Therma-Tru components at **thermatru.com/parts**.





Composite Door Frame¹ featuring Tru-Guard™ Composite Technology





COMPOSITE TECHNOLOGY

Composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru® doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.



REINFORCED MULLIONS

Provide additional structural support and stability. All mullions are reinforced with a co-extruded **(A)** LVL core to provide additional structural support and stability and feature a **(B)** composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.

Order composite door frame samples at store.thermatru.com.

¹See your Therma-Tru seller for details on product availability.

²Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Riders. Frame-only warranty option for customers without a Therma-Tru door system.

AVAILABLE TEXTURES





Buff Grained

- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry
 no sanding or priming required.





White Smooth

- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is no painting required.
 Or finish with stain or paint to complement the entry — no sanding or priming required.

THE ADVANTAGE IS CLEAR

THE ADVANTAGE IS CLEAR		
Performance		
Resists Moisture and Humidity — Eliminates Risk of Swelling	g, Warping and Splitting	✓
Resists Mold, Fungus and Rot — Does Not Absorb or Retain	n Moisture	✓
Resists Insects — Helps Protect from Wood-Ingesting Insec	ets	✓
Tested to be up to 50% stronger on average than standard v	wood door frames against kick	c-ins. ²
Impact and 20-Minute Fire Code Compliant ³		✓
Aesthetics		
Ready to Finish — No Sanding or Priming Required		✓
Ready-to-Install Option — No Finishing Required – White St	mooth	✓
Universal Grain Complements a Wide Range of Wood Spec	ies — Buff Grained	✓
Screw Plugs Match Frame Material and Conceal External Fa	asteners	✓
Warranty		
Therma-Tru Products & Applications	Warranty For First Homeowner	Warranty Riders Transferable 1x to Second Homeowner
Composite Door Frame + Classic Craft _® Door + Components	LIFETIME LIMITED WARRANTY Transferable	Lifetime Transferable Full-System Rider
Composite Door Frame + Fiber-Classic, Smooth-Star, Pulse, Fiberglass Door + Components	LIFETIME LIMITED WARRANTY	10-Year Transferable Full-System Rider
Composite Door Frame Only	LIFETIME	

LIMITED WARRANTY

Composite Door Frame Parts

See your Therma-Tru seller for a full list of available product sizes and options.

Jambs




Mullions





■ Pre-inserted weatherstrip option available for select white smooth jambs and mullions.

Trim







Mull Casing







Storm Door-Ready Mullion Adaptor



2" to 1-11/16"

Storm Door Adaptor



4-9/16" Base Adaptor Face Adaptor (Use 1-15/32" x 1-1/16" Mull Casing)



6-9/16" Base Adaptor

Screen Track Cap



Fasteners, Setting Tool & Screw Plug Covers



Screw plugs are available on a collated strip for ease of installation and finishing.

Storm Door-Ready Mullions




Our rot-free composite door frame is 50% stronger at resisting forced entry than wood.¹



7/16" x 5/16" Cove Mould

Transom Sills





CODE-COMPLIANT OPTIONS

Therma-Tru_® composite door frame delivers the durability and reliability you expect from Therma-Tru with options to meet select national and local building code requirements.²



Impact-rated to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.²



20-minute Fire-rated to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.²

¹Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

²To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof. To see the third-party Intertek (Warnock-Hersey) listing reports, visit thermatru.com/performancedata.

Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-True seller for a complete list of options.

INSWING OPTIONS

Composite Adjustable Sill (Premium)

- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.
- Adjustable flush screws.
- Solid extruded composite substrate.

Continuous length with spread mullion capability to fill 49"-75" rough openings.1

Hardwood Adjustable Sill

- Durable hardwood cap and nosing can be stained to match door and trim.
- U-shaped weather seal.
- Adjustable flush screws.

Basic Composite Adjustable Sill (Economy)

- Wood-grained composite cap and nosing.
- Adjustable screws with removable screw caps.

OUTSWING OPTIONS



- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

Aluminum Sill with Thermal Break All-aluminum construction.

- Integrated weatherstrip.
- Also available without thermal break.

Coastal Sill (For Coastal Regions)

- All-aluminum construction.
- Extra-high cap profile.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

Value Composite Adjustable Sill (Economy)




- Composite cap and nosing.
- Adjustable flush screws.
- Injection-molded composite substrate.

Public Access Sill

Public Access Sill with Thermal Break² (For ADA Applications)

- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.
- Also available without thermal break.




¹See the Therma-Tru Architectural Details & Components manual for actual unit size specifications.

²Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.

³For full details on the Tru-Defense Warranty Rider, visit thermatru.com/trudefense.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision.



Note: See your Therma-Tru seller for details on available component and finish color combinations.

Door Bottoms

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

INSWING OPTIONS





OUTSWING OPTIONS





Sill Protection



Hardware


Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door frame at the top, middle and bottom, providing continuous protection along the door edge for enhanced security vs. a traditional deadbolt.

GRIP-STYLE MPLS ❖

Grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors or Impressions integrated storm and entry door systems. Strike plate package available.)





Tongue

Heights: 6'8" 7'0" 8'0"

Configurations: Inswing Outswing

- Self-lubricating locks.
- 2 1" premium stainless steel deadbolt.
- Integrated mishandling device.






Exterior view of door.

Handleset Options for Standard Door MPLS

Designed to complement Therma-Tru_® door styles from traditional to contemporary.





FINISH OPTIONS







Brushed Black Nickel Nickel

Oil-Rubbed Bronze

FINISH OPTIONS











Bright Brass

Brushed Black Nickel Nickel

Polished Chrome

Oil-Rubbed Bronze

Latch & Deadbolt Strike Plate

ADJUSTABLE SECURITY STRIKE PLATE

(Recommended for standard lock and deadbolt handlesets only.)

Finish Options:

Brushed Nickel Black Nickel Polished Chrome Oil-Rubbed Bronze Stainless Steel Zinc Dichomate A genuine Therma-Tru_{*} adjustable security strike plate helps enhance the safety and security of a home, wrapping around the door jamb and fully engaging the frame of the house for added support and strength against forced entry.

- Wraps around the door jamb for added support and an exact fit.
- 2 2-1/2" screws fully engage with the frame of the house for added strength.

Standard vs. Adjustable Security Strike Plate



Hinges

Adjustable Hinge 💠

Allow the door to be moved horizontally and vertically in the frame, maintaining alignment and keeping the door performing beautifully.



Classic-Craft_® Ball-Bearing •

(Recommended for Classic Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability.



Classic-Craft_® Ball-Bearing -Staggered Hole Pattern 🖶

(Recommended for Classic Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability. Staggered hole pattern helps simplify assembly process. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Self-Aligning Ball-Bearing -

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to assist in accurate alignment with specific door systems.



Self-Aligning 💠

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to provide accurate alignment with specific door systems. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Security Tab 💠

Security tabs prevent door from being taken off hinges, providing security on outswing applications.



Spring-Loaded *

UL Listed with self-closing spring mechanism that helps pull the door closed for convenience or meets code requirements that may be applicable in Fire-door applications.1



HINGE FINISH OPTIONS



Bright

Brass



Brushed

Nickel



Black

Nickel



Polished

Chrome







Oil-Rubbed Stainless Zinc Bronze Steel Dichromate

Brade Money Money		O BIOTIZO	01001	Diomioni	ato				
■ = Available Hinge Finish Options	Adjustable	Classic Craft Ball-Bearing	Classic Craft Ball-Bearing — Staggered Hole Pattern	Classic Craft Ball-Bearing — Staggered Hole Pattern (Non-Removable Pin)	Self-Aligning Ball-Bearing	Self-Aligning	Self-Aligning NRP (Non-Removable Pin)	Security Tab	Spring-Loaded
Bright Brass	-								
Brushed Nickel	-								
Black Nickel									
Polished Chrome									
Oil-Rubbed Bronze									
Stainless Steel									
Zinc Dichromate					-				

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.

Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.



TEXTURES AVAILABLE

Stainable (Shown in Driftwood stain.)






Oak Grain

Fir Grain

Aluminum





Bronze

White


Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip and corner seal pad helps form a tight seal between the astragal and active door when closed.

Spring clips to engage and disengage the shootbolts.

Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-1/2" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.












Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision.

Special Quote Program

In addition to thousands of standard glass choices, we offer additional glass options through our Special Quote Program to help you find the right look for virtually any home.







Special Quote GBG Color Options


DIVIDED LITES

Match various window patterns and home styles with additional grid patterns and color options. Impact-rated options also available.



PRIVACY & TEXTURED GLASS

Achieve the desired look and level of privacy with additional options, including hammered glass doorlites shown above.





CAMING COLORS

Pair black nickel, brushed nickel or brass caming with any decorative glass design to complement home hardware and fixtures.

3'6" Width Door Style Options


CLASSIC CRAFT.

8'0" Door Styles							
Glass Designs							
Homeward							
Arborwatch							
Augustine	•	•	•	•	•	•	
Borrassa	•	•	*	•	•	*	
Lucerna	•		•			•	
Rainglass							-
Low-E	•					•	-

KEY

- Classic Craft。 Artíssa Collection
- ◆ Classic Craft。 Founders Collection™
- ▲ Classic Craft。 Visionary Collection™
- * Smooth-Star.
- **▶** Profiles_™ & Traditions

6'8" & 8'0" Solid-Panel Door Styles



SMOOTH-STAR, PROFILES™, TRADITIONS & PULSE.

6'8" & 8'0" Door Styles						All Puls	e Styles					
Glass Designs			B				:		Ē	1		
Blackstone	*)	*			*)	*						
Crystalline	*)	*			*)	*						
Sedona	*)		*)	*	*)	*						
Salinas	*)	*			*)	*						
Maple Park	* •											
Saratoga	*)		*)	*	*)	*						
Texas Star	* •											
Wellesley	* •	*										
Riserva	*)	*	*)	*	*)	*						
Concorde	*)	*										
Kensington	*)											
Pembridge	*)	*	*)	*	*)	*	*)	*	*)	*		
Axis	*)	*	*)	*	*)	*	*)	*	*)	*		
Calix	*)	*	*)	*	*)	*						
Latitude	*)	*			*)	*						
Echelon	*)	*	*)	*	*)	*						
Privacy & Textured Glass	*)	*	*)	*	*)	*	*)	*	*)	*		
Internal Blinds	*)	*										
Divided Lites	*)	*										
Clear	*)	*	*)	*	*)	*	*)	*	*)	*		
Solid Panel											*)	*

7'0" Height Door Style Options

9			9									
Door Styles Glass Designs												
Blackstone	VA *)	A *)	*		•							
Crystalline	VA *)											
Sedona	VA *)	A*)	*		•							
Salinas	VA *)	A *)	*		•							
Maple Park	VA *)	A*)	*		•			A *)				
Saratoga	VA *)	A*)	*		•		▼*	A*				
Texas Star	VA *)	A *)	*									
Wellesley	VA *)	A *)	*		•			A *)				
Riserva	VA *)	A *)	*		•							
Concorde	VA *)	A *)	*		•			A *)	•			
Kensington	VA *)	A *)	*		•							
Pembridge	VA *)	A *)	*		•			•		A *)		
Axis	VA *)	A*)	*		•					A*		
Calix	VA *)	A *)	*									
Latitude	VA *)											
Echelon	VA *)											
Privacy & Textured Glass	VA *)	A *)	*	VA *)	•		▼*			A *)		
Internal Blinds	VA *)	A *)	*	VA * D								
Screen Vented		*)	*	*)								
Divided Lites	VA *)	A *)	*		•	*)	▼*	A *)	•		•	
Clear	VA *)	A *)	*	VA * D	•	*)	▼*	A *)	•	A *)		
Solid Panel												


6'6" Height Door Style Options

\mathcal{L})
Door Styles Glass Designs			
Blackstone	*	*	
Crystalline	*	*	
Sedona	*	*	
Salinas	*	*	
Maple Park	*	*	
Saratoga	*	*	
Texas Star	*	*	
Wellesley	*	*	
Riserva	*	*	
Concorde	*	*	
Kensington	*	*	
Pembridge	*	*	
Axis	*	*	
Calix	*	*	
Latitude	*	*	
Echelon	*	*	
Privacy & Textured Glass	*	*	
Internal Blinds	*	*	
Screen Vented			
Divided Lites	*	*	
Clear	*	*	
Solid Panel			A*

KEY

- ▲ Classic Craft。 Visionary Collection™
- ▼ Fiber-Classic_® Mahogany Collection_™
- ▲ Fiber-Classic₀ Oak Collection™
- * Smooth-Star.
- Profiles_™ & Traditions

	VA*)	•					
	VA *)						
	VA *)	•					
	VA *)	•					
	VA *)	•					
	₩▲*)	•	▼*				
	VA*)						
	VA *)	•					
	VA *)	•					
	VA *)	•					
	VA *)	•					
	VA *)	•		•			
	VA *)	•		•			
	VA *)	•					
	VA * D						
	VA *)						
	VA *)	•	▼*	•			
	VA *)	•					
•	VA *)	•	▼*				
	VA *)	•	▼*	•			
					*	*	▲▼▲ *





Entry & Patio Door System Product Details

Feature	Classic Craft	Fiber-Classic & Pulse Wood-Grained	Smooth-Star & Pulse Smooth	Profiles & Pulse Steel (6'8")	Traditions & Pulse Steel (8'0")
Skin Material	Fiberglass	Fiberglass	Fiberglass	24-Gauge Steel	6'8": 25-Gauge Steel / 8'0": 24-Gauge Steel
Skin Texture	Fir, Walnut, Mahogany; High- Detail Smooth	Mahogany, Oak Grain	High-Detail Smooth	Smooth	Smooth
Exterior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Interior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Panel – Top Rail	Composite	Composite	Composite	Wood	Wood
Panel — Bottom Rail	Composite	Composite	Composite	Composite	Composite
Lock Stile	4" Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3- ¹⁵ / ₁₆ " Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3- ¹⁵ / ₁₆ " Full-Length Engineered Lumber	1-1/4" Wood	1-1/4" Wood
Lock Block	4" Full-Length Engineered Lumber Stile	22-1/2" Wood	12-½" Wood	12-1/2" Wood	6'8": 12-½" Wood / 8'0": 22-½" Wood
Height Options	6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8" & 7'0"	6'8" & 8'0"
Width Options	2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"
Panel Options	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple
Sidelite Options	12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"
Lite Frame Options	SMC Frame	Advanta Frame, Standard Frame	Advanta Frame, Standard Frame	Advanta Frame, Standard Frame	Advanta Frame, Standard Frame
Glass Options	Deco / Privacy & Textured / Low-E IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG
Sill ¹	Inswing: Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Aluminum	Inswing: Value Composite Adjustable Outswing: Aluminum
Weatherstrip — Hinge	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach
Weatherstrip — Lock	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Weatherstrip — Head	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Multi-Point Lock	Recommended	Recommended	Recommended	_	_
Security Strike Plate	Recommended	Recommended	Recommended	Recommended	Recommended
Hinges ¹	Classic Craft Ball-Bearing	Self-Aligning	Self-Aligning	Self-Aligning	Self-Aligning
Frame ¹	Composite Door Frame	Composite Door Frame	Composite Door Frame	Rot-Resistant	Primed Pine
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame	2" Frame	2" Frame	2" Frame	2" Frame
Residential Limited Warranty	Transferable Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years / Pulse 8'0": 10 Years

For dimensional data, see your Therma-Tru seller or visit thermatru.com for a copy of the Therma-Tru Unit & Rough Opening Sizing Booklet.

Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/ AAMA/NWWDA 101/I.S.2, AAMA/WDMA 101/I.S.2/ NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E331, ANSI/ BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to thermatru.com for design pressure and other performance ratings.

Doors

Recommended Door Overhang – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

Doorlites

Doorlites are insulated, and exposed panes are tempered or laminated. Optional wood grilles available for clear doorlites and transoms.

Inserts – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Decorative Glass & Wrought Iron – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the designs character.

Direct Set Sidelites – All Therma-Tru direct set sidelites shall utilize trim components secured and glazed in place in the door jamb.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

A common attribute of true wrought iron doorlites is that a rattle sound may be heard when closing the door. This is solely a function of having real wrought iron which is heavy and has the ability to flex, moving back and forth within a narrow airspace surrounded by glass that has very little flex. This characteristic is not considered a defect or warranty issue.

NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.

Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for more details.

Components

Adjustable Security Strike Plate – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

Hinges - Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit www.thermatru.com for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE

Test conducted by Intertek, Warnock-Hersey.

Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at thermatru com:

- Therma-Tru-Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic Craft, Fiber-Classic, Smooth-Star and Pulse Door Systems; Steel – Pulse, Profiles, and Traditions Door Systems
- Therma-Tru Tru-Defense Door System Rider to Fiberglass Door Systems Limited Warranty: Classic Craft, Fiber-Classic, Smooth-Star and Pulse Fiberglass Door Systems
- EnLiten, Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- EnLiten, Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic and Smooth-Star Flush-Glazed Fiberglass Door Systems
- PrismaGuard: Limited Warranty Rider to Fiberglass and Steel Door Systems Limited Warranty for Residential and Multi-Resident Premises: Fiberglass
 Classic Craft, Fiber-Classic, Smooth-Star, and Pulse Door Systems; Steel – Pulse, Profiles, and Traditions
- Same-Day. Stain 5-Year Limited Warranty: Same-Day. Stain and Topcoat for Use on Therma-Tru. Fiberglass Door Systems and Fypon-Stainable Polyurethane Products
- Therma-Tru-Composite Door Frame featuring Tru-Guard... Composite Technology Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, Smooth-Starand Pulse. Fiberglass Door Systems
- Therma-Tru-Composite Door Frame featuring Tru-Guard... Composite Technology Limited Warranty Transferable Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, Smooth-Starand Pulse Fiberglass Door Systems

Installation, Finishing & Maintenance

Therma-Tru doors and sidelites come unfinished. Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at thermatru.com:

- Installation Instructions (Products that are approved for Coastal and / or high wind applications may require special installation. Always follow the installation instructions in the Product Approval for these products.)
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit thermatru.com for more details.

Classic Craft®

19020T		CCA2320XNSL58	CCA3401SL82	CCA8220XR83	CCA82360XN57	CCA84940XN57
19200T		CCA2320XR56	CCA3450SL86	CCA823085	CCA82360XR57	CCA84940XR57
19210T		CCA2320XRSL58	CCA3450XCSL84	CCA8230058	CCA8237059	CCA8494589
19220T		CCA233059	CCA3450XJSL84	CCA82300SL60	CCA82370XC57	CCA8710086
AB30T		CCA2330SL60	CCA3450XNSL84	CCA82300XC56	CCA82370XE57	CCA87100XR84
ABRT		CCA2330XC56	CCA3450XRSL84	CCA82300XCSL58	CCA82370XJ57	CCA8711183
CC040T		CCA2330XCSL58	CCA3500SL86	CCA82300XE56	CCA82370XN57	CCA8711282
CC400T		CCA2330XE56	CCA3500XCSL84	CCA82300XESL58	CCA82370XR57	CCA8713183
CC420T		CCA2330XESL58	CCA3500XJSL84	CCA82300XJ56	CCA8238059	CCA8713282
CCA1100		CCA2330XJ56	CCA3500XNSL84	CCA82300XJSL58	CCA82380XC56	CCA8720085
CCA1125		CCA2330XJSL58	CCA3500XRSL84	CCA82300XK56	CCA82380XE56	CCA87200XR83
CCA1127		CCA2330XK56	CCA3501SL82	CCA82300XKSL58	CCA82380XJ56	CCA8730085
CCA1133		CCA2330XKSL58	CCA3560SL86	CCA82300XN56	CCA82380XK56	CCA87300XR83
CCA1145		CCA2330XN56	CCA3560XCSL84	CCA82300XNSL58	CCA82380XN56	CCA8740086
CCA1147		CCA2330XNSL58	CCA3560XJSL84	CCA82300XR56	CCA82380XR56	CCA87400XR84
CCA1149		CCA2330XR56	CCA3560XNSL84	CCA82300XRSL58	CCA824085	CCA8760086
CCA1150		CCA2330XRSL58	CCA3560XRSL84	CCA8230XC83	CCA8240060	CCA87600XR84
CCA1158		CCA234059	CCA490059	CCA8230XJ83	CCA82400SL61	CCA8910083
CCA1166	89	CCA2340SL61	CCA4900XC57	CCA8230XN83	CCA82400XC57	CCA8930083
CCA1423SL	83	CCA2340XC56	CCA4900XE57	CCA8230XR83	CCA82400XCSL58	CCA910083
CCA210	86	CCA2340XCSL58	CCA4900XJ57	CCA823182	CCA82400XE57	CCA9100SL83
CCA210SL	86	CCA2340XE56	CCA4900XN 57	CCA8231058	CCA82400XESL58	CCA930083
CCA210XC	84	CCA2340XESL58	CCA4900XR57	CCA82310SL60	CCA82400XJ57	CCM141962
CCA210XCSL	84	CCA2340XJ56	CCA490588	CCA82310XC56	CCA82400XJSL58	CCM142480
CCA210XJ	84	CCA2340XJSL58	CCA4910L59	CCA82310XCSL58	CCA82400XK57	CCM146563
CCA210XJSL	84	CCA2340XK56	CCA4910LXC57	CCA82310XE56	CCA82400XKSL58	CCM147563
CCA210XN		CCA2340XKSL58	CCA4910LXE57	CCA82310XESL58	CCA82400XN57	CCM148562
CCA210XNSL	84	CCA2340XN56	CCA4910LXJ57	CCA82310XJ56	CCA82400XNSL58	CCM149563
CCA210XR	84	CCA2340XNSL58	CCA4910LXN57	CCA82310XJSL58	CCA82400XR57	CCM184265
CCA210XRSL	84	CCA2340XR56	CCA4910LXR57	CCA82310XK56	CCA82400XRSL58	CCM1843SL65
CCA211		CCA2340XRSL58	CCA4910R59	CCA82310XKSL58	CCA8240XC84	CCM184465
CCA211SL		CCA235059	CCA4910RXC57	CCA82310XN56	CCA8240XJ84	CCM200 67
CCA220		CCA2350XC57	CCA4910RXE57	CCA82310XNSL58	CCA8240XN84	CCM200XC66
CCA220SL	86	CCA2350XE57	CCA4910RXJ57	CCA82310XR56	CCA8240XR84	CCM200XN66
CCA220XC		CCA2350XJ57	CCA4910RXN57	CCA82310XRSL58	CCA82410SL89	CCM20363
CCA220XCSL		CCA2350XN57	CCA4910RXR57	CCA8232058	CCA82420SL89	CCM20464
CCA220XJ		CCA2350XR57	CCA4915L88	CCA82320SL60	CCA826086	CCM280067
CCA220XJSL		CCA236059	CCA4915R88	CCA82320XC56	CCA8260XC84	CCM2800XC65
CCA220XN		CCA2360XC57	CCA4920L59	CCA82320XCSL58	CCA8260XJ84	CCM2800XE65
CCA220XNSL		CCA2360XE57	CCA4920LXC57	CCA82320XE56	CCA8260XN84	CCM2800XK65
CCA220XR		CCA2360XJ57	CCA4920LXE57	CCA82320XESL58	CCA8260XR84	CCM2800XN65
CCA220XRSL		CCA2360XN57	CCA4920LXJ57	CCA82320XJ56	CCA8490059	CCM2800XR65
CCA230		CCA2360XR57	CCA4920LXN57	CCA82320XJSL58	CCA84900XC57	CCM280162
CCA2300		CCA237059	CCA4920LXR57	CCA82320XK56	CCA84900XE57	CCM280264
CCA2300SL		CCA2370XC57	CCA4920R59	CCA82320XKSL58	CCA84900XJ57	CCM280365
CCA2300XC		CCA2370XE57	CCA4920RXC57	CCA82320XN56	CCA84900XN57	CCM280466
CCA2300XCSL		CCA2370XJ57	CCA4920RXE57	CCA82320XNSL58	CCA84900XR57	CCM2804XC65
CCA2300XE		CCA2370XN57	CCA4920RXJ57	CCA82320XR56	CCA8490588	CCM2804XE65
CCA2300XESL		CCA2370XR57	CCA4920RXN57	CCA82320XRSL58	CCA84910L59	CCM2804XK65
CCA2300XJ		CCA238059	CCA4920RXR57	CCA8233059	CCA84910LXC57	CCM2804XN65
CCA2300XJSL		CCA2380XC56	CCA4925L88	CCA82330SL60	CCA84910LXE57	CCM2804XR65
CCA2300XK		CCA2380XE56	CCA4925R88	CCA82330XC56	CCA84910LXJ57	CCM280666
CCA2300XKSL		CCA2380XJ56	CCA493060	CCA82330XCSL58	CCA84910LXN57	CCM2806XC65
CCA2300XN		CCA2380XK56	CCA4930XC57	CCA82330XE56	CCA84910LXR57	CCM2806XE65
CCA2300XNSL		CCA2380XN56	CCA4930XE57	CCA82330XESL58	CCA84910R59	CCM2806XK65
CCA2300XR		CCA2380XR56	CCA4930XJ57	CCA82330XJ56	CCA84910RXC57	CCM2806XN65
CCA2300XRSL		CCA24085	CCA4930XN57	CCA82330XJSL58	CCA84910RXE57	CCM2806XR65
CCA230XC		CCA240060	CCA4930XR57	CCA82330XK56	CCA84910RXJ57	CCM281266
CCA230XJ		CCA2400SL61	CCA493589	CCA82330XKSL58	CCA84910RXN57	CCM2812XC65
CCA230XN		CCA2400XC57	CCA493060	CCA82330XN56	CCA84910RXR57	CCM2812XE65
CCA230XR		CCA2400XCSL58	CCA4940XC57	CCA82330XNSL58	CCA84915L88	CCM2812XK65
CCA231		CCA2400XE57	CCA4940XE57	CCA82330XR56	CCA84915R88	CCM2812XN65
CCA2310		CCA2400XESL58	CCA4940XJ57	CCA82330XRSL58	CCA84920L60	CCM2812XR65
CCA2310SL		CCA2400XJ57	CCA4940XN57	CCA8234059	CCA84920LXC57	CCM30067
CCA2310XC		CCA2400XJSL58	CCA4940XR57	CCA82340SL61	CCA84920LXE57	CCM300XC66
CCA2310XCSL		CCA2400XK57	CCA494589	CCA82340XC56	CCA84920LXJ57	CCM300XN66
CCA2310XE		CCA2400XKSL58	CCA8110089	CCA82340XCSL58	CCA84920LXN57	CCM301CAL79
CCA2310XESL		CCA2400XN57	CCA8112588	CCA82340XE56	CCA84920LXR57	CCM301CALXC76
CCA2310XJ		CCA2400XNSL58	CCA8112788	CCA82340XESL58	CCA84920R60	CCM301CALXE76
CCA2310XJSL		CCA2400XR57	CCA8113389	CCA82340XJ56	CCA84920RXC57	CCM301CALXN76
CCA2310XJ3E		CCA2400XRSL58	CCA8114589	CCA82340XJSL58	CCA84920RXE57	CCM301CALXR76
CCA2310XKSL		CCA240XC84	CCA8114789	CCA82340XK56	CCA84920RXJ57	CCM301CAR79
CCA2310XN		CCA240XJ84	CCA8114988	CCA82340XKSL58	CCA84920RXN57	CCM301CARXC76
CCA2310XNSL		CCA240XN84	CCA8115089	CCA82340XN56	CCA84920RXR57	CCM301CARXE76
CCA2310XR		CCA240XR84	CCA8115889	CCA82340XNSL58	CCA84925L89	CCM301CARXN76
CCA2310XRSL		CCA2410SL89	CCA8116689	CCA82340XR56	CCA84925R89	CCM301CARXR76
CCA2310X113E		CCA2420SL89	CCA81423SL83	CCA82340XRSL58	CCA8493060	CCM30264
CCA2320SL		CCA26086	CCA821086	CCA8235059	CCA84930XC57	CCM302L78
CCA2320XC		CCA260XC84	CCA8210XC84	CCA82350XC57	CCA84930XE57	CCM302LXC75
CCA2320XCSL		CCA260XJ84	CCA8210XJ84	CCA82350XE57	CCA84930XJ57	CCM302LXE75
CCA2320XE		CCA260XN84	CCA8210XV84	CCA82350XJ57	CCA84930XN57	CCM302LXN75
CCA2320XESL		CCA260XR84	CCA8210XR84	CCA82350XN57	CCA84930XR57	CCM302LXR75
CCA2320XJ		CCA3400SL86	CCA821182	CCA82350XR57	CCA8493589	CCM302R78
CCA2320XJSL		CCA3400XCSL84	CCA822085	CCA8236059	CCA8494060	CCM302RXC75
CCA2320XK		CCA3400XJSL84	CCA8220XC83	CCA82360XC57	CCA84940XC57	CCM302RXE75
CCA2320XKSL		CCA3400XNSL84	CCA8220XJ83	CCA82360XE57	CCA84940XE57	CCM302RXN75
CCA2320XN		CCA3400XRSL84	CCA8220XN83	CCA82360XJ57	CCA84940XJ57	CCM302RXR75
-	-			-	-	

CCM30363	CCM8301CARXN76	CCR1851SL65	CCR81511A71	CCV0502364	CCV8100XNSL63
CCM303L79	CCM8301CARXR76	CCR20093	CCR8151271	CCV0502763	CCV8100XNSL66
CCM303LXC76	CCM8302L78	CCR2002077	CCR81512A71	CCV0502865	CCV8100XNSL85
		CCR20020XC75			
CCM303LXE76	CCM8302LXC75		CCR8151471	CCV06093	CCV8100XRSL66
CCM303LXN76	CCM8302LXE75	CCR20020XN75	CCR8151571	CCV0602081	CCV8100XRSL85
CCM303LXR76	CCM8302LXN75	CCR2002273	CCR8151670	CCV06020XE80	CCV8102SL64
CCM303R79	CCM8302LXR75	CCR2002372	CCR8151870	CCV0602280	CCV8103SL64
CCM303RXC76	CCM8302R78	CCR2002769	CCR8183874	CCV0602380	CCV8108SL65
CCM303RXE76	CCM8302RXC75	CCR2003770	CCR8183974	CCV0602880	CCV8111SL62
CCM303RXN76	CCM8302RXE75	CCR20037A70	CCR8184173	CCV1002061	CCV8141469
CCM303RXR76	CCM8302RXN75	CCR200A92	CCR8184574	CCV1002255	CCV8141569
CCM304L78	CCM8302RXR75	CCR2025SL61	CCR81845A74	CCV1002355	CCV8141862
CCM304LXC76	CCM8303L79			CCV1002754	CCV81423SL62
		CCR2025SL67	CCR8184674		
CCM304LXE76	CCM8303LXC76	CCR2025XCSL66	CCR81846A74	CCV1002855	CCV8151271
CCM304LXN76	CCM8303LXE76	CCR2025XESL66	CCR8184774	CCV100SL61	CCV8151571
CCM304LXR76	CCM8303LXN76	CCR2025XHSL93	CCR81851SL65	CCV100SL67	CCV8151671
CCM304R78	CCM8303LXR76	CCR2025XJSL66	CCR820093	CCV100SL87	CCV8151963
CCM304RXC76	CCM8303R79	CCR2025XKSL66	CCR82002077	CCV100XCSL66	CCV8183874
CCM304RXE76	CCM8303RXC76	CCR2025XNSL66	CCR820020XC75	CCV100XCSL85	CCV8183974
CCM304RXN76	CCM8303RXE76	CCR2025XRSL66	CCR820020XN75	CCV100XESL66	CCV8184365
CCM304RXR76	CCM8303RXN76	CCR20593	CCR82002273	CCV100XESL85	CCV8184674
CCM305CAL79	CCM8303RXR76	CCR2052077	CCR82002372	CCV100XHSL55	CCV81851SL65
CCM305CALXC77	CCM8304L79	CCR20520XC75	CCR82002769	CCV100XHSL63	CCV820593
CCM305CALXE77	CCM8304LXC76	CCR20520XN75	CCR82002872	CCV100XJSL66	CCV82052078
CCM305CALXN77	CCM8304LXE76	CCR2052273	CCR82003077	CCV100XJSL85	CCV820520XC75
CCM305CALXR77	CCM8304LXN76	CCR2052372	CCR820030A78	CCV100XNSL54	CCV820520XN75
CCM305CAR79		CCR2052769			CCV82052273
	CCM8304LXR76		CCR820030XC75	CCV100XNSL63	
CCM305CARXC77	CCM8304R79	CCR2053770	CCR820030XN75	CCV100XNSL66	CCV82052372
CCM305CARXE77	CCM8304RXC76	CCR20537A70	CCR82003273	CCV100XNSL85	CCV82052770
CCM305CARXN77	CCM8304RXE76	CCR205A92	CCR820032A73	CCV100XRSL66	CCV82052872
CCM305CARXR77	CCM8304RXN76	CCR3002061	CCR82003770	CCV100XRSL85	CCV82053078
CCM306CAL79	CCM8304RXR76	CCR3002355	CCR820037A70	CCV103SL55	CCV820530XC75
CCM306CALXC77	CCM8305CAL79	CCR3002754	CCR8200A92	CCV103SL64	CCV820530XN75
CCM306CALXE77	CCM8305CALXC77	CCR3002855	CCR82035SL67	CCV108SL55	CCV82053273
CCM306CALXN77	CCM8305CALXE77	CCR3400SL61	CCR82035XCSL66	CCV108SL65	CCV82053770
CCM306CALXR77	CCM8305CALXN 77	CCR3400SL67	CCR82035XESL66	CCV141469	CCV822093
CCM306CAR79	CCM8305CALXR77	CCR3400XCSL66	CCR82035XHSL93	CCV141569	CCV82202078
CCM306CARXC77	CCM8305CAR79	CCR3400XESL66	CCR82035XJSL66	CCV141862	CCV822020XC75
CCM306CARXE77	CCM8305CARXC77	CCR3400XHSL55	CCR82035XKSL66	CCV142354	CCV822020XN75
CCM306CARXN77		CCR3400XHSL63	CCR82035XNSL66	CCV1423SL54	CCV82202273
	CCM8305CARXE77				
CCM306CARXR77	CCM8305CARXN77	CCR3400XJSL66	CCR82035XRSL66	CCV1423SL62	CCV82202372
CCM3300SL67	CCM8305CARXR77	CCR3400XKSL66	CCR820593	CCV1423SL83	CCV82202770
CCM3302SL64	CCM8306CAL79	CCR3400XNSL54	CCR82052077	CCV142480	CCV82202872
CCM3303SL64	CCM8306CALXC77	CCR3400XNSL63	CCR820520XC75	CCV151271	CCV83193
CCM6093	CCM8306CALXE77	CCR3400XNSL66	CCR820520XN75	CCV151571	CCV8950SL67
CCM60081	CCM8306CALXN 77	CCR3400XRSL66	CCR82052372	CCV151671	CCV8950SL87
CCM600XE80	CCM8306CALXR77	CCR3407SL55	CCR82052769	CCV151963	CCV8950XCSL66
CCM60380	CCM8306CAR79	CCR3407SL64	CCR82052871	CCV152855	CCV8950XCSL85
CCM61280	CCM8306CARXC77	CCR3408SL55	CCR82053077	CCV183874	CCV8950XHSL93
CCM80502762	CCM8306CARXE77	CCR3408SL65	CCR820530A78	CCV183974	CCV8950XJSL66
CCM8141862	CCM8306CARXN77	CCR3412SL55	CCR820530AXC75	CCV184365	CCV8950XJSL85
CCM8151963	CCM8306CARXR77	CCR3412SL64	CCR820530AXN75	CCV185156	CCV8950XNSL66
CCM8280067	CCM89092	CCR8000SL67	CCR820530XC75	CCV1851SL56	CCV8950XNSL85
CCM82800XC65	CCM89263	CCR8000XCSL66	CCR820530XN75	CCV1851SL65	CCV8950XRSL66
CCM82800XE65	CCM992362	CCR8000XESL66	CCR82053273	CCV20093	CCV8950XRSL85
CCM82800XK65	CCM992680	CCR8000XHSL63	CCR820532A73	CCV20593	CCV8991868
CCM82800XN65	CCR04093	CCR8000XJSL66	CCR82053770	CCV2052078	CCV8991968
CCM82800XR65	CCR0402077	CCR8000XKSL66	CCR820537A70	CCV20520XC75	CCV8992262
		CCR8000XNSL63	CCR8205A92	CCV20520XN75	
CCM8280162	CCR04020XC75				CCV9010SL87
CCM8280264	CCR04020XN75	CCR8000XNSL66	CCR822292	CCV2052273	CCV9011SL82
CCM8280365	CCR0402273	CCR8000XRSL66	CCR82221469	CCV2052372	CCV9020SL87
CCM8280466	CCR0402372	CCR800592	CCR82221571	CCV2052770	CCV91087
CCM82804XC65	CCR0402769	CCR8005A92	CCR82221868	CCV2053770	CCV910XC85
CCM82804XE65	CCR0403769	CCR8007SL64	CCR82222077	CCV22093	CCV910XCSL85
CCM82804XK65	CCR10092	CCR8008SL65	CCR822220XC75	CCV2202078	CCV910XJ85
CCM82804XN65					CCV910XJSL85
	CCR1002255	CCR804093	CCR822220XN75	CCV22020XC75	
CCM82804XR65	CCR100R92	CCR80402077	CCR82222273	CCV22020XN75	CCV910XN85
CCM8280666	CCR141468	CCR804020XC75	CCR82222372	CCV2202273	CCV910XNSL85
CCM82806XC65	CCR141568	CCR804020XN75	CCR82222769	CCV2202372	CCV910XR85
CCM82806XE65	CCR141768	CCR82052273	CCR82222872	CCV2202770	CCV910XRSL85
CCM82806XK65	CCR142354	CCR80402273	CCR82223874	CCV3412SL55	CCV91182
CCM82806XN65	CCR1423SL54	CCR80402372	CCR822592	CCV3412SL64	CCV911SL54
CCM82806XR65	CCR1423SL62	CCR80402769	CCR8991868	CCV410083	CCV911SL62
CCM8281566	CCR151171	CCR80402871	CCR8991968	CCV4100SL83	CCV911SL82
CCM82815XC65	CCR1511A71	CCR80403077	CCR8992168	CCV430083	CCV92086
CCM82815XE65	CCR151271	CCR804030XC75	CCR89925SL62	CCV80502067	CCV920XC85
CCM82815XK65	CCR1512A71	CCR804030XN75	CCR991868	CCV80502264	CCV920XCSL85
CCM82815XN65	CCR151471	CCR80403273	CCR991968	CCV80502364	CCV920XJ85
CCM82815XR65	CCR151571	CCR80403769	CCR992168	CCV80502763	CCV920XJSL85
CCM8301CAL79	CCR151670	CCR810092	CCR992554	CCV80502865	CCV920XN85
CCM8301CALXC76	CCR151870	CCR8100R92	CCR9925SL54	CCV8100SL67	CCV920XNSL85
CCM8301CALXE76	CCR152855	CCR8102SL64	CCR9925SL62	CCV8100SL87	CCV920XR85
CCM8301CALXN 76	CCR183874	CCR8141468	CCV05093	CCV8100XCSL66	CCV920XRSL85
CCM8301CALXR76	CCR183974	CCR8141568	CCV0502067	CCV8100XCSL85	CCV93086
CCM8301CAR79	CCR184173	CCR8141768	CCV05020XC66	CCV8100XHSL63	CCV930XC85
CCM8301CARXC 76	CCR185156	CCR81423SL62	CCV05020XN66	CCV8100XJSL66	CCV930XJ85
CCM8301CARXE76	CCR1851SL56	CCR8151171	CCV0502264	CCV8100XJSL85	CCV930XN85

Fiber-Classic. & Smooth-Star.

CCV930XR	85	1000	100	2050XJSL	116	81938P	171	81983P	171	FC131SL	152
CCV930XH		1283		2050XJSL		81938PSL		81984P		FC1313E	
CCV940		1284		2050XKSL		81939P		81985P		FC138XC	
CCV940XC		1285		2050XN3L		81939PSL		81986PSL		FC138XE	
CCV940XJ		1286		2050XNSL		81940P		81986SL		FC138XJ	
CCV940XN		1289		2050XR		81940PSL		85901SL		FC138XK	
CCV940XR		2000		2050XRSL		81941P		85919SL		FC138XN	
CCV950SL		2009		8000-12		81941PSL		AXRT		FC138XR	
CCV950SL		2010		8000-18		81942P		BSRT		FC1400	
CCV950SL		2050		8000-9		81942PSL		CNRT		FC1400SL	
CCV950XCSL		8000		8000XC		81943P		CX30T		FC1402	
CCV950XCSL		81000		8000XE		81943PSL		CXRT		FC1404	
CCV950XESL		81200		8000XJ		81943PXC		DRS2131SL		FC1408	
CCV950XESL		81208		8000XK		81943PXCSL		DRS82131SL		FC1408SL	
CCV950XHSL		81225		8000XN		81943PXE		EC30T		FC141	
CCV950XJSL		81828		8000XR		81943PXESL		ECRT		FC141SL	
CCV950XJSL		12101SL		81200P		81943PXJ		FC10		FC142	
CCV950XNSL		12101XCSL		81200PSL		81943PXJSL		FC100		FC142SL	
CCV950XNSL		12101XESL		81200PXC		81943PXK		FC1006		FC143	
CCV950XRSL		12101XJSL		81200PXCSL		81943PXKSL		FC100SL		FC143SL	
CCV950XRSL		12101XKSL		81200PXE		81943PXN		FC101		FC144	
CCV960		12101XNSL		81200PXESL		81943PXNSL		FC101SL		FC1442SL	
CCV960XC		12101XRSL		81200PXJ		81943PXR		FC1029		FC147	
CCV960XJ		12102SL		81200PXJSL		81943PXRSL		FC104		FC147SL	
CCV960XN		12102XCSL		81200PXK		81944P		FC104SL		FC148	
CCV960XR		12102XESL		81200PXKSL		81944PSL		FC104XC		FC148SL	
CCV9918		12102XJSL		81200PXN		81945P		FC104XE		FC149	
CCV9919		12102XKSL		81200PXNSL		81945PXC		FC104XJ		FC149SL	
CCV9922		12102XNSL		81200PXR		81945PXE		FC104XK		FC151	
CCV9925		12102XRSL		81200PXRSL		81945PXJ		FC104XN		FC156	
CCV9926		1283XC		81200SL		81945PXK		FC104XR		FC16	
CCW1000	90	1283XE		81200XC		81945PXN	158	FC105		FC160	
CCW81000		1283XJ		81200XCSL	144	81945PXR	158	FC105SL	172	FC163	164
CCW8900L		1283XK		81200XE		81946P		FC108		FC164	
CCW8900R		1283XN	144	81200XESL	144	81946PSL		FC1089		FC1645	
CCW8901L	90	1283XR	144	81200XJ	144	81946PXC	158	FC1089SL	161	FC1646	156
CCW8901R	90	1284XC	142	81200XJSL	144	81946PXCSL	158	FC108SL	131	FC1646SL	156
CCW8902L	90	1284XE	142	81200XK	144	81946PXE	158	FC109	167	FC1647	156
CCW8902R	91	1284XJ	142	81200XKSL	144	81946PXESL	158	FC109SL	167	FC1651	139
CCW8903	91	1284XK	142	81200XN	144	81946PXJ	158	FC10XC	144	FC1651SL	139
CCW8904L	91	1284XN	142	81200XNSL	144	81946PXJSL	158	FC10XE	144	FC1652	139
CCW8904R	91	1284XR	142	81200XR	144	81946PXK	158	FC10XJ	144	FC1652SL	139
CCW8905		1285XC	142	81200XRSL	144	81946PXKSL	158	FC10XK		FC1654	
CCW8906L		1285XE		81208P		81946PXN		FC10XN		FC1655	
CCW8906R		1285XJ		81208PSL		81946PXNSL		FC10XR		FC1656SL	
CCW8907L		1285XK		81208SL		81946PXR		FC113		FC18	
CCW8907R		1285XN		81225P		81946PXRSL		FC113SL		FC18SL	
CCW900L		1285XR		81225PSL		81947PSL		FC114		FC18XC	
CCW900R		1286SL		81225SL		81949PSL		FC114SL		FC18XCSL	
CCW901L		18101SL		81800P		81952P		FC115		FC18XE	
CCW901R		19020T		81800PSL		81952PSL		FC115SL		FC18XESL	
CCW902L		19055T		81800SL		81953P		FC116		FC18XJ	
CCW902R		19200T		81900PSL		81953PSL		FC1200		FC18XJSL	
CCW903		19210T		81918P		81954P		FC1200SL		FC18XK	
CCW904L		19220T		81918PSL		81954PSL		FC1201		FC18XKSL	
CCW904R		19520T		81918SL		81955P		FC1201SL		FC18XN	
CCW905		1964P		81919P		81955PSL		FC1202		FC18XNSL	
CCW906L CCW906R		19720T		81919PSL		81956P 81956PSL		FC1202SL FC1203		FC18XR	
		19730T		81919SL						FC18XRSL	
CCW907L CCW907R		19740T 19750T		81921P 81921PSL		81957P 81957PSL		FC1204 FC1204SL		FC198 FC198SL	
DRS2131SL		2000SL		81921SL		81958P		FC12045L		FC1985L	
DRS82131SL		2000SL		81928P		81958PSL		FC1205		FC20042	
HW30T		2000XC		81928PSL		81959P		FC12053L		FC2101	
HWRT		2000XE3L		81928SL		81959PSL		FC1205XC		FC21013L	
LC30T		2000XE		81929P		81960P		FC1205XL		FC2106	
LCET		2000XL3L		81929PSL		81960PSL		FC1205XJ		FC2100	
LCRT		2000XJSL		81929PXC		81961P		FC1205XN		FC2108	
LF30T		2000XJSL		81929PXCSL		81961PSL		FC1205XR		FC2213	
LFET		2000XKSL		81929PXE		81964P		FC1206		FC2213SL	
LFRT		2000XN		81929PXESL		81964PSL		FC1206SL		FC2223	
ZHRT		2000XNSL		81929PXJ		81968P		FC1207		FC2223SL	
		2000XR		81929PXJSL		81968PSL		FC1207XC		FC2233	
		2000XRSL		81929PXK		81968SL		FC1207XE		FC2233SL	
		2009SL		81929PXKSL		81971P		FC1207XJ		FC23	
		2010XC		81929PXN		81971PXC		FC1207XK		FC2382	
		2010XE		81929PXNSL		81971PXE		FC1207XN		FC2382SL	
		2010XJ		81929PXR		81971PXJ		FC1207XR		FC2385	
		2010XK		81929PXRSL		81971PXK		FC1208		FC2385SL	
		2010XN		81933P		81971PXN		FC1208SL		FC2389	
		2010XR		81933PSL		81971PXR		FC1209		FC2389SL	
		2050SL		81935P		81975P		FC1209SL	147	FC241	
		2050XC	116	81935PSL	168	81977P		FC1211	146	FC31	198
		2050XCSL		81936P		81978P		FC1211SL		FC310	
		2050XE		81936PSL		81980P		FC1212		FC32	
		2050XESL		81937P		81981P		FC1289SL		FC32SL	
		2050XJ	116	81937PSL	169	81982P	170	FC131	152	FC32XC	159

FC32XCSL159	FC5720XJ116	FC709165	FC820 137	FC8573SL136	FC902153
FC32XE159	FC5720XJSL117	FC710166	FC821135	FC8574136	FC902SL153
FC32XESL159	FC5720XK116	FC7125SL182	FC822132	FC8579173	FC905134
FC32XJ159	FC5720XKSL117	FC713164	FC82213141	FC8581173	FC905SL134
FC32XJSL159	FC5720XN116	FC714164	FC82213SL141	FC8583SL173	FC906171
FC32XK159	FC5720XNSL117	FC721194	FC82223140	FC860198	FC906SL171
FC32XKSL159	FC5720XR116	FC735195	FC82223SL140	FC861197	FC907153
FC32XN159	FC5720XRSL117	FC736194	FC82233141	FC861XC197	FC907SL153
FC32XNSL159	FC572SL136	FC745195	FC82233SL142	FC861XE197	FC910137
FC32XR159	FC573SL136	FC752195	FC82382141	FC861XJ 197	FC910SL137
FC32XRSL159	FC574136	FC755198	FC82382SL141	FC861XK197	FC911174
FC3487SL182	FC581173	FC765151	FC82385141	FC861XN197	FC911SL174
FC3487XCSL178	FC583SL173	FC765SL151	FC82385SL142	FC861XR197	FC912155
FC3487XESL178	FC60198	FC766163	FC82389140	FC862198	FC912SL155
FC3487XJSL178	FC6093134	FC766XC159	FC82389SL140	FC86220190	FC915165
FC3487XKSL178	FC6094135	FC766XE159	FC828147	FC862203190	FC916165
FC3487XNSL178	FC6095137	FC766XJ159	FC82XC158	FC862203XC189	FC917196
FC3487XRSL178	FC61197	FC766XK159	FC82XE158	FC862203XE189	FC92161
FC369133	FC61XC197	FC766XN159	FC82XJ158	FC862203XJ189	FC925190
FC38151	FC61XE197	FC766XR159	FC82XK158	FC862203XK189	FC92SL161
FC386 177	FC61XJ197	FC770151	FC82XN158	FC862203XN189	FC92XC158
FC387SL177	FC61XK197	FC772151	FC82XR158	FC862203XR189	FC92XCSL158
FC389 157	FC61XN197	FC773152	FC8310161	FC86220XC190	FC92XE158
FC38SL152	FC61XR197	FC775152	FC8310SL161	FC86220XE190	FC92XESL158
FC393189	FC62184	FC776153	FC8311160	FC86220XJ190	FC92XJ158
FC4521157	FC626138	FC777153	FC8311SL161	FC86220XK190	FC92XJSL158
FC4521SL157	FC62XC179	FC778154	FC8313160	FC86220XN190	FC92XK158
FC4525157	FC62XE179	FC779154	FC8313SL161	FC86220XR190	FC92XKSL158
FC4525SL157	FC62XJ179	FC780155	FC8316161	FC86242188	FC92XN158
FC46SL132	FC62XK179	FC789166	FC8318182	FC86243187	FC92XNSL158
FC476157	FC62XN179	FC794164	FC8319182	FC86247188	FC92XR158
FC47SL150	FC62XR179	FC796164	FC832182	FC86249188	FC92XRSL158
FC47XCSL144	FC63SL182	FC797165	FC8320182	FC86252187	FCM10150
FC47XESL144	FC63XCSL178	FC798165	FC8321181	FC86253187	FCM100132
FC47XJSL144	FC63XESL178	FC803196	FC8321XC178	FC86254188	FCM1000198
FC47XKSL144	FC63XJSL178	FC808SL131	FC8321XE178	FC86255187	FCM1006134
FC47XNSL144	FC63XKSL178	FC809198	FC8321XJ178	FC86500138	FCM101168
FC47XRSL144	FC63XNSL178	FC80920190	FC8321XK178	FC86500SL138	FCM101SL168
FC48SL184	FC63XRSL178	FC809203190	FC8321XN178	FC86533189	FCM1029135
FC48XCSL179	FC65181	FC809203XC189	FC8321XR178	FC86536175	FCM104135
FC48XESL179	FC6500138	FC809203XE189	FC8322181	FC86550138	FCM104XC179
FC48XJSL179	FC6500SL138	FC809203XJ189	FC8323181	FC86550SL138	FCM104XE179
FC48XKSL179	FC6534189	FC809203XK189	FC8324181	FC86560175	FCM104XJ179
FC48XNSL179	FC6550138	FC809203XN189	FC832XC178	FC86560SL175	FCM104XK179
FC48XRSL179	FC6550SL138	FC809203XR189	FC832XE178	FC86570196	FCM104XN179
FC507188	FC6560 175	FC80920XC190	FC832XJ178	FC86580156	FCM104XR179
FC529155	FC6565SL175	FC80920XE190	FC832XK178	FC86580SL156	FCM105172
FC5425159	FC6570196	FC80920XJ190	FC832XN178	FC8675SL182	FCM105SL172
FC5425SL159	FC6576166	FC80920XK190	FC832XR178	FC8678180	FCM106164
FC543155	FC6577166	FC80920XN190	FC8386177	FC8678SL180	FCM108131
FC545SL155	FC6580156	FC80920XR190	FC8386SL177	FC8685L120	FCM1089SL160
FC549188	FC6580SL156	FC80942188	FC8390189	FC8685LXC116	FCM109167
FC5700120	FC6582156	FC80943187	FC8392177	FC8685LXE116	FCM109SL167
FC5700SL120	FC65XC178	FC80947188	FC84521157	FC8685LXJ116	FCM10XC143
FC5700XC116	FC65XE178	FC80949188	FC84521SL157	FC8685LXK116	FCM10XE143
FC5700XCSL117	FC65XJ178	FC80952187	FC84525157	FC8685LXN116	FCM10XJ143
FC5700XE116	FC65XK178	FC80953187	FC84525SL 157	FC8685LXR116	FCM10XK143
FC5700XESL117	FC65XN178	FC80954188	FC84527158	FC8685R120	FCM10XN143
FC5700XJ116	FC65XR178	FC80955187	FC84527SL158	FC8685RXC116	FCM10XR143
FC5700XJSL117	FC668132	FC809SL137	FC8489 177	FC8685RXE116	FCM110164
FC5700XK116	FC670184	FC812SL134	FC8498177	FC8685RXJ116	FCM113133
FC5700XKSL117	FC678180	FC813SL138	FC8498SL177	FC8685RXK116	FCM114169
FC5700XN116	FC678SL180	FC814132	FC8529155	FC8685RXN116	FCM114SL169
FC5700XNSL 117	FC685L120	FC8141190	FC8545SL155	FC8685RXR116	FCM115152
FC5700XR116	FC685LXC116	FC8144182	FC85700120	FC8691120	FCM115SL152
FC5700XRSL117	FC685LXE116	FC8145182	FC85700XC116	FC8691XC116	FCM116180
FC571136	FC685LXJ116	FC8145SL182	FC85700XE116	FC8691XE116	FCM1200145
FC5710120	FC685LXK116	FC8149174	FC85700XJ116	FC8691XJ116	FCM1200SL146
FC5710SL120	FC685LXN116	FC814SL133	FC85700XK116	FC8691XK116	FCM1201145
FC5710XC116	FC685LXR116	FC815SL134	FC85700XN116	FC8691XN116	FCM1201SL146
FC5710XCSL117	FC685R120	FC816131	FC85700XR116	FC8691XR116	FCM1202145
FC5710XE116	FC685RXC116	FC81645196	FC8571136	FC8704195	FCM1202SL146
FC5710XESL117	FC685RXE116	FC81646156	FC85710120	FC8707194	FCM1203145
FC5710XJ116	FC685RXJ116	FC81646SL156	FC85710XC116	FC8708195	FCM1204SL119
FC5710XJSL117	FC685RXK116	FC81649189	FC85710XE116	FC8721194	FCM1205SL119
FC5710XK116	FC685RXN116	FC81651139	FC85710XJ116	FC8735195	FCM1206SL119
FC5710XKSL117	FC685RXR116	FC81651SL139	FC85710XK116	FC8736194	FCM1208145
FC5710XN116	FC691120	FC81652139	FC85710XN116	FC8745195	FCM1209145
FC5710XNSL 117	FC691XC116	FC81652SL139	FC85710XR116	FC8752195	FCM12101SL150
FC5710XR116	FC691XE116	FC81653176	FC85720120	FC8867SL174	FCM12101XCSL144
FC5710XRSL117	FC691XJ116	FC81654176	FC85720XC116	FC89701174	FCM12101XESL144
FC5720120	FC691XK116	FC81654SL176	FC85720XE116	FC8971180	FCM12101XJSL144
FC5720SL120	FC691XN116	FC816SL133	FC85720XJ116	FC8972190	FCM12101XKSL144
FC5720XC116	FC691XR116	FC817133	FC85720XK116	FC900134	FCM12101XNSL144
FC5720XCSL117	FC704195	FC817SL135	FC85720XN116	FC900SL134	FCM12101XRSL144
FC5720XE116	FC707194	FC818SL136	FC85720XR116	FC901170	FCM12102SL146
FC5720XESL 117	FC708195	FC82160	FC8572SL136	FC901SL 170	FCM12102XCSL142

Fiber-Classic. & Smooth-Star. continued

FCM12102XESL142	FCM2000XJSL128	FCM4813128	FCM605XJ192	FCM65XC178	FCM81651SL139
FCM12102XJSL142	FCM2000XKSL 128	FCM4813XC127	FCM605XN192	FCM65XCSL178	FCM81652139
FCM12102XKSL142	FCM2000XNSL128	FCM4813XE 127	FCM605XR192	FCM65XE178	FCM81652SL139
			FCM606193		
FCM12102XNSL142	FCM2000XRSL128	FCM4813XJ127		FCM65XESL178	FCM81654176
FCM12102XRSL142	FCM2009SL119	FCM4813XN 127	FCM606XC192	FCM65XJ178	FCM81654SL176
FCM1211145	FCM205198	FCM4813XR 127	FCM606XE192	FCM65XJSL178	FCM816SL132
FCM1212145	FCM2050SL129	FCM4814129	FCM606XJ192	FCM65XK178	FCM817133
FCM1283150	FCM2050XCSL127	FCM4814XC127	FCM606XN 192	FCM65XKSL178	FCM817SL135
FCM1283XC143	FCM2050XESL127	FCM4814XE 127	FCM606XR192	FCM65XN178	FCM81800SL132
FCM1283XE143	FCM2050XJSL127	FCM4814XJ127	FCM607193	FCM65XNSL 178	FCM81828146
FCM1283XJ143	FCM2050XKSL 127	FCM4814XN127	FCM6074171	FCM65XR178	FCM81829146
FCM1283XK143	FCM2050XNSL 127	FCM4814XR 127	FCM6075171	FCM65XRSL178	FCM818SL135
FCM1283XN143	FCM2050XRSL 127	FCM4816129	FCM607XC192	FCM668132	FCM81900SL160
FCM1283XR143	FCM2101SL160	FCM4816XC127	FCM607XE 192	FCM670184	FCM81918SL131
FCM1284146	FCM2106160	FCM4816XE127	FCM607XJ192	FCM678180	FCM81919SL133
FCM1284XC142	FCM2107160	FCM4816XJ 127	FCM607XN192	FCM678SL180	FCM81921SL135
FCM1284XE142	FCM2108160	FCM4816XN127	FCM607XR192	FCM6975192	FCM81928SL137
FCM1284XJ142	FCM220198	FCM4816XR127	FCM608193	FCM704195	FCM81944SL160
FCM1284XK142	FCM2213140	FCM508191	FCM608XC192	FCM707194	FCM81947SL160
FCM1284XN142	FCM2223140	FCM5425159	FCM608XE192	FCM708195	FCM81949SL160
FCM1284XR142	FCM2233141	FCM5425SL159	FCM608XJ192	FCM7125SL181	FCM81968SL132
FCM1285145	FCM2382140	FCM543154	FCM608XN192	FCM721194	FCM81986SL134
FCM1285XC142	FCM2382SL140	FCM545SL154	FCM608XR192	FCM735195	FCM82160
FCM1285XE142	FCM82233141	FCM571136	FCM609191	FCM736194	FCM820137
FCM1285XJ142	FCM2385141	FCM572SL136	FCM6093134	FCM745195	FCM821135
FCM1285XK142	FCM2385SL141	FCM574136	FCM6094135	FCM752195	FCM822132
FCM1285XN142	FCM2389140	FCM575173	FCM6095 137	FCM755198	FCM82213140
FCM1285XR142	FCM2389SL140	FCM577173	FCM61197	FCM765151	
					FCM82213SL141
FCM1286144	FCM241132	FCM581173	FCM6107 170	FCM765SL151	FCM82223140
FCM1286SL144	FCM31198	FCM583SL173	FCM6108170	FCM789165	FCM82223SL140
FCM1289146	FCM310131	FCM60198	FCM6124SL146	FCM80166	FCM82233SL141
FCM1289SL146	FCM32162	FCM600198	FCM6124XCSL142	FCM8000SL129	FCM82382140
FCM131152	FCM32SL162	FCM601193	FCM6124XESL142	FCM8000XCSL128	FCM82382SL140
FCM131SL152	FCM32XC159	FCM601XC193	FCM6124XJSL142	FCM8000XESL128	FCM82385141
FCM138145	FCM32XCSL159	FCM601XE193	FCM6124XNSL142	FCM8000XJSL128	FCM82385SL141
FCM138XC142	FCM32XE159	FCM601XJ193	FCM6124XRSL142	FCM8000XKSL128	FCM82389140
FCM138XE142	FCM32XESL159	FCM601XN193	FCM6125SL146	FCM8000XNSL128	FCM82389SL140
FCM138XJ142	FCM32XJ159	FCM601XR193	FCM6125XCSL142	FCM8000XRSL128	FCM828146
FCM138XK142	FCM32XJSL159	FCM602191	FCM6125XESL142	FCM808SL131	FCM82XC158
FCM138XN142	FCM32XK159	FCM6021184	FCM6125XJSL142	FCM809SL137	FCM82XE158
	FCM32XKSL159				
FCM138XR142		FCM6021XC179	FCM6125XNSL142	FCM81000198	FCM82XJ158
FCM1400SL160	FCM32XN159	FCM6021XE179	FCM6125XRSL142	FCM8101SL160	FCM82XK158
FCM1402160	FCM32XNSL159	FCM6021XJ 179	FCM6126SL146	FCM8101XCSL158	FCM82XN158
FCM1405181	FCM32XR159	FCM6021XK179	FCM6126XCSL142	FCM8101XESL158	FCM82XR158
FCM1405SL181	FCM32XRSL159	FCM6021XN179	FCM6126XESL142	FCM8101XJSL158	FCM8310SL160
FCM1406181	FCM3487SL181	FCM6021XR179	FCM6126XJSL142	FCM8101XKSL158	FCM8311SL160
FCM1408181	FCM3487XCSL178	FCM6022181	FCM6126XNSL142	FCM8101XNSL158	FCM8313SL160
FCM141144	FCM3487XESL178	FCM6022XC178	FCM6126XRSL142	FCM8101XRSL158	FCM8321181
FCM142135	FCM3487XJSL178	FCM6022XE 178	FCM61XC197	FCM8103SL154	FCM8321XC178
FCM143154	FCM3487XKSL178	FCM6022XJ178	FCM61XE197	FCM8105SL151	FCM8321XE178
FCM143SL154	FCM3487XNSL 178	FCM6022XK178	FCM61XJ197	FCM8107SL155	FCM8321XJ178
FCM144171	FCM3487XRSL178	FCM6022XN178	FCM61XK197	FCM8110SL159	FCM8321XK178
FCM1442SL155	FCM369133	FCM6022XR 178	FCM61XN197	FCM8114132	FCM8321XN178
FCM147154	FCM38151	FCM6025168	FCM61XR197	FCM8114SL132	FCM8321XR178
FCM147SL154	FCM386176	FCM6026173	FCM62184	FCM8115144	FCM8322181
FCM148138	FCM387176	FCM6029170	FCM6201SL127	FCM8115SL144	FCM8323181
FCM149174	FCM387SL177	FCM6030172		FCM81200150	FCM8324181
			FCM6240 127		
FCM149SL174	FCM389157	FCM6031169	FCM6240SL127	FCM81200SL150	FCM8386176
FCM151165	FCM38SL151	FCM6032 167	FCM626138	FCM81200XC143	FCM8386SL177
FCM156155	FCM394177	FCM6035180	FCM62SL184	FCM81200XCSL144	FCM84521SL157
FCM16132	FCM4521SL157	FCM6036174	FCM62XC179	FCM81200XE143	FCM84525SL157
FCM160166	FCM4525SL157	FCM604191	FCM62XCSL179	FCM81200XESL144	FCM84527SL158
FCM163164	FCM476157	FCM6041184	FCM62XE179	FCM81200XJ143	FCM84810129
		FCM6041XC179			
FCM164164	FCM4810129		FCM62XESL179	FCM81200XJSL144	FCM84810SL129
FCM1645196	FCM4810SL129	FCM6041XE179	FCM62XJ179	FCM81200XK143	FCM84810XC128
FCM1646SL156	FCM4810XC128	FCM6041XJ179	FCM62XJSL 179	FCM81200XKSL144	FCM84810XCSL128
FCM1647156	FCM4810XCSL128	FCM6041XK179	FCM62XK179	FCM81200XN143	FCM84810XE128
FCM1650192	FCM4810XE128	FCM6041XN179	FCM62XKSL179	FCM81200XNSL144	FCM84810XESL128
FCM1651139	FCM4810XESL128	FCM6041XR179	FCM62XN179	FCM81200XR143	FCM84810XJ128
FCM1651SL139	FCM4810XJ128	FCM6042181	FCM62XNSL179	FCM81200XRSL144	FCM84810XJSL128
FCM1652139	FCM4810XJSL128	FCM6042XC178	FCM62XR179	FCM81208P146	FCM84810XN128
FCM1654176	FCM4810XN128	FCM6042XE178	FCM62XRSL179	FCM81208PSL146	FCM84810XNSL128
FCM1656176	FCM4810XNSL128	FCM6042XJ178	FCM65181	FCM81208SL146	FCM84810XR128
FCM1656SL 176	FCM4810XR128	FCM6042XK178	FCM6500138	FCM81225144	FCM84810XRSL128
FCM1658176	FCM4810XRSL128	FCM6042XN178	FCM6500SL138	FCM81225SL144	FCM84812128
FCM18145	FCM4812128	FCM6042XR178	FCM6520 192	FCM812SL134	FCM84812SL129
FCM18101SL132	FCM4812SL129	FCM6045168	FCM6550138	FCM813SL138	FCM84812XC127
FCM18XC142	FCM4812XC127	FCM6046173	FCM6560 175	FCM814132	FCM84812XCSL128
FCM18XE142	FCM4812XCSL128	FCM6049170	FCM6565175	FCM8145181	FCM84812XE127
FCM18XJ142	FCM4812XE127	FCM605193	FCM6565SL175	FCM8145SL181	FCM84812XESL128
FCM18XK142	FCM4812XESL128	FCM6050172	FCM6568 175	FCM8149174	FCM84812XJ127
FCM18XN142	FCM4812XJ 127	FCM6051169	FCM6570196	FCM814SL133	FCM84812XJSL128
FCM18XR142	FCM4812XJSL128	FCM6052 167	FCM6575165	FCM815SL134	FCM84812XN127
FCM198146	FCM4812XN127	FCM6055180	FCM6577165	FCM816131	FCM84812XNSL128
FCM2000SL129	FCM4812XNSL128	FCM6056174	FCM6580SL156	FCM81645196	FCM84812XR127
FCM2000XCSL128	FCM4812XR127	FCM605XC192	FCM6582156	FCM81646SL156	FCM84812XRSL128
FCM2000XESL128	FCM4812XRSL128	FCM605XE192	FCM65SL181	FCM81651139	FCM84813128

FCM84813XC 127	FCM870XJ143	FCO6186XJSL143	S1205XJ11			S2103SL	
FCM84813XE127	FCM870XJSL144	FCO6186XNSL143	S1205XK11			S2103XC	
FCM84813XJ127	FCM870XK143	FCO6186XRSL143	S1205XN11			S2103XCSL	
FCM84813XN127	FCM870XKSL144	FCO6188SL148	S1205XR11			S2103XE	
FCM84813XR127	FCM870XN143	FCO6188XCSL143	S120612		176	S2103XESL	
FCM84814129	FCM870XNSL144	FCO6188XESL143	S1206SL12			S2103XJ	123
FCM84814XC 127	FCM870XR143	FCO6188XJSL143	S120712			S2103XJSL	
FCM84814XE127	FCM870XRSL144	FCO6188XNSL143	S1207XC11	7 S198SL	150	S2103XK	123
FCM84814XJ 127	FCM871131	FCO6188XRSL143	S1207XE11	7 S200	200	S2103XKSL	123
FCM84814XN127	FCM871SL131	FCO6189SL148	S1207XJ11	7 S2000	122	S2103XN	123
FCM84814XR 127	FCM872 132	FCO6189XCSL143	S1207XK11	7 S2000SL	122	S2103XNSL	123
FCM84816129	FCM8721194	FCO6189XESL143	S1207XN11	7 S2000SL	129	S2103XR	123
FCM84816XC 127	FCM872SL132	FCO6189XJSL143	S1207XR11	7 S2000SL-2C	121	S2103XRSL	123
FCM84816XE127	FCM873133	FCO6189XNSL143	S120814	8 S2000SL-4C	121	S2104	124
FCM84816XJ127	FCM8735195	FCO6189XRSL143	S1208SL14	9 S2000XC	119	S2104SL	124
FCM84816XN127	FCM8736194	FCO6190SL148	S120914			S2104XC	
FCM84816XR127	FCM873SL133	FCO6190XCSL143	S1209SL14			S2104XCSL	
FCM84886SL129	FCM874135	FCO6190XESL143	S121114			S2104XE	
FCM84886XCSL 127	FCM8745195	FCO6190XJSL143	S1211SL14			S2104XESL	
FCM84886XESL 127	FCM874SL135	FCO6190XNSL143	S121214			S2104XJ	
FCM84886XJSL 127	FCM8752195	FCO6190XRSL143	S12814			S2104XJSL	
FCM84886XKSL 127	FCM881SL162	FCO6575166	S128XC14			S2104XK	
FCM84886XNSL 127	FCM881XCSL159	FWRT201	S128XE14			S2104XKSL	
FCM84886XRSL 127	FCM881XESL159	KNRT201	S128XJ14			S2104XN	
		LT30T201	S128XK14				
FCM8498177	FCM881XJSL159					S2104XNSL	
FCM8498SL177	FCM881XKSL159	LTRT201	S128XN14			S2104XR	
FCM8545SL154	FCM881XNSL159	PBRT201	S128XR14			S2104XRSL	
FCM8571136	FCM881XRSL159	RSRT201	S13014			S2105	
FCM8572SL136	FCM882SL151	S100200	S130SL14			S2106	
FCM8573SL136	FCM883SL152	S1000165	S13118			S2107	
FCM8574136	FCM884SL152	S1001165	S13218			S2108	
FCM8581173	FCM885SL154	S1006134	S132SL18			S210SL	
FCM8583SL 173	FCM886170	S100SL150	S135012	5 S2000XN	119	S210XCSL	179
FCM860198	FCM886SL170	S100XCSL144	S13718	31 S2000XNSL	119	S210XESL	179
FCM861197	FCM887SL153	S100XESL144	S13913	3 S2000XNSL	128	S210XJSL	179
FCM861XC197	FCM888170	S100XJSL144	S139SL13	3 S2000XNSL-2C	117	S210XKSL	179
FCM861XE197	FCM888SL171	S100XKSL144	S14015	0 S2000XNSL-4C	117	S210XNSL	179
FCM861XJ197	FCM889SL153	S100XNSL144	S140016			S210XRSL	
FCM861XK197	FCM890137	S100XRSL144	S1400SL16			S211	
FCM861XN197	FCM890SL137	S1029135	S140112			S213	
FCM861XR197	FCM891173	S104184	S1401SL12			S214	
FCM862184	FCM891SL173	S104XC179	S140216			S2150	
FCM86201SL127	FCM892SL155	S104XE179	S140419			S220	
FCM86240127	FCM893SL134	S104XJ179	S140518			S2200	
FCM86240SL127	FCM898168	S104XK179	S1405SL18			S2200XC	
FCM862SL184	FCM898SL168	S104XN179	S14053L18			S2200XCS2200XCSL	
FCM862XC179	FCM899171	S104XR179	S140718			S2200XE	
FCM862XCSL179	FCM899SL171	S105184	S140818			S2200XESL	
FCM862XE179	FCM900134	S108148	S140912			S2200XJ	
FCM862XESL179	FCM901170	S1089161	S140STC19			S2200XJSL	
FCM862XJ179	FCM901SL170	S1089SL162	\$140XC14			S2200XK	
FCM862XJSL179	FCM902153	S108XC143	S140XE14			S2200XKSL	
FCM862XK179	FCM902SL153	S108XE143	S140XJ14			S2200XN	
FCM862XKSL179	FCM905134	S108XJ143	S140XK14			S2200XNSL	
FCM862XN179	FCM906170	S108XK143	S140XN14		117	S2200XR	123
FCM862XNSL179	FCM906SL171	S108XN143	S140XR14			S2200XRSL	
FCM862XR179	FCM907153	S108XR143	S14114		128	S2213	141
FCM862XRSL179	FCM907SL153	S1100199	S141118	6 S2010XK	117	S2213SL	141
FCM863167	FCM910137	S115183	S141STC19			S2223	140
FCM863SL167	FCM911173	S1170SL149	S141XC14		128	S2223SL	140
FCM864168	FCM911SL173	S1170XCSL143	S141XE14			S2233	142
FCM864SL168	FCM912155	S1170XESL143	S141XJ14	3 S2010XNSL	117	S2233SL	142
FCM865169	FCM912SL155	S1170XJSL143	S141XK14			S2250	
FCM86500138	FCM915165	S1170XKSL143	S141XN14	3 S2010XR	117	S2250XC	123
FCM86500SL138	FCM916165	S1170XNSL143	S141XR14			S2250XCSL	
FCM86550138	FCM92SL160	S1170XRSL143	S1442SL15			S2250XE	
FCM86550SL138	FCM92XCSL158	S118150	S15413			S2250XESL	
FCM86560175	FCM92XESL158	S118XC144	S154SL13			S2250XJ	
FCM86560SL175	FCM92XJSL158	S118XE144	S15513			S2250XJSL	
FCM86570196	FCM92XKSL158	S118XJ144	S155SL13			S2250XK	
FCM86580SL156	FCM92XNSL158	S118XK144	S15615			S2250XKSL	
FCM865SL169	FCM92XRSL158	S118XN144	S16013			S2250XN	
FCM866172	FCO6184SL148	S118XR144	\$160SL13			S2250XNSL	
FCM866SL172	FCO6184XCSL143	S120200	S16117			S2250XR	
FCM8675SL181	FCO6184XESL143	S1200148	S161SL17			S2250XR	
		S1200SL149	\$1615L17 \$16218			S236	
FCM8678180	FCO6184XJSL143						
FCM8678SL180	FCO6184XNSL143	S1201148	\$16316			S237	
FCM867SL174	FCO6184XRSL143	S1201SL149	S164519			S2382	
FCM870150	FCO6185SL148	S1202148	S164615			S2382SL	
FCM8704195	FCO6185XCSL143	S1202SL149	S1646SL15			S2385	
FCM8707194	FCO6185XESL143	S1203148	S164715			S2385SL	
FCM8708195	FCO6185XJSL143	S1204120	S165019			S2389	
FCM870SL150	FCO6185XNSL143	S1204SL121	S165113			S2389SL	
FCM870XC143	FCO6185XRSL143	S1205120	S1651SL13			S241	
FCM870XCSL144	FCO6186SL148	S1205SL121	S165213			S243	
FCM870XE143	FCO6186XCSL143	S1205XC117	S1652SL13		162	S255	196
FCM870XESL144	FCO6186XESL143	S1205XE117	S165317	6 S2103	124	S256	196

Fiber-Classic. & Smooth-Star. continued

S2600		00000000		0.100=111		0					
		S3300XN		S4305XJ		S5700XC		S6008		S6063STC	
S2610	193	S3300XR	118	S4305XK	179	S3600RXC	118	S6008SL	133	S6063XC	143
S2610XC	193	S3301	199	S4305XN	179	S3600RXE	118	S6009	152	S6063XE	143
S2610XE	193	S3400L	121	S4305XR	179	S3600RXJ	118	S6009SL	153	S6063XJ	143
S2610XJ		S3400LXC		S4307		S3600RXK		S601		S6063XK	
S2610XN		S3400LXE		S4308		S3600RXN		S6010		S6063XN	
S2610XR		S3400LXJ		S430SL		S3600RXR		S6013		S6063XR	
S262	182	S3400LXK	118	S4310	177	S5700XCSL	118	S6014		S606SL	
S2620	192	S3400LXN	118	S4311	176	S5700XE	117	S601SL	150	S606XC	192
S262XC	178	S3400LXR	118	S4314	167	S5700XESL	118	S601XC	193	S606XCSL	143
S262XE		S3401L		S4315		S5700XJ		S601XCSL		S606XE	
S262XJ		S3487SL		S4316		S5700XJSL		S601XE		S606XESL	
S262XK	178	S3487XCSL	179	S4320	175	S5700XK	117	S601XESL	144	S606XJ	192
S262XN	178	S3487XESL	179	S4321	183	S5700XKSL	118	S601XJ	193	S606XJSL	143
S262XR		S3487XJSL		S4323		S5700XN		S601XJSL		S606XN	
S2630		S3487XKSL				S5700XNSL					
				S4324				S601XKSL		S606XNSL	
S263SL	183	S3487XNSL	179	S4325	169	S5700XR		S601XN		S606XR	
S263XCSL	179	S3487XRSL	179	S4326	173	S5700XRSL	118	S601XNSL	144	S606XRSL	143
S263XESL	179	S35	169	S4327	171	S5701	199	S601XR	193	S607	193
S263XJSL		S83400L		S4328		S5705	121	S601XRSL		S6070	135
S263XKSL		S3400R		S4329		S5705XC		S602		S6070SL	
S263XNSL		S83400R		S4330		S5705XE		S6021		S6071	
S263XRSL	179	S3500R	122	S3601R	199	S5705XJ	117	S6021XC	179	S6071SL	154
S2640	192	S3400RXC	118	S45	199	S5705XK	117	S6021XE	179	S6072	154
S2650	191	S3400RXE	118	S4521	157	S5705XN	117	S6021XJ	179	S6073	171
S2660		S3400RXJ		S4521SL		S5705XR		S6021XK		S6074	
S2670		S3400RXK		S4525		S571		S6021XN		S6075	
S289		S3400RXN		S4525SL		S5710		S6021XR		S6076	
S289XC	186	S3400RXR	118	S454	196	S5710SL	122	S6022	182	S607SL	149
S289XE		S3500LXC		S4570SL		S5710XC		S6022XC	178	S607XC	193
S289XJ		S3500LXE		S476		S5710XCSL		S6022XE		S607XCSL	
S289XK		S3500LXJ		S4800		S5710XE		S6022XJ		S607XE	
S289XN	186	S3500LXK	118	S4810	129	S5710XESL	118	S6022XK	178	S607XESL	143
S289XR	186	S3500LXN	118	S4810SL	129	S5710XJ	117	S6022XN	178	S607XJ	193
S291	185	S3500LXR	118	S4810XC	128	S5710XJSL	118	S6022XR	178	S607XJSL	143
S291SL		S3401R		S4810XCSL		S5710XK		S6025		S607XN	
S292		S3501L		S4810XE		S5710XKSL		S6026		S607XNSL	
S292SL	172	S3540	192	S4810XESL	128	S5710XN	117	S6029	171	S607XR	193
S294	185	S83500R	122	S4810XJ	128	S5710XNSL	118	S602SL	135	S607XRSL	143
S294SL		S3500L		S4810XJSL		S5710XR		S6030		S608	
S296		S83500L		S4810XN		S5710XRSL		S6031		S6080	
S296XC		S3600L		S4810XNSL		S5715		S6032		S6082	
S296XE	197	S3500RXC	118	S4810XR		S5715XC	117	S6034	180	S6084	165
S296XJ	197	S3500RXE	118	S4810XRSL	128	S5715XE	117	S6035	180	S6085	164
S296XK		S3500RXJ		S4812		S5715XJ		S6036		S608XC	
S296XN				S4812SL							
		S3500RXK				S5715XK		S604		S608XE	
S296XR	197	S3500RXN	118	S4812XC	128	S5715XN		S6041	184	S608XJ	
S30	184	S3500RXR	118	S4812XCSL	128	S5715XR	117	S6041XC	179	S608XN	193
S308SL	149	S3600LXC	118	S4812XE	128	S5720	121	S6041XE	179	S608XR	193
S308XCSL		S3600LXE		S4812XESL		S5720SL		S6041XJ		S609	
S308XESL		S3600LXJ		S4812XJ		S5720XC	117	S6041XK		S6090	
S308XJSL				S4812XJSL	128						
S308XKSL		S3600LXK				S5720XCSL		S6041XN	179	S6091	
COOCYNICI	143	S3600LXK S3600LXN		S4812XN		S5720XE3L			179	S6091 S6091SL	
5308XNSL		S3600LXN	118	S4812XN	128	S5720XE	117	S6041XN S6041XR	179 179	S6091SL	154
S308XNSL S308XRSI	143	S3600LXNS3600LXR	118 118	S4812XN S4812XNSL	128 128	S5720XE S5720XESL	117 118	S6041XN S6041XR S6042	179 179 183	S6091SL S6092	154 153
S308XRSL	143 143	S3600LXNS3600LXRS3501R	118 118 199	S4812XN S4812XNSL S4812XR	128 128 128	S5720XE S5720XESL S5720XJ	117 118 117	S6041XN S6041XR S6042 S6042XC	179 179 183 178	S6091SL S6092 S6092SL	154 153 153
S308XRSL S30XC	143 143 179	\$3600LXN \$3600LXR \$3501R \$3601L	118 118 199 199	S4812XN S4812XNSL S4812XR S4812XRSL	128 128 128 128	\$5720XE \$5720XESL \$5720XJ \$5720XJSL	117 118 117 118	\$6041XN\$6041XR\$6042\$6042XC\$6042XE	179 179 183 178	S6091SL S6092 S6092SL S6093	154 153 153
S308XRSL S30XC S30XE	143 143 179 179	\$3600LXN \$3600LXR \$3501R \$3601L \$369	118 118 199 199 133	S4812XNS4812XNSLS4812XRS4812XRSLS4812XRSLS4813	128 128 128 128 129	\$5720XE \$5720XESL \$5720XJ \$5720XJSL \$5720XK	117 118 117 118 117	\$6041XN\$6041XR\$6042XC\$6042XE\$6042XJ\$	179 179 183 178 178	\$6091\$L\$6092\$6092\$L\$6092\$L\$6093\$6094	154 153 153 134 136
S308XRSL S30XC	143 143 179 179	\$3600LXN \$3600LXR \$3501R \$3601L \$369	118 118 199 199 133	S4812XNS4812XNSLS4812XRSLS4812XRSLS4813XCS4813XC	128 128 128 128 129 128	\$5720XE\$5720XESL\$5720XJ\$5720XJ\$5720XJSL\$5720XK\$5720XKSL	117 118 117 118 117	\$6041XN\$6041XR\$6042XC\$6042XE\$6042XJ\$6042XJ\$6042XJ\$6042XJ\$6042XJ\$6042XK\$604	179179183178178178178	\$6091\$L\$6092\$L\$6092\$L\$6093\$6094\$6095\$	154 153 153 134 136 137
S308XRSL S30XC S30XE	143 143 179 179	\$3600LXN \$3600LXR \$3501R \$3601L \$369	118 118 199 199 133	S4812XNS4812XNSLS4812XRS4812XRSLS4812XRSLS4813	128 128 128 128 129 128	\$5720XE \$5720XESL \$5720XJ \$5720XJSL \$5720XK	117 118 117 118 117	\$6041XN\$6041XR\$6042XC\$6042XE\$6042XJ\$	179179183178178178178	\$6091\$L\$6092\$6092\$L\$6092\$L\$6093\$6094	154 153 153 134 136 137
\$308XR\$L \$30XC \$30XE \$30XJ \$30XK	143 143 179 179 179	\$3600LXN \$3600LXR \$3501R \$3601L \$369 \$37 \$386	118 118 199 133 174	\$4812XN \$4812XNSL \$4812XRSL \$4812XRSL \$4813XC \$4813XE	128 128 128 128 129 128	\$5720XE\$5720XESL\$5720XJSL\$5720XJSL\$5720XK\$5720XKSL\$5720XKSL\$5720XN\$	117 118 117 118 117 118	\$6041XN \$6041XR \$6042 \$6042XC \$6042XE \$6042XJ \$6042XJ \$6042XN	179179183178178178178	\$6091\$L\$6092\$L\$6092\$L\$6093\$6094\$6095\$6095	154 153 134 136 137
\$308XRSL \$30XC \$30XE \$30XJ \$30XK \$30XN	143 143 179 179 179 179	\$3600LXN \$3600LXR \$3501R \$3601L \$369 \$37 \$386 \$387	118 118 199 199 133 174 177	\$4812XN\$4812XNSL\$4812XRSL\$4812XRSL\$4813XC\$4813XC\$4813XC\$4813XC\$54813XJ	128 128 128 128 129 128 128	\$5720XE\$5720XESL\$5720XISL\$5720XISL\$5720XKSL\$5720XKSL\$5720XKSL\$5720XNSL	117 118 117 118 117 118 117	\$6041XN \$6041XR \$6042 \$6042XC \$6042XE \$6042XJ \$6042XK \$6042XK \$6042XR	179179183178178178178178178	\$6091\$L\$6092\$L\$6092\$L\$6093\$\$6094\$\$6095\$\$6100\$S6100\$S6100\$L\$6100	154 153 134 136 137 134
\$308XRSL \$30XC \$30XE \$30XJ \$30XK \$30XN \$30XR	143 143 179 179 179 179 179	\$3600LXN \$3600LXR \$3501R \$3601L \$369 \$37 \$386 \$387 \$387	118 118 199 199 133 174 177 177	\$4812XN\$4812XNSL\$4812XRSL\$4812XRSL\$4813XC\$4813XC\$4813XC\$4813XS\$4813XJ\$4813XN\$4813XN\$4813XN\$4813XN\$4813XN\$4813XN\$	128 128 128 128 129 128 128 128	\$5720XE\$5720XESL\$5720XJ\$5720XJSL\$5720XKSL\$5720XKSL\$5720XN\$5720XNSL\$5720XRSL\$57	117118117118117118117118117	\$6041XN \$6041XR \$6042 \$6042XC \$6042XE \$6042XI \$6042XN \$6042XR \$6045	179179183178178178178178178178	\$6091\$L\$6092\$L\$6092\$L\$6093\$\$6094\$\$6095\$\$6100\$\$6100\$L\$6101\$	154 153 134 136 137 134 134
\$308XRSL \$30XC \$30XE \$30XJ \$30XK \$30XN \$30XR \$31	143 143 179 179 179 179 179 179	\$3600LXN \$3600LXR \$3501R \$3601L \$369 \$37 \$386 \$387 \$387SL \$389	118 118 199 199 133 174 177 177 177	\$4812XN\$4812XNSL\$4812XRSL\$4812XRSL\$4813XC\$4813XE\$4813XN\$4813XN\$4813XR\$4813	128 128 128 128 129 128 128 128 128	\$5720XE\$5720XESL\$5720XJSL\$5720XJSL\$5720XKSL\$5720XKSL\$5720XKSL\$5720XNSL\$5720XNSL\$5720XRSL\$572	117118117118117118117118117118	\$6041XN \$6041XR \$6042 \$6042XE \$6042XE \$6042XI \$6042XN \$6042XN \$6042XR \$60465 \$6046	179179183178178178178178178178178	\$6091\$L\$6092\$6092\$L\$6093\$6094\$6095\$6100\$6100\$L\$6101\$L	154 153 153 134 136 137 134 170
\$308XRSL \$30XC \$30XE \$30XJ \$30XK \$30XN \$30XR \$31 \$310	143 143 179 179 179 179 179 179 179	\$3600LXN \$3600LXR \$3501R \$3601L \$369 \$37 \$386 \$387 \$387SL \$387SL \$389 \$392	118118199199174177177177157	\$4812XN\$4812XNSL\$4812XRSL\$4812XRSL\$4813XC\$4813XE\$4813XN\$4813XN\$4813XN\$4813XR	128 128 128 128 129 128 128 128 128 128	\$5720XE\$5720XESL\$5720XJSL\$5720XJSL\$5720XKSL\$5720XKSL\$5720XKSL\$5720XNSL\$5720XNSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5721\$5721\$5721\$5721\$5721\$5721\$5721\$5720XRSL\$5721\$5721\$5720XRSL\$5721\$5721\$5720XRSL\$5721\$5720XRSL\$5721\$5720XRSL\$5721\$5720XRSL\$5721\$5720XRSL\$5721\$5720XRSL\$5721\$5720XRSL\$5721\$5720XRSL\$5721\$5720XRSL\$5721\$5720XRSL\$5721\$5720XRSL\$5721\$5720XRSL\$5721\$5720XRSL\$	117118117118117118117118117118117	\$6041XN \$6041XR \$6042 \$6042XE \$6042XE \$6042XI \$6042XN \$6042XR \$6042XR \$6045 \$6046	179179179178178178178178178178178178179	\$6091\$L\$6092\$6092\$L\$6093\$6094\$6095\$6100\$6100\$L\$6101\$L\$6101\$L\$6101\$L\$6102	154 153 153 134 136 137 134 170 170
\$308XRSL \$30XC \$30XE \$30XX \$30XN \$30XR \$31 \$310 \$32	143143179179179179179179179179179183	\$3600LXN \$3600LXR \$3501R \$3601L \$369 \$37 \$386 \$387 \$387SL \$387SL \$389 \$392	118118199199174177177177157189	\$4812XN\$4812XNSL\$4812XRSL\$4812XRSL\$4813XC\$4813XE\$4813XI\$4813XN\$4813XR\$4814XC\$4814XC	128128128128129128128128128128128128128	\$5720XE\$5720XESL\$5720XJ\$5720XJ\$5720XK\$5720XK\$5720XKSL\$5720XN\$5720XNSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5725\$5725\$5725\$5725\$5725	117118117118117118117118117118117118119	\$6041XN \$6041XR \$6042 \$6042XC \$6042XE \$6042XI \$6042XN \$6042XR \$6045 \$6046 \$6049	179179179178178178178178178178178171133	\$6091\$L\$6092\$L\$6092\$L\$6093\$6094\$6100\$6100\$L\$6101\$L\$6101\$L\$6102\$L	154153134136134134170170153
\$308XRSL \$30XC \$30XE \$30XJ \$30XK \$30XN \$30XR \$31 \$310	143143179179179179179179179179179183	\$3600LXN \$3600LXR \$3501R \$3601L \$369 \$37 \$386 \$387 \$387SL \$387SL \$389 \$392	118118199199174177177177157189	\$4812XN\$4812XNSL\$4812XRSL\$4812XRSL\$4813XC\$4813XE\$4813XN\$4813XN\$4813XN\$4813XR	128128128128129128128128128128128128128	\$5720XE\$5720XESL\$5720XJSL\$5720XJSL\$5720XKSL\$5720XKSL\$5720XKSL\$5720XNSL\$5720XNSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5721\$5721\$5721\$5721\$5721\$5721\$5721\$5720XRSL\$5721\$5721\$5720XRSL\$5721\$5721\$5720XRSL\$5721\$5720XRSL\$5721\$5720XRSL\$5721\$5720XRSL\$5721\$5720XRSL\$5721\$5720XRSL\$5721\$5720XRSL\$5721\$5720XRSL\$5721\$5720XRSL\$5721\$5720XRSL\$5721\$5720XRSL\$5721\$5720XRSL\$5721\$5720XRSL\$	117118117118117118117118117118117118119	\$6041XN \$6041XR \$6042 \$6042XE \$6042XE \$6042XI \$6042XN \$6042XR \$6042XR \$6045 \$6046	179179179178178178178178178178178171133	\$6091\$L\$6092\$6092\$L\$6093\$6094\$6095\$6100\$6100\$L\$6101\$L\$6101\$L\$6101\$L\$6102	154153134136134134170170153
\$308XRSL \$30XC \$30XE \$30XJ \$30XN \$30XN \$31 \$310 \$32 \$3200	143143179179179179179179200131183126	\$3600LXN \$3600LXR \$3501R \$3601L \$369 \$37 \$386 \$387 \$387SL \$389 \$392 \$393 \$394	118118199199174177177157177157177	\$4812XN\$4812XNSL\$4812XRSL\$4812XRSL\$4813XC\$4813XC\$4813XC\$4813XI\$4813XN\$4813XN\$4813XR\$4814XC\$4814XC\$4814XE\$4814XE\$4814XE\$4814XE\$4814XE\$4814XE\$4814XE\$	128128128128128129128128128128128128128128	\$5720XE\$5720XESL\$5720XISL\$5720XIK\$5720XK\$5720XKSL\$5720XNSL\$5720XNSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5725XS5725XC\$5725XC\$5725XC\$5725XC\$5725XC\$5725XC\$5720XRSL\$5725XC\$5725XC\$5725XC\$5725XC\$5720XRSL\$5725XC\$5725XC\$5725XC\$5725XC\$5720XRSL\$5725XC\$5725XC\$5725XC\$5725XC\$5725XC\$5725XC\$5720XRSL\$5720XRSL\$5725XC\$5725	117118117118117118117118117118119117	\$6041XN \$6041XR \$6042 \$6042XC \$6042XE \$6042XI \$6042XN \$6042XR \$6045 \$6046 \$6049	179179179183178178178178178178171133193	\$6091\$L\$6092\$L\$6092\$L\$6093\$\$6094\$\$6100\$\$6100\$L\$6101\$L\$6101\$L\$6102\$\$6102\$L\$6103\$L\$6102\$L\$6103\$L	154153134136134134170170153153
\$308XRSL \$30XC \$30XE \$30XJ \$30XN \$30XN \$31 \$31 \$310 \$32 \$3200 \$3200SL	143143179179179179179179200131183126	\$3600LXN	118118199199174177177177157157157177189	\$4812XN	128128128128129128128128128128128129128128129129128	\$5720XE\$5720XESL\$5720XJ\$5720XJSL\$5720XJSL\$5720XKSL\$5720XKSL\$5720XNSL\$5720XRSL\$5720XRSL\$5720XRSL\$5725XC\$5725XC\$5725XC\$5725XC\$5725XE\$5725XC\$5725XE\$572	117118118118117118117118117118117118117118117118	\$6041XN \$6041XR \$6042XC \$6042XE \$6042XI \$6042XI \$6042XR \$6042XR \$6045 \$6046 \$6049 \$6045 \$6055	179179183178178178178178178178178178178178179171133193172	\$6091\$L\$6092\$6092\$L\$6093\$6094\$6095\$6100\$6100\$L\$6101\$L\$6102\$L\$6102\$L\$6102\$L\$6102\$L\$6103\$5104\$610	154153153134136137134134170170153153153
\$308XRSL \$30XC \$30XE \$30XJ \$30XK \$30XN \$30XR \$31 \$31 \$32 \$3200 \$3200SL \$3200XC	143143179179179179179179179120131183126126	\$3600LXN	118118199133174177177177157157189176177	\$4812XN	128128128128128128128128128128128128128129128129128	\$5720XE\$5720XESL\$5720XJSL\$5720XJSL\$5720XKSL\$5720XKSL\$5720XKSL\$5720XKSL\$5720XRSL\$5720XRSL\$5720XRSL\$5725XE\$5725XE\$5725XE\$5725XE\$5725XE\$5725XE\$5725XE\$5725XE\$5725XE\$5725XE\$5725XE\$5725XE\$5725XE\$5725XE\$5725XE\$5725XE\$5725XI\$5725XE\$5725XE\$5725XI\$5725XE\$5725XII\$5725XII\$5725XII\$5725XII\$5725XIII\$5725XIII\$5725XIII	117118117118117118117118117118117118117119121117	\$6041XN \$6041XR \$6042XC \$6042XE \$6042XI \$6042XK \$6042XN \$6042XR \$6042XR \$6045 \$6049 \$6045 \$6045 \$6055 \$6050	179179179179178178178178178178178171171131131133172169	\$6091\$L\$6092\$6092\$6093\$6094\$6095\$6100\$6100\$L\$6101\$L\$6102\$L\$6102\$L\$6102\$L\$6103\$6104\$6106\$6106\$	154153134134134134170170153153153153
\$308XRSL \$30XC \$30XE \$30XI \$30XK \$30XR \$310 \$310 \$32 \$3200 \$3200SL \$3200XCSL	143143179179179179179179181181181182126125	\$3600LXN	118118199133174177177157177189176177189	\$4812XN	128128128128129128128128128128128128128128128128128	\$5720XE\$5720XESL\$5720XJSL\$5720XJSL\$5720XKSL\$5720XKSL\$5720XKSL\$5720XNSL\$5720XRSL\$5720XRSL\$5720XRSL\$5725XSF25XC\$5725XC\$5725XL\$5725XK.	117118118117118117118117118118117118119121117117117	\$6041XN \$6041XR \$6042XC \$6042XE \$6042XE \$6042XK \$6042XK \$6042XR \$6042XR \$6045 \$6045 \$6049 \$6050 \$6050	179179183178178178178178178178171133133193193194171	\$6091\$L\$6092\$6092\$6093\$6094\$6095\$6100\$6100\$L\$6101\$L\$6102\$L\$6102\$L\$6102\$L\$6103\$6104\$6104\$6106\$6107\$	154153153134136137134170170153153153153153153153
\$308XRSL \$30XC \$30XE \$30XX \$30XN \$30XR \$31 \$31 \$32 \$3200 \$3200SL \$3200XCSL \$3200XCSL \$3200XE	143143179179179179179179183126126125125	\$3600LXN	118119199199174177177177157177177177177177177177177137	\$4812XN\$4812XNSL\$4812XRSL\$4812XRSL\$4813XC\$4813XE\$4813XN\$4813XR\$4814XC\$4814XC\$4814XC\$4814XC\$4814XC\$4814XR\$4814XN\$4814XN\$4814XN\$4814XN\$4814XN\$4814XR\$4814XN\$4814XR\$4816	128128128128129128128128128128128128129128128128128128128128	\$5720XE\$5720XESL\$5720XJ\$5720XJ\$5720XKSL\$5720XKSL\$5720XNSL\$5720XNSL\$5720XRSL\$5720XRSL\$5720XRSL\$5725XC\$5725XC\$5725XL\$5725XII\$5725XI\$5725XII\$5725	117118117118117118117118118119118117118119117117	\$6041XN	179179178178178178178178178179179171133193172167167	\$6091\$L\$6092\$6092\$L\$6093\$6094\$6100\$6100\$S6100\$L\$6101\$L\$6102\$L\$6102\$L\$6102\$L\$6103\$6104\$6106\$6107\$6108\$6107\$6108\$	154153134134170153153
\$308XRSL \$30XC \$30XE \$30XI \$30XK \$30XR \$310 \$310 \$32 \$3200 \$3200SL \$3200XCSL	143143179179179179179179183126126125125	\$3600LXN	118119199199174177177177157177177177177177177177177137	\$4812XN	128128128128129128128128128128128129128129129128129128128128128	\$5720XE\$5720XESL\$5720XJSL\$5720XJSL\$5720XKSL\$5720XKSL\$5720XKSL\$5720XNSL\$5720XRSL\$5720XRSL\$5720XRSL\$5725XSF25XC\$5725XC\$5725XL\$5725XK.	117118117118117118117118118119118117118119117117	\$6041XN \$6041XR \$6042XC \$6042XE \$6042XE \$6042XK \$6042XK \$6042XR \$6042XR \$6045 \$6045 \$6049 \$6050 \$6050	179179178178178178178178178179179171133193172167167	\$6091\$L\$6092\$6092\$6093\$6094\$6095\$6100\$6100\$L\$6101\$L\$6102\$L\$6102\$L\$6102\$L\$6103\$6104\$6104\$6106\$6107\$	154153134134170153153
\$308XRSL \$30XC \$30XE \$30XX \$30XN \$30XR \$31 \$31 \$32 \$3200 \$3200SL \$3200XCSL \$3200XCSL \$3200XE	143143179179179179179179179183126126125125	\$3600LXN	118119199133174177177177186137171171171	\$4812XN\$4812XNSL\$4812XRSL\$4812XRSL\$4813XC\$4813XE\$4813XN\$4813XR\$4814XC\$4814XC\$4814XC\$4814XC\$4814XC\$4814XR\$4814XN\$4814XN\$4814XN\$4814XN\$4814XN\$4814XR\$4814XN\$4814XR\$4816	128128128128129128128128128128128129128129129128129128128128128	\$5720XE\$5720XESL\$5720XJ\$5720XJ\$5720XKSL\$5720XKSL\$5720XNSL\$5720XNSL\$5720XRSL\$5720XRSL\$5720XRSL\$5725XC\$5725XC\$5725XL\$5725XII\$5725XI\$5725XII\$5725	11711811811711811711811711819117117	\$6041XN	179179179179178178178178178178179179179179179179179179179179179179179181181	\$6091\$L\$6092\$6092\$L\$6093\$6094\$6100\$6100\$S6100\$L\$6101\$L\$6102\$L\$6102\$L\$6102\$L\$6103\$6104\$6106\$6107\$6108\$6107\$6108\$	154153134134134170170153153153
\$308XRSL \$30XC \$30XE \$30XJ \$30XN \$30XR \$31 \$310 \$320 \$3200 \$3200 \$3200XC \$3200XCSL \$3200XESL \$3200XESL \$3200XESL \$3200XSL	143143179179179179179179200131183126125125125	\$3600LXN	118118199133174177177157177186137171171171172172	\$4812XN	128128128129128128128128128128128129128128128128128128128128	\$5720XE\$5720XESL\$5720XJSL\$5720XJSL\$5720XKSL\$5720XKSL\$5720XKSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5725XE\$5725XC\$5725XC\$5725XC\$5725XC\$5725XK\$5725XK\$5725XK\$5725XK\$5725XK\$5725XK\$5725XK\$5725XR\$572	117118117118117118117118117118117	\$6041XN	179179179179178178178178178178179171171131171131193172169169167181180	\$6091\$L\$6092\$6092\$6093\$6094\$6095\$6100\$6100\$L\$6101\$L\$6101\$L\$6102\$6102\$6102\$6104\$6106\$6107\$6108\$6108\$6124\$S\$6124\$	154153153136137134139170170153153153153170170170170170170170170170
\$308XRSL \$30XC \$30XE \$30XI \$30XK \$30XR \$310 \$310 \$3200 \$3200SL \$3200XC \$3200XCSL \$3200XESL \$3200XESL \$3200XJSL	143143179179179179179179183126125125125125	\$3600LXN	118118199133174177177157177189177186137171137111	\$4812XN	128128128129128128128128128128128128128128128128128128128128128128	\$5720XE\$5720XESL\$5720XJSL\$5720XJSL\$5720XKSL\$5720XKSL\$5720XKSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5725XE\$5725XC\$5725XC\$5725XC\$5725XC\$5725XC\$5725XK\$5725XR\$573SL\$573SL\$573SL\$573SL\$	117118118117118117118117118117118117117117117	\$6041XN \$6041XR \$6042XC \$6042XE \$6042XI \$6042XI \$6042XN \$6042XN \$6042XN \$6045 \$6045 \$6055 \$6050 \$6051 \$6055 \$6055 \$6055 \$6055 \$6055 \$6055 \$6055 \$6055 \$6055 \$6055 \$6055	179179179179178178178178178178174171131133193172169169169174171181181181	\$6091\$L\$6092\$6092\$6092\$6093\$6094\$6095\$6100\$6100\$L\$6101\$L\$6102\$L\$6102\$L\$6103\$6104\$6106\$6107\$6108\$6124\$L\$6124\$L\$6124\$S6124	154153134134170170153153153170170170170170170170171170170170170170171170170170171
\$308XRSL \$30XC \$30XE \$30XX \$30XN \$30XR \$31 \$31 \$32 \$3200 \$3200XC \$3200XC \$3200XCSL \$3200XE \$3200XE \$3200XJ \$3200XJ \$3200XJ \$3200XJ \$3200XJ	143143143179179179179179179183126125125125125125	\$3600LXN	118118199133174177177157177189177189171137171137171126126	\$4812XN	128128128129128128128128128128128128129128128128128128128128128128	\$5720XE\$5720XESL\$5720XJSL\$5720XJSL\$5720XKSL\$5720XKSL\$5720XKSL\$5720XKSL\$5720XRSL\$5720XRSL\$5720XRSL\$5725XC\$5725XC\$5725XC\$5725XL\$5725XI\$5735L\$574\$574	117118118117118117118117118118117118119117117	\$6041XN	179179178178178178178178178178179171133171133172167181181181	\$6091\$L\$6092\$6092\$6092\$6093\$6094\$6095\$6100\$6100\$L\$6101\$L\$6102\$L\$6102\$L\$6102\$L\$6104\$6106\$6107\$6108\$6124XCSL\$6124XC	154153134134170170153153153153153170170170170170171170170170170170170143
\$308XRSL \$30XC \$30XE \$30XX \$30XN \$30XR \$31 \$31 \$32 \$3200 \$3200XC \$3200XCSL \$3200XCSL \$3200XCSL \$3200XESL \$3200XJ \$3200XJ \$3200XJ \$3200XJ \$3200XNSL	143143179179179179179179183126125125125125125125125	\$3600LXN	118119199133174177177177186137171137172126126126125	\$4812XN	128128128128129128128128128128128128128128128128128128128128128128	\$5720XE\$5720XESL\$5720XJSL\$5720XJSL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$573SL\$573SL\$573SL\$57555\$5755\$57555	117118118117118117118117118117118117117117	\$6041XN	179179179178178178178178178178169174171172193172	\$6091\$L\$6092\$6092\$6092\$L\$6093\$6094\$6095\$6100\$L\$6100\$L\$6101\$L\$6102\$L\$6102\$L\$6104\$6106\$6107\$6108\$6124XCSL\$6124XCSL\$6124XISL\$6124X	154153153134136137134170170173153153153153170170170170170170171143143
\$308XRSL	143143179179179179179200131183126125125125125125125125125	\$3600LXN	118119199133174177177177186137171137172126126126125	\$4812XN	128128128128129128128128128128128128128128128128128128128128128128	\$5720XE\$5720XESL\$5720XJ\$5720XJSL\$5720XISL\$5720XKSL\$5720XKSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5725XC\$573SL\$574\$5755\$575\$577\$5775\$577\$5775\$5775\$577\$5770XIS\$5775\$577\$5770XIS\$5770XIS\$577\$5770XIS\$5770XIS\$577\$5770XIS\$5770XIS\$577\$5770XIS\$5770XIS\$577\$5770XIS\$	117118117118117118117118117118	\$6041XN	179179179178178178178178178178169174171172193172	\$6091\$L\$6092\$6092\$6092\$6093\$6094\$6095\$6100\$6100\$L\$6101\$L\$6102\$L\$6102\$L\$6102\$L\$6104\$6106\$6107\$6108\$6124XCSL\$6124XC	154153153134136137134170170173153153153153170170170170170170171143143
\$308XRSL \$30XC \$30XE \$30XX \$30XN \$30XR \$31 \$31 \$32 \$3200 \$3200XC \$3200XCSL \$3200XCSL \$3200XCSL \$3200XESL \$3200XJ \$3200XJ \$3200XJ \$3200XJ \$3200XNSL	143143179179179179179200131183126125125125125125125125125	\$3600LXN	118118199133174177177157177186137177186137172126126126126	\$4812XN	128128128128129128128128128128128128129128128128128128128128128128128128128128	\$5720XE\$5720XESL\$5720XJSL\$5720XJSL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$573SL\$573SL\$573SL\$57555\$5755\$57555	117118117118117118117118117118	\$6041XN	179179179179178178178178178178178179179	\$6091\$L\$6092\$6092\$6092\$L\$6093\$6094\$6095\$6100\$L\$6100\$L\$6101\$L\$6102\$L\$6102\$L\$6104\$6106\$6107\$6108\$6124XCSL\$6124XCSL\$6124XISL\$6124X	154153153134134170170170153153153153153143143143
\$308XRSL \$30XC \$30XC \$30XY \$30XK \$30XR \$310 \$31 \$32 \$3200 \$3200SL \$3200XC \$3200XCSL \$3200XESL \$3200XJ \$3200XJ \$3200XJ \$3200XJ \$3200XN \$3200XRSL \$3200XRSL \$3200XRSL	143143179179179179179200131183126125125125125125125125125125125125125125	\$3600LXN	118118119199133174177157157177186137171137171126126125125	\$4812XN	128128128129128	\$5720XE	117118118117118117118117118117118117118	\$6041XN	179179179183178178178178178178169174171133172169169167181180175149192143	\$6091\$L\$6092\$6092\$6092\$6093\$6094\$6095\$6100\$6100\$L\$6101\$L\$6102\$6102\$L\$6102\$L\$6102\$L\$6104\$6106\$6107\$6108\$6124\$L\$6125\$L\$6	154153134134137134170170153153170170170170170170170170171
\$308XRSL	143143143179179179179183126125125125125125125125125125125125125125125125	\$3600LXN	118118119199133174177177157177189177186137171137126126125125125	\$4812XN	128128128129128	\$5720XE\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$573SL\$573SL\$573SL\$574\$575\$577\$579\$579\$579\$559\$5	117118118117118117118117118117118	\$6041XN		\$6091\$L\$6092\$6092\$6092\$6093\$6094\$6095\$6100\$6100\$L\$6101\$L\$6102\$6102\$L\$6103\$6104\$6106\$6107\$6108\$6124\$SL\$6124\$XESL\$6124\$XISL\$6125\$SL\$6125\$SL\$6125\$CSL	154153134134170170173153153153153170170170170170143143143143143143143
\$308XRSL	143143143179179179179179179183126125125125125125125125125125125125125125125	\$3600LXN	118118119199133174177177177177186137171137172126126125125125125	\$4812XN	128128128129128128128128128128128128128128128128128128128128128129128128128129128129128	\$5720XE	117118118117118117118117118117118117117	\$6041XN		\$6091\$L\$6092\$6092\$6092\$L\$6093\$6094\$6095\$6100\$L\$6100\$L\$6101\$L\$6102\$L\$6102\$L\$6104\$6106\$6107\$6108\$6124XCSL\$6124XCSL\$6124XCSL\$6124XCSL\$6124XCSL\$6124XCSL\$6124XCSL\$6124XCSL\$6124XCSL\$6124XCSL\$6124XCSL\$6124XCSL\$6124XCSL\$6124XCSL\$6124XCSL\$6124XCSL\$6125SL\$6125XCSL\$6125X	154153153134136137134170170170153153153153153143143143143143143143
\$308XRSL \$30XC \$30XE \$30XJ \$30XN \$30XR \$31 \$31 \$310 \$3200 \$3200XC \$3200XCSL \$3200XCSL \$3200XESL \$3200XSL \$3200XSL \$3200XSL \$3200XISL \$3200XISL \$3200XISL \$3200XNSL \$3200XNSL \$3200XRSL \$320XRS	143143179179179179179200131183126125178	\$3600LXN	118118119199133174177157177186137177186137172126126125125125125125	\$4812XN	128128128128129128128128128128128128128128128128128128128128128129128128129129129129129129	\$5720XE	117118117118117118117118119117117117	\$6041XN	179179179179178178178178178178169174171133193172169	\$6091\$L	154153153134134170170170153153153153170170
\$308XRSL	143143179179179179179200131183126125178	\$3600LXN	118118119199133174177157177157177186137171186125126125125125125125	\$4812XN	128128128129128129129129129129129	\$5720XE\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$573SL\$573SL\$574\$575\$579\$579\$581\$5885\$5885\$5870SL\$5855\$5870SL\$5855\$5870SL\$5855\$5870SL\$5855\$5870SL\$5855\$5870SL\$5855\$5870SL\$5855\$5870SL\$5855\$5870SL\$5855\$5870SL\$5855\$5870SL\$5855\$5870SL\$5870SL\$5870SL\$5870SL\$5870SL\$5885\$5870SL\$58	117118117118117118117118117118117	\$6041XN	179179179179178178178178178178178178178169174133193172169169175180	\$6091\$L	154153153136137134134170170170153153153170170170170170170170174143143143143143143
\$308XRSL \$30XC \$30XE \$30XJ \$30XN \$30XR \$31 \$31 \$310 \$3200 \$3200XC \$3200XCSL \$3200XCSL \$3200XESL \$3200XSL \$3200XSL \$3200XSL \$3200XISL \$3200XISL \$3200XISL \$3200XNSL \$3200XNSL \$3200XRSL \$320XRS	143143179179179179179200131183126125178	\$3600LXN	118118119199133174177157177157177186137171186125126125125125125125	\$4812XN	128128128129128129129129129129129	\$5720XE	117118117118117118117118117118117	\$6041XN	179179179179178178178178178178178178178169174133193172169169175180	\$6091\$L	154153153136137134134170170170153153153170170170170170170170174143143143143143143
\$308XRSL	143143143179179179179183126125178	\$3600LXN	118118119199133174177177157177189177186137171172126125125125125125	\$4812XN	128128128129128128128128128128128128128128128128128128128128128129155155	\$5720XE\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5720XISL\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$573SL\$573SL\$574\$575\$579\$579\$581\$5885\$5885\$5870SL\$5855\$5870SL\$5855\$5870SL\$5855\$5870SL\$5855\$5870SL\$5855\$5870SL\$5855\$5870SL\$5855\$5870SL\$5855\$5870SL\$5855\$5870SL\$5855\$5870SL\$5855\$5870SL\$5870SL\$5870SL\$5870SL\$5870SL\$5885\$5870SL\$58	117118118117118117118117	\$6041XN	179179179183178178178178178178179171133174171133172169169167180	\$6091\$L	154153134134170170
\$308XRSL	143143143179179179179183126125	\$3600LXN	118118119199133174177177157177189171137171137171126125125125125125125	\$4812XN	128128128128129128128128128128128128128128128128128128128128128129128129128129128129129129	\$5720XE\$5720XESL\$5720XJSL\$5720XISL\$5720XKSL\$5720XKSL\$5720XKSL\$5720XRSL\$5720XRSL\$5720XRSL\$5720XRSL\$5725XE\$5725XC\$5725XC\$5725XE\$5725XI\$5725XE\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$5725XI\$573SL\$573SL\$574\$575\$577\$579\$581\$583SL\$583SL\$585\$5870SL\$6000\$6000\$6000\$55720XI\$570\$579\$581\$583SL\$585\$5870SL\$5800\$6000\$6000\$55720XI\$5600\$56000\$5720XII\$5720XII\$5600\$56000\$5720XII\$5720XIII\$5600\$56000\$5720XIII\$5720XIII\$5720XIII\$5600\$5000\$5720XIII\$5720XIII\$5600\$56000\$5720XIII\$5720XIII\$5720XIII\$5600\$56000\$56000\$5720XIII\$5720XIII\$5720XIII\$5720XIII\$5720XIII\$5720XIII\$5600\$56000\$56000\$56000\$5720XIII.	117118118117118117118117118	\$6041XN		\$6091\$L	154153134134170170153153
\$308XRSL	143143143179179179179179179179120121126125125125125125125125125125125125125125125178178178	\$3600LXN	118118199133174177177157177186137171137172126125125125125125125125125	\$4812XN	128128	\$5720XE	117118117118117118117118117118119117117117	\$6041XN		\$6091\$L	154153153134136170170170
\$308XRSL	143143143179179179179200131183126125125125125125125125125125127178178178178178178178	\$3600LXN	118118119199133174177157177157177186137177186137172126125125125125125125125125	\$4812XN	128128	\$5720XE	117118118117118117118117118117	\$6041XN		\$6091\$L	154153153136137134170170
\$308XRSL	143143143143179179179179183126125178178178178178178178178178178178178	\$3600LXN	118118119199133174177157177186177186171172126126125125125125125125125	\$4812XN	128128128	\$5720XE	117118118117118117118117	\$6041XN		\$6091\$L	154153134134134170170170
\$308XRSL	143143143143179179179179183126125178178178178178178178178178178178178	\$3600LXN	118118119199133174177157177186177186171172126126125125125125125125125	\$4812XN	128128128	\$5720XE	117118118117118117118117	\$6041XN		\$6091\$L	154153134134134170170170
\$308XRSL	143143143143179179179179183126125125125125125125125125125125125178	\$3600LXN	118118119199133174177177157177189177186137171137126125125125125125125125125125	\$4812XN	128128128128129128128128128128128128128128128128128128128128128129155155155155155155	\$5720XE	117118118117118117118117	\$6041XN		\$6091\$L	154153134134170170153153153

S6128SL145	S773	165	S81654	176	S82382SL	1/11	S83200XRSL	125	S84305XK	170
S6130SL132	S774		S81654SL		S82385		S8321		S84305XN	
S6131SL134	S80		S81656		S82385SL		S8321XC		S84305XR	
S6132SL138	S8000		S817		S82389		S8321XE		S84308	
S6134SL133	S8000-12		S818		S82389SL		S8321XJ		S84309	
S6135SL135	S8000-18		S81828		S82600		S8321XK		S84310	
S6200126	S8000-9		S818XC		S82610		S8321XN		S84311	
S6200SL126	S8000SL		S818XE		S82610XC		S8321XR		S84312	
S6200XC125	S8000SL		S818XJ		S82610XE		S8322		S84313	
S6200XCSL125	S8000XC		S818XK		S82610XJ		S8323		S84314	
S6200XE125	S8000XCSL		S818XN		S82610XN		S8324		S84315	
S6200XESL125	S8000XCSL		S818XR		S82610XR		S8325		S84316	
S6200XJ125	S8000XC3L		S81929P		S82620		S8326		S84318	
S6200XJSL125	S8000XE		S81929PXC		S82630		S8327		S84319	
S6200XN125	S8000XESL		S81929PXE		S82640		S8328		S84320	
S6200XNSL125	S8000XL3L		S81929PXJ		S82650		S832XC		S84321	
S6200XR125	S8000XJSL		S81929PXK		S82660		S832XE		S84322	
S6200XRSL125	S8000XJSL		S81929PXN		S82670		S832XJ		S84323	
S6201SL127	S8000XJSL		S81929PXR		S828		S832XK		S84324	
S6240127	S8000XKSL		S81933P		S829		S832XN		S84325	
S6240SL127	S8000XKSL		S81935P		S829SL		S832XR		S84326	
S626138	S8000XNSL		S81936P		S82SL		S833		S84327	
S6500139	S8000XNSL		S81937P		S82XC		S83300		S84328	
S6500SL139	S8000XNSL		S81938P		S82XCSL		S83300XC		S84329	
S6520192	S8000XR		S81939P		S82XE		S83300XE		S84330	
S6534189	S8000XRSL		S81940P		S82XESL		S83300XL		S84521	
S6536176			S81941P							
S6550139	S8000XRSL S807		S81942P		S82XJ S82XJSL		S83300XK S83300XN		S84521SL S84525	
	S807XC				S82XK					
S6550SL139 S6560175	S807XE		S81983 S82		S82XKSL		S83300XR S83301		S84525SL S84527	
S6565SL175	S807XJ S807XK		\$820 \$8200		\$82XN		S83400LXC S83400LXE		S84527SL S84586SL	
					S82XNSL					
S6568175	S807XN S807XR		S8201		S82XR		S83400LXJ		\$8467 \$84800	
S6570196			S8202SL		S82XRSL		S83400LXK			
S6572186	S808		S8204SL		S830		S83400LXN		S84810	
S6575166	S808SL		S8207SL		S830XC		S83400LXR		S84810SL	
S6576166	S80XC		S821		S830XE		S83401L		S84810XC	
S6577166	S80XE		S82103		S830XJ		S83400RXC		S84810XCSL	
S6580156	S80XJ		S82103XC		S830XK		S83400RXE		S84810XE	
S6580SL156	S80XK		S82103XE		S830XN		S83400RXJ		S84810XESL	
S6582156	S80XN		S82103XJ		S830XR		S83400RXK		S84810XJ	
S668132	S80XR		S82103XK		S831		S83400RXN		S84810XJSL	
S682159	S810		S82103XN S82103XR		S8310 S8310SL		S83400RXR		S84810XN	
S685L122	S81000		S82104				S83500LXC		S84810XNSL	
S685LXC118	S81086SL				S8311		S83500LXE		S84810XR	
S685LXE118	S81086XCSL		S82105		S8311SL		S83500LXJ		S84810XRSL	
S685LXJ118	S81086XESL		S82105XC		S83120		S83500LXK		S84812	
S685LXK118	S81086XJSL		S82105XE		S831203		S83500LXN		S84812SL	
S685LXN118	S81086XKSL		S82105XJ		S831203XC		S83500LXR		S84812XC	
S685LXR118	S81086XNSL		S82105XK		S831203XE		S83401R		S84812XCSL	
S685R122	S81086XRSL		S82105XN		S831203XJ		S83501L		S84812XE	
S685RXC118	S81100		S82105XR		S831203XK		S83540		S84812XESL	
S685RXE118	S81186SL		S82106		S831203XN		S83500RXC		S84812XJ	
S685RXJ118	S8120		S82106XC		S831203XR		S83500RXE		S84812XJSL	
S685RXK118	S81208		S82106XE		S83120XC S83120XE	190	S83500RXJ S83500RXK		S84812XN S84812XNSL	
S685RXN118	S81225		S82106XJ							
S685RXR118	S8132		S82106XK		S83120XJ		S83500RXN S83500RXR		S84812XR	
\$691121	S8132SL		S82106XN		S83120XK				S84812XRSL	
S691XC117 S691XE117	S814 S8140		S82106XR S82107		S83120XN S83120XR		S83600LXC S83600LXE		S84813 S84813XC	
	S81401		S82107XC		S8313					
S691XJ117 S691XK117	S81405		S82107XE		S8313SL		S83600LXJ S83600LXK		S84813XE S84813XJ	
S691XN117	S8140STC		S82107XJ		S83142		S83600LXN		S84813XN	
S691XR117	S8140XC		S82107XK		S83143		S83600LXR		S84813XR	
S6975192	S8140XE		S82107XN		S83147		S83501R		S84814	
S704195	S8140XJ		S82107XR		S83149		S83601L		S84814XC	
S707194	S8140XK		S82200		S83152		S837		S84814XE	
S708195	S8140XN		S82200XC		S83153		S8386		S84814XJ	
S709165	S8140XR		S82200XE		S83154		S8386SL		S84814XN	
S7125SL183	S8141		S82200XJ		S83155		S8387		S84814XR	
S721194	S8144		S82200XK		S8316		S8390		S84816	
S735195	S8145		S82200XN		S8317		S8392		S84816XC	
S736194	S8145SL		S82200XR		S8318		S84200		S84816XE	
S745195	S8149		S82213		S8319		S84200SL		S84816XJ	
S751SL163	S814SL		S82213SL		S832		S84200XC		S84816XN	
S751XCSL159	S815		S82223		S8320		S84200XCSL		S84816XR	
S751XESL159	S816		S82223SL		S83200		S84200XE		S84886SL	
S751XJSL159	S81645		S82233		S83200SL		S84200XESL		S84886SL	
S751XKSL159	S81646		S82233SL		S83200XC		S84200XJ		S84886XCSL	
S751XNSL159	S81646SL		S82250		S83200XCSL		S84200XJSL		S84886XCSL	
S751XRSL159	S81649		S822XC		S83200XE		S84200XN		S84886XESL	
S752195	S81650		S822XE		S83200XESL		S84200XNSL		S84886XESL	
S755200	S81651		S822XJ		S83200XJ		S84200XR		S84886XJSL	
S757SL155	S81651SL		S822XK		S83200XJSL		S84200XRSL		S84886XJSL	
S758SL152	S81652		S822XN		S83200XN		S84305XC		S84886XKSL	
S770166	S81652SL		S822XR		S83200XNSL		S84305XE		S84886XKSL	
S771164	S81653		S82382		S83200XR		S84305XJ		S84886XNSL	

Fiber-Classic & Smooth-Star & Continued

S84886XNSL128	S85715121	S8601SL	.150	S86570	196	S896XE	197
S84886XRSL123	S85715XC117	S8601XCSL		S86580		S896XJ	197
S84886XRSL128	S85715XE117	S8601XESL		S86580SL	156	S896XK	
S8489178	S85715XJ117	S8601XJSL		S8675SL		S896XN	
S8498177	S85715XK117	S8601XKSL		S867SL		S896XR	
S8498SL178	S85715XN117	S8601XNSL		S8682		S897	
S8508192	S85715XR117	S8601XRSL		S8682SL		S89701	
S85225SL122	S85720121	S8602	191	S8685L	122	S8971	180
S83600RXC118	S85720SL200	S86021	.184	S8685LXC	118	S8972	190
S83600RXE118	S85720XC117	S86021XC		S8685LXE	118	S898	162
S83600RXJ118	S85720XCSL200	S86021XE		S8685LXJ		S898SL	
S83600RXK118				S8685LXK		S90	
	S85720XE117	S86021XJ					
S83600RXN118	S85720XESL200	S86021XK		S8685LXN		S902	
S83600RXR118	S85720XJ117	S86021XN		S8685LXR		S902SL	
S85225XCSL119	S85720XJSL200	S86021XR	. 179	S8685R	122	S90SL	124
S85225XESL119	S85720XK117	S86022XC	. 178	S8685RXC	118	S90XC	159
S85225XJSL119	S85720XKSL200	S86022XE	. 178	S8685RXE	118	S90XE	159
S85225XKSL119	S85720XN117	S86022XJ		S8685RXJ		S90XJ	
S85225XNSL119	S85720XNSL200	S86022XK		S8685RXK		S90XK	
S85225XRSL119	S85720XR117	S86022XN		S8685RXN		S90XN	
S85226SL121	S85720XRSL200	S86022XR		S8685RXR		S90XR	
S85226XCSL 117	S83601R199	S86025		S8691		S91	
S85226XESL117	S85701199	S86026	174	S8691XC	117	S912	155
S85226XJSL117	S85721199	S86027	168	S8691XE	117	S916	132
S85226XKSL117	S85725121	S86029	171	S8691XJ	117	S916SL	132
S85226XNSL117	S85725XC117	S8602SL		S8691XK		S91SL	
S85226XRSL117	S85725XE117	S86030		S8691XN		S92	
S85227SL122	S85725XJ117	S86031		S8691XR		S9200	
S85227XCSL118	S85725XK117	S86032		S86975		S9200XC	
S85227XESL118	S85725XN117	S86035		S8704		S9200XE	
S85227XJSL118	S85725XR117	S86036		S8707		S9200XJ	
S85227XKSL118	S8572SL 137	S8604	191	S8708	195	S9200XN	125
S85227XNSL118	S8573SL 137	S8605	.193	S8721	194	S9200XR	125
S85227XRSL118	S8574136	S8605SL		S8735		S925	190
S85228SL122	S8575 173	S8605XC		S8736		S92SL	
S85228XCSL118	S8579173	S8605XE		S8745		S92XC	
S85228XESL118	S8581173	S8605XJ		S8752		S92XE	
S85228XJSL118	S8583SL173	S8605XN		S880		S92XJ	
S85228XKSL118	S85892131	S8605XR	.192	S880SL	163	S92XK	158
S85228XNSL118	S85892SL131	S8606	.193	S880XC	159	S92XN	158
S85228XRSL118	S85893133	S8606SL	.149	S880XCSL	159	S92XR	158
S85229SL122	S85893SL133	S8606XC		S880XE		S93	
S85229XCSL118	S85895137	S8606XE		S880XESL		S9320	
S85229XESL118	S85895SL 137	S8606XJ		S880XJ		S93203	
S85229XJSL118	S85896136	S8606XN		S880XJSL		S93203XC	
S85229XKSL118	S85896SL136	S8606XR		S880XK		S93203XE	
S85229XNSL118	S85897 170	S8607	193	S880XKSL	159	S93203XJ	189
S85229XRSL118	S85898153	S86074	171	S880XN	159	S93203XK	189
S85230SL200	S85898SL153	S8607SL	.149	S880XNSL	159	S93203XN	189
S8529155	S85901154	S8607XC		S880XR		S93203XR	
S8545SL155	S85902155	S8607XE		S880XRSL		S9320XC	
S85700121	S85902SL155	S8607XJ		S881		00020/\011111111111111	
303/00121		300U/AJ	193			COSSOVE	100
			100			S9320XE	
S85700SL200	S85905167	S8607XN		S881SL	162	S9320XJ	190
S85700SL200 S85700XC117	S85905167 S85907168	S8607XNS8607XR	.193	S881SLS881XC	162 158	S9320XJ S9320XK	190 190
\$85700\$\text{S}\$117 \$85700\$\text{XCSL}200	\$85905167 \$85907168 \$85908171	S8607XN S8607XR S8608	193 193	S881SL S881XC S881XCSL	162 158 159	S9320XJ S9320XK S9320XN	190 190 190
S85700SL200 S85700XC117	S85905167 S85907168	S8607XNS8607XR	193 193	S881SLS881XC	162 158 159	S9320XJ S9320XK	190 190 190
\$85700\$\text{S}\$117 \$85700\$\text{XCSL}200	\$85905167 \$85907168 \$85908171	S8607XN S8607XR S8608	193 193 193	S881SL S881XC S881XCSL	162 158 159 158	S9320XJ S9320XK S9320XN	190 190 190 190
\$85700\$L200 \$85700\$XC200 \$85700\$XC\$L200 \$85700\$XE117 \$85700\$XESL200	\$85905167 \$85907168 \$85908171 \$85909172 \$85910SL184	\$8607XN \$8607XR \$8608 \$8608XC \$8608XE	193 193 193 193	\$881\$L\$881\$XC\$L\$881\$XE\$L\$881\$XE\$L\$881\$XE\$L\$881\$XE\$S\$R\$	162 158 159 158 159	\$9320XJ \$9320XK \$9320XN \$9320XR \$9342	190 190 190 190
\$85700\$L200 \$85700\$XC117 \$85700\$XC\$L200 \$85700\$XE117 \$85700\$XE\$SL200 \$85700\$XJ117	\$85905	\$8607XN \$8607XR \$8608 \$8608XC \$8608XE \$8608XJ	193 193 193 193 193	\$881\$L\$881\$XC\$881\$XCSL\$881\$XESL\$881\$XESL\$881\$XJ\$881\$XJ\$881\$XJ\$881\$XJ	162 158 159 158 159 158	\$9320XJ \$9320XK \$9320XN \$9320XR \$9342 \$9343	190 190 190 190 189 187
\$85700\$L	S85905 167 S85907 168 S85908 171 S85909 172 S85910SL 184 S85910XCSL 179 S85910XESL 179	\$8607XN \$8607XR \$8608 \$8608XC \$8608XE \$8608XJ \$8608XN	193 193 193 193 193	\$881\$L\$881\$XC\$881\$XC\$881\$XE\$881\$XE\$881\$XE\$881\$XE\$881\$XJ\$881\$XJ\$881\$XJSL\$	162 158 159 158 159 158	\$9320XJ \$9320XK \$9320XN \$9320XR \$9342 \$9343 \$9347	190 190 190 189 187
\$85700\$L	\$85905	\$8607XN \$8607XR \$8608 \$8608XC \$8608XE \$8608XN \$8608XR	193 193 193 193 193 193	\$881\$L\$881XCSL\$881XCSL\$881XESL\$881XESL\$881XJSL\$881XJSL\$881XK\$881XK	162 158 159 158 159 158 159	\$9320XJ \$9320XK \$9320XN \$9320XR \$9342 \$9343 \$9347 \$9349	190 190 190 189 187 188
\$85700\$L	\$85905	\$8607XN\$8607XR\$8607XR\$8608\$8608XC\$8608XJ\$8608XN\$8608XR\$8608XR\$8609	193 193 193 193 193 193 193	\$881\$L\$881XCSL\$881XCSL\$881XESL\$881XESL\$881XJ\$881XJSL\$881XKSL\$881	162 158 159 158 159 158 159 158	\$9320XJ \$9320XK \$9320XN \$9320XR \$9342 \$9343 \$9347 \$9349 \$9352	190 190 190 190 189 187 188 188
\$85700\$L	\$85905	\$8607XN\$8607XR\$8608XC\$8608XC\$8608XL\$8608XJ\$8608XN\$8608XR\$8608XR\$8609\$86107	193 193 193 193 193 193 193 191	\$881\$L	162 158 159 158 159 158 159 158	\$9320XJ \$9320XK \$9320XN \$9320XR \$9342 \$9343 \$9347 \$9349 \$9352 \$9353	190 190 190 189 187 188 188 187
\$85700\$L	\$85905	\$8607XN	193 193 193 193 193 193 193 191 170	\$881\$L	162 158 159 159 158 159 158 159 158 159	\$9320XJ \$9320XK \$9320XN \$9320XR \$9342 \$9343 \$9347. \$9349 \$9352. \$9353. \$9354	190 190 190 189 187 188 187 187
\$85700\$L	\$85905	\$8607XN	.193 .193 .193 .193 .193 .193 .193 .193	\$881\$L	162 158 159 158 159 158 159 158 159 158	\$9320XJ \$9320XK \$9320XN \$9320XR \$9342 \$9343 \$9347 \$9349 \$9352 \$9353 \$9354 \$9355	190 190 190 189 187 188 187 188 188
\$85700\$L	\$85905	\$8607XN	.193 .193 .193 .193 .193 .193 .193 .193	\$881\$L	162 158 159 158 159 158 159 158 159 158	\$9320XJ \$9320XK \$9320XN \$9320XR \$9342 \$9343 \$9347. \$9349 \$9352. \$9353. \$9354	190 190 190 189 187 188 187 188 188
\$85700\$L	\$85905	\$8607XN	193 193 193 193 193 193 193 191 170 126 126	\$881\$L	162 158 159 158 159 158 159 158 159 158 159	\$9320XJ \$9320XK \$9320XN \$9320XR \$9342 \$9343 \$9347 \$9349 \$9352 \$9353 \$9354 \$9355	190 190 190 189 187 188 187 188 187 188 188
\$85700\$L	\$85905	\$8607XN	193 193 193 193 193 193 193 191 170 126 126 125	\$881\$L	162 158 159 159 158 159 158 159 158 159 158 159 158	\$9320XJ	190190190190189187188187187188187188152200
\$85700\$L	S85905 167 S85907 168 S85908 171 S85909 172 S85910SL 184 S85910XCSL 179 S85910XESL 179 S85910XISL 179 S85910XNSL 179 S85910XNSL 179 S85910XRSL 179 S85910XRSL 167 S85914SL 168 S85916SL 170	\$8607XN	193 193 193 193 193 193 193 191 170 126 125 125	\$881\$L	162 158 159 158 159 158 159 158 159 158 159 158 159 158	\$9320XJ	190190190190189187188187188188187188185185155
\$85700\$L	\$85905	\$8607XN	193 193 193 193 193 193 191 170 126 125 125 125	\$881\$L	162 158 159 158 159 158 159 158 159 158 159 158 159 158 159 152	\$9320XJ	190190190190189187188187188188188188188188188188188
\$85700\$L	\$85905	\$8607XN	.193 .193 .193 .193 .193 .193 .193 193 170 126 125 125 125 125	\$881\$L	162 158 159 159 158 159 158 159 158 159 158 159 158 159 158	\$9320XJ	190190190190189187188187187188187187188188152200155180167
\$85700\$L	\$85905	\$8607XN	193 193 193 193 193 193 193 191 126 125 125 125 125 125	\$881\$L	162 158 159 159 158 159 158 159 158 159 158 159 158 159 152 152	\$9320XJ	190190190190189187188187187188152200155180
\$85700\$L	\$85905	\$8607XN	.193 .193 .193 .193 .193 .193 .193 193 191 170 126 125 125 125 125 125	\$881\$L	162158159158159158159158159158159158159158159152152152152	\$9320XJ	190190190190189187188188188188188188152200155170170
\$85700\$L	\$85905	\$8607XN	.193 .193 .193 .193 .193 .193 193 193 191 170 126 125 125 125 125 125 125 125 125	\$881\$L	162 158 159 159 158 159 158 159 158 159 158 159 159 152 152 152 152	\$9320XJ	190190190190189187188188188188188188188189150151
\$85700\$L	\$85905	\$8607XN	.193 .193 .193 .193 .193 .193 193 193 191 170 126 125 125 125 125 125 125 125 125	\$881\$L	162158159159158159158159158159158159158159158159152152152152152153153	\$9320XJ	190190190190189187188187188187188189187180151151151
\$85700\$L	\$85905	\$8607XN	.193 .193 .193 .193 .193 .193 193 193 191 170 126 125 125 125 125 125 125 125 125	\$881\$L	162158159159158159158159158159158159158159158159152152152152152153153	\$9320XJ	190190190190189187188187188187188189187180151151151
\$85700\$L	\$85905	\$8607XN	.193 .193 .193 .193 .193 .193 .193 .193	\$881\$L	162158158159158159158159158159158159158159158159152152152152153153154	\$9320XJ	190190190190190189187187187187188182152200155180167170151151152
\$85700\$L	\$85905	\$8607XN	.193 .193 .193 .193 .193 .193 .193 .193	\$881\$L	162158158159158159158159158159158159158159152152152152152153153153153	\$9320XJ	
\$85700\$L	\$85905	\$8607XN	.193 .193 .193 .193 .193 .193 .193 .193	\$881\$L	162158159158159158159158159158159158159158159152152152152152153153153154125	\$9320XJ	190190190190189187188188188188189187187180155151151151152153
\$85700\$L	\$85905	\$8607XN	.193 .193 .193 .193 .193 .193 .193 .193	\$881\$L	162158159159158159158159158159158159158159158159158159158159152152152152153154125153154125	\$9320XJ	
\$85700\$L	\$85905	\$8607XN	.193 .193 .193 .193 .193 .193 .193 .193	\$881\$L	162158159159158159158159158159158159158159158159158159152152152152152152152152152152153153154126125	\$9320XJ	
\$85700\$L	\$85905	\$8607XN	.193 .193 .193 .193 .193 .193 .193 .193	S881SL	162158159158159158159158159158159158159152152152152152152152152152152153153153153153153153153	\$9320XJ	
\$85700\$L	\$85905	\$8607XN	.193 .193 .193 .193 .193 .193 .193 .193	\$881\$L	162158159158159158159158159158159158159159152152152152152153153153154	\$9320XJ	
\$85700\$L	\$85905	\$8607XN	.193 .193 .193 .193 .193 .193 .193 .193	\$881\$L	162158159158159158159158159158159158159158159152152152152152153153154125125125125	\$9320XJ	
\$85700\$L	\$85905	\$8607XN	.193 .193 .193 .193 .193 .193 .193 .193	\$881\$L	162158159158159158159158159158159158159158159158159158159152152152152152152153154125125125125125125125125125125125125125	\$9320XJ	
\$85700\$L	\$85905	\$8607XN	.193 .193 .193 .193 .193 .193 .193 .193	\$881\$L	162158159159158159158159158159158159158159158159158159158159152152152152152152153154125125125125125125125125125125125125	\$9320XJ	
\$85700\$L	\$85905	\$8607XN	.193 .193 .193 .193 .193 .193 .193 .193	\$881\$L	162158158159158159158159158159158159158159152152152152152153153153154125125125125125125125125125125125125125125125125125125	\$9320XJ	
\$85700\$L	\$85905	\$8607XN	.193 .193 .193 .193 .193 .193 .193 .193	\$881\$L	162158158159158159158159158159158159158159152152152152152153153153154125125125125125125125125125	\$9320XJ	

S86560SL.....176

S86565......175

.....197

S896XC197

S896....

S85710XR.....117

S85710XRSL.....200

S8600XR.....193

S8601.....193

Steel

100	225	104XE	220	19730T	231	371SLHD	218	6186SL	227	8321XJ	227
104	221	104XJ	220	19740T	231	374HD	218	6186XCSL	214	8321XK	227
105	221	104XK	220	19750T	231	391HD	217	6186XCSL	226	8321XN	227
108	215	104XN	220	198SL	215	391SLHD	217	6186XESL	214	8321XR	227
118	215	104XR		198SL		395HD		6186XESL		835HD	
128		1089SLHD		203HD		395SLHD		6186XJSL		86184SL	
130		108XC		205HD		396HD		6186XJSL		86185SL	
131		108XE		206HD		397HD		6186XNSL		86186SL	
137		108XJ		206HDXC		416SL		6186XNSL		896XC	
139		108XK		206HDXE		426HD		6186XRSL		896XE	
198		108XN		206HDXJ		430HD		6186XRSL		896XJ	
310		108XR		206HDXK		430SLHD		620SL		896XK	
369		1101HD		206HDXN		454HD		623HD		896XN	
571		1101XCHD		206HDXR		4572SLHD		625HD		896XR	
610		1101XEHD		2109HD		469HD		625SLHD		916SL	
620		1101XJHD		210HD		469SLHD		626SL		956SLHD	
626		1101XKHD		210SLHD		508HD		627HD		959HD	
800		1101XNHD		210SLHDXC		5425SL		628HD		959HDXC	
808				210SLHDXE						959HDXCSL	
		1101XRHD				544HD		628SLHD			
810		1102HD		210SLHDXJ		546SLHD		630HD		959HDXE	
818		1111HD		210SLHDXK		576HD		631HD		959HDXESL	
828		1112HD		210SLHDXN		578HD		632SL		959HDXJ	
829		1113HD		210SLHDXR		582HD		632SL		959HDXJSL	
896		1114HD		2110HD		584SLHD		632XCSL		959HDXK	
916		1115HD		2111HD		588HD		632XCSL		959HDXKSL	
1006		1116HD		211HD		601HD		632XESL		959HDXN	
1028		1117HD		236HD		601XCHD		632XESL		959HDXNSL	
1029		1118HD		237HD		601XEHD		632XJSL		959HDXR	
1200		1120HD		2382HD		601XJHD		632XJSL		959HDXRSL	
1201		1121HD		2382SL		601XNHD		632XKSL		959SLHD	
1202	215	1123HD	221	2385HD		601XRHD		632XKSL	226	961HD	217
1203		1123HDXC	220	2385SL	214	602HD		632XNSL	214	961HDXC	217
5425	217	1123HDXE	220	2389HD	214	604HD	223	632XNSL	226	961HDXE	217
8132	228	1123HDXJ	220	2389SL	214	605HD	224	632XRSL	214	961HDXJ	217
8145	228	1123HDXK	220	243HD	221	605HDXC	223	632XRSL	226	961HDXK	217
8206	228	1123HDXN	220	255HD	225	605HDXE	223	6500HD	214	961HDXN	217
8317		1123HDXR		256HD		605HDXJ		6500SL	214	961HDXR	217
8321		115HD		262HD		605HDXN		6520HD		965HD	
8322		118XC		262HDXC		605HDXR		6560HD		965SLHD	
8323		118XE		262HDXE		606HD		6565HD		966SLHD	
8324		118XJ		262HDXJ		606HDXC		6565SLHD		967HD	
8704		118XK		262HDXK		606HDXE		6568HD		967SLHD	
8708		118XN		262HDXN		606HDXJ		6570HD		968HD	
8752		118XR		262HDXR		606HDXN		6570SLHD		969HD	
03142HD		1200SL		263HD		606HDXR		6572HD		971SLHD	
1001HD		1200SL		263HDXC		607HD		6578HD		978HD	
100111D		1200SL		263HDXE		607HDXC		6580SLHD		980HD	
1004HD		1201SL		263HDXJ		607HDXE		6582HD		980HDXC	
100411D				263HDXK				6720HDXCSL		980HDXE	
1005HD		1202SL 1202SL		263HDXN		607HDXJ 607HDXN				980HDXJ	
10003L		128XC		263HDXR		607HDXR		6720HDXESL 6720HDXJSL		980HDXX	
1007SLHD		128XE		263SLHD		608HD		6720HDXKSL		980HDXN	
1008HD		128XJ		263SLHDXC		608HDXC		6720HDXNSL		980HDXR	
1009HD		128XK		263SLHDXE		608HDXE		6720HDXRSL		982HD	
1009SLHD		128XN		263SLHDXJ		608HDXJ		6720SLHD		982HDXC	
100SL		128XR		263SLHDXK		608HDXN		6975HD		982HDXE	
100SL		130SL		263SLHDXN		608HDXR		704HD		982HDXJ	
100XCSL		130SL		263SLHDXR		609HD		707HD		982HDXK	
100XCSL		132HD		289HD		610SL		708HD		982HDXN	
100XESL		132SLHD		289HDXC		613HD		721HD		982HDXR	
100XESL		139SL		289HDXE		615HD		735HD		984HD	
100XJSL		1400SLHD		289HDXJ		615SLHD		736HD		988HD	
100XJSL		1403HD		289HDXK		6184SL		745HD		989HD	
100XKSL		1405HD		289HDXN		6184SL		752HD		996HD	
100XKSL		1405SLHD		289HDXR		6184XCSL		818SL		999HD	
100XNSL		1406HD		294HD		6184XCSL		818XC		AXRT	
100XNSL	226	1408HD	221	294SLHD	218	6184XESL	214	818XCSL	226	BSRT	231
100XRSL	215	1411HD	223	296HD	225	6184XESL		818XE	226	CNRT	231
100XRSL	226	1643HD	225	296HDXC	225	6184XJSL		818XESL	226	CX30T	231
1011HD	218	1643SLHD	225	296HDXE	225	6184XJSL	226	818XJ	226	CXRT	231
1020HD		1644HD		296HDXJ		6184XNSL		818XJSL		EC30T	
1022HD	218	1644SLHD	217	296HDXK	225	6184XNSL	226	818XK	226	ECRT	
1024HD	218	1650HD	223	296HDXN	225	6184XRSL	214	818XKSL	226	FWRT	231
1025HD	218	1651HD	214	296HDXR	225	6184XRSL	226	818XN		KNRT	231
1029SL	213	1651SL	214	296SLHD	225	6185SL	215	818XNSL	226	LT30T	231
1032HD		1657HD		296SLHDXC		6185SL		818XR		LTRT	
1035HD		1657SLHD		296SLHDXE		6185XCSL		818XRSL		PBRT	
1037HD		1659HD		296SLHDXJ		6185XCSL		8206XC		RSRT	
1037SLHD		1660HD		296SLHDXK		6185XESL		8206XE		SART	
1039HD		1662HD		296SLHDXN		6185XESL		8206XJ		TS100	
1039SLHD		19020T		296SLHDXR		6185XJSL		8206XK		TS104	
1040HD		19055T		309HD		6185XJSL		8206XN		TS104XC	
1040SLHD		19200T		310SL		6185XNSL		8206XR		TS104XE	
1041HD		19210T		311HD		6185XNSL		828SL		TS104XJ	
1041SLHD		19220T		311SLHD		6185XRSL		829SL		TS104XK	
10410EHD		19520T		369SL		6185XRSL		8321XC		TS104XN	
104XC		19720T		371HD		6186SL		8321XE		TS104XR	

Steel Continued

TS128..... TS128XC

TS128XE

TS128XJ

TS128XK.

TS128XN..

TS128XR..

TS130.... TS131.....

TS132..... TS132SL

TS137.

TS1405SL

TS1408.

TS1411..

TS198...... TS206.....

TS206XC

TS206XE

TS206XJ.

TS206XK

TS206XN

TS206XR.

TS210...

TS210SL

TS210XCSL

TS210XESL

TS210XJSL

TS210XKSL

TS210XNSL

TS210XRSL.

TS237.....

TS243....

TS255.....

TS256.... TS262....

TS262XC.

TS262XE.

TS262XJ.

TS262XK

TS262XN

TS262XR

TS263....

TS263SL

TS263XC

TS263XE

TS263XJ..

TS263XK...

TS263XN

TS263XR..

TS289..

TS289XC

TS289XE

TS289XJ

TS289XK

TS289XN

TS289XR..

TS296.....

TS296SL

TS296XC..

TS263XCSL

TS263XESL

TS263XJSL.

TS263XKSL.

TS263XNSL

TS263XRSL

Fire Pulse_®

TS105228	TS296XCSL229
TS108226	TS296XE229
TS108XC226	TS296XESL 229
TS108XE226	TS296XJ229
TS108XJ226	TS296XJSL 229
TS108XK226	TS296XK229
TS108XN226	TS296XKSL229
TS108XR226	TS296XN229
TS115228	TS296XNSL229
TS118227	TS296XR229
TS118XC226	TS296XRSL229
TS118XE226	TS572SL213
TS118XJ226	TS704229
TS118XK226	TS708230
TS118XN226	TS752 229
TS118XR226	
TS1200226	
TS1201226	
TS1202226	
TS1203226	

.226

226

.226

.226

.226

.226 .226

.228

228

228

228

228

.229

228

.227

.227

.227

.227

.227

.227

230

228

.227

.227

.227

.227

.227

.229

.230

.228

229

.230

228

.227

.227

.227

.227

.227

.227

229

.228

229

.227

229

.227

229

.227

229

.227

229

.227

229

.227

229

229

229

229

.229

.229

.229

.230


.230

.229

100	
1005HD	235
203HD	
205HD	235
210HD	
969HD	235
978HD	235
SSF100	234
SSF1100	234
SSF120	234
SSF160	
SSF200	234
SSF205	234
SSF220	234
SSF31	234
SSF45	
SSF4800	234
SSF600	234
SSF755	234
SSF8100	
SSF81100	234
SSF8120	234
SSF8160	234
SSF8200	
SSF8205	234
SSF8220	234
SSF831	
SSF84800	234
SSF8600	
SSF93	
SSF960	
TS210	
TS100	235

DRS2131SL24	47 S4C	LSL2	248	S81086XNSL	.247
DRS82131SL24		AX2		S81086XRSL	
S10AXSL24		CL		S810AX	
S10CLSL24	48 S4L	PB2	243	S810AXSL	248
S10PBSL24	47 S4L	XC2	245	S810CL	246
S10XCSL24	18 S4I	XE2	245	S810CLSL	248
S10XESL24		XJ2		S810LAX	
S10XJSL24		XK2		S810LCL	
S10XKSL24	48 S4L	XN2	245	S810LPB	244
S10XNSL24	48 S4L	XR2	245	S810LXC	246
S10XRSL24		B2		S810LXE	
S1651SL24		BSL		S810LXJ	
S1AX24		AX2		S810LXK	
S1BL24	40 S4F	CL2	245	S810LXN	246
S1BS24	40 S4F	PB2	243	S810LXR	246
S1CL24	42 S4F	XC2	245	S810PB	244
S1CX 24		XE2		S810PBSL	
S1EC 24		XJ2		S810RAX	
S1LAX24	42 S4F	XK2	245	S810RCL	246
S1LBL24	40 S4F	XN2	245	S810RPB	244
S1LBS24	40 S4F	XR2	245	S810RXC	246
S1LCL24		C		S810RXE	
S1LCX24		CSL2		S810RXJ	
S1LEC24	42 S4X	E2	245	S810RXK	246
S1LLT24	42 S4X	ESL2	248	S810RXN	246
S1LPB24		J2		S810RXR	
S1LRS2		JSL		S810XC	
S1LSA2		K2		S810XCSL	
S1LSG24		KSL2		S810XE	
S1LSN24	41 S4X	N2	245	S810XESL	248
S1LT24	42 S4X	NSL2	248	S810XJ	246
S1LXC24		R2		S810XJSL	
S1LXE24		RSL2		S810XK	
S1LXJ24	42 S57	2SL	247	S810XKSL	248
S1LXK24	42 S5A	X2	244	S810XN	246
S1LXN 24	42 S5A	XSL2	248	S810XNSL	248
S1LXR24		L2		S810XR	
S1PB2		LSL2		S810XRSL	
S1RAX 24	42 S5L	AX2	244	S811AX	245
S1RBL24	41 S5L	CL2	245	S811AXSL	248
S1RBS24	40 S5I	PB2	243	S811CL	246
S1RCL 24		XC2		S811CLSL	
S1RCX 24		XE2		S811LAX	
S1REC 24		XJ2		S811LCL	
S1RLT24	42 S5L	XK2	245	S811LPB	244
S1RPB 24	41 S5L	XN2	245	S811LXC	246
S1RRS24	41 S5I	XR2	245	S811LXE	246
S1RS2		B2		S811LXJ	
S1RSA 2		BSL		S811LXK	
S1RSG2		AX2		S811LXN	
S1RSN2	41 S5F	CL2	246	S811LXR	246
S1RXC 24	42 S5F	PB2	243	S811PB	244
S1RXE24		XC2		S811PBSL	
S1RXJ24		XE2		S811RAX	
S1RXK 24		XJ2		S811RCL	
S1RXN24	42 S5F	XK2	246	S811RPB	244
S1RXR 24	42 S5F	XN2	246	S811RXC	216
S1SA24	41 S5F	XR2	146		240
S1SG24			24b	S811BXF	
	41 SEV	C		S811RXE S811RX I	246
		C2	246	S811RXJ	246 246
S1SN 24	41 S5X	CSL2	246 248	S811RXJ S811RXK	246 246 246
\$1\$N 24 \$1XC	41 S5X 42 S5X	CSL2 E2	246 248 246	S811RXJS811RXKS811RXN	246 246 246 246
\$1\$N24 \$1XC24 \$1XE24	41 S5X 42 S5X 42 S5X	CSL2 E2 ESL2	246 248 246 248	S811RXJS811RXKS811RXNS811RXNS811RXN	246 246 246 246 246
\$1\$N 24 \$1XC	41 S5X 42 S5X 42 S5X	CSL2 E2	246 248 246 248	S811RXJS811RXKS811RXN	246 246 246 246 246
\$1\$N24 \$1XC24 \$1XE24	41 S5X 42 S5X 42 S5X 42 S5X	CSL2 E2 ESL2 J2	246 248 246 248 248	S811RXJS811RXKS811RXNS811RXNS811RXRS811RXRS811XC	246 246 246 246 246 246
\$1\$N	41 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X	CSL	246 248 246 248 248 246 248	S811RXJS811RXKS811RXNS811RXNS811RXRS811XCS811XCS811XCS811XCS811XCS811XCS811XCS811XCS811XCS811XCS811XCS811XCS811XCS811XC	246 246 246 246 246 246 248
\$1\$N	41 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X	CSL	246 248 246 248 248 246 248	S811RXJ	246 246 246 246 246 246 248 246
S1SN 2 S1XC 24 S1XE 2 S1XJ 24 S1XK 22 S1XK 2 S1XN 2 S1XR 2	41 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X	CSL	246 248 246 248 248 246 248 246 248	S811RXJS811RXKS811RXNS811RXRS811XCS811XCS811XCS811XCSLS811XESLS811X	246 246 246 246 246 248 248 248
S1SN 2. S1XC 24 S1XE 26 S1XJ 24 S1XK 24 S1XK 24 S1XR 24 S1XR 24 S2382SL 24	41 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 47 S5X	CSL	246 248 246 248 246 246 248 246 248 246	S811RXJS811RXNS811RXNS811RXRS811XCS811XC.S811XCSLS811XCSLS811XESLS811XESLS811XSS811XJS811XJS811XJ	246 246 246 246 246 246 248 246 248
S1SN 2 S1XC 24 S1XE 2 S1XJ 24 S1XK 22 S1XK 2 S1XN 2 S1XR 2	41 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 47 S5X	CSL	246 248 246 248 246 246 248 246 248 246	S811RXJS811RXKS811RXNS811RXRS811XCS811XCS811XCS811XCSLS811XESLS811X	246 246 246 246 246 246 248 246 248
S1SN 2. S1XC 24 S1XE 26 S1XJ 24 S1XK 24 S1XK 24 S1XR 24 S1XR 24 S2382SL 24	41 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 44 S5X 47 S5X	CSL	246 248 246 248 246 248 246 248 246 248	S811RXJS811RXNS811RXNS811RXRS811XCS811XC.S811XCSLS811XCSLS811XESLS811XESLS811XSS811XJS811XJS811XJ	246 246 246 246 246 248 246 248 246 248
S1SN 2 S1XC 24 S1XE 24 S1XI 22 S1XK 24 S1XK 24 S1XN 24 S1XR 22 S2382SL 24 S2382SL 22 S2389SL 22 S2389SL 24	41 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 44 S5X 47 S5X 47 S5X	CSL	246 248 246 248 246 248 246 248 246 248 246	S811RXJ	246 246 246 246 246 248 246 248 246 248 246
S1SN	41 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 44 S5X 47 S5X 47 S5X 40 S5X	CSL	246 248 246 248 246 248 246 248 246 248 246 248 246 248	S811RXJ	246 246 246 246 246 248 246 248 246 248 246 248
S1SN 2 S1XC 24 S1XE 24 S1XJ 24 S1XK 22 S1XN 24 S1XR 24 S2382SL 22 S2385SL 24 S2389SL 24 S23AX 22 S2AX 22 S2CL 24	41 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 447 S5X 448 S5X 449 S5X 449 S5X 440 S5X 440 S5X 441 S5X 442 S5X 443 S5X 444 S5X 445 S5X 446 S5X 447 S5X 447 S5X 448 S5X 449 S5X 440 S5X 440 S5X 441 S5X 442 S5X 443 S5X 444 S5X 445 S5X 447 S5X 447 S5X 448 S5X 449 S5X 440 S5X 440 S5X 440 S5X 441 S5X 442 S5X 443 S5X 444 S5X 445 S5X 447 S5X 447 S5X 448 S5X 449 S5X 440 S5X 4	CSL	246 248 246 248 246 248 246 248 246 248 246 248 246 248 246	S811RXJ	246 246 246 246 246 248 246 248 246 248 246 248 246
S1SN	41 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 44 S5X 47 S5X 47 S5X 40 S60 40 S60	CSL	246 248 246 248 246 248 246 248 246 248 246 248 246 248 247 247	S811RXJ	246 246 246 246 246 248 246 248 246 248 246 248 246 248
S1SN	41 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 47 S5X 47 S5X 47 S5X 40 S60 40 S60 40 S60	CSL	246 248 246 248 246 248 246 248 246 248 246 248 246 248 247 247	S811RXJ	246 246 246 246 248 248 246 248 246 248 248 248 248 248 248 248 248 248
S1SN	41 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 47 S5X 47 S5X 47 S5X 40 S60 40 S60 40 S60	CSL	246 248 246 248 246 248 246 248 246 248 246 248 246 248 247 247	S811RXJ	246 246 246 246 248 248 246 248 246 248 248 248 248 248 248 248 248 248
S1SN	41 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 44 S5X 47 S5X 47 S5X 47 S5X 40 S60 40 S60 40 S60 40 S60 40 S60	CSL	246 248 246 248 246 248 246 248 246 248 246 248 247 247 247	S811RXJ	246 246 246 246 248 246 248 246 248 246 248 246 248 246 248 246 248 246 248 246 248 246 248
S1SN	41 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 44 S5X 47 S5X 47 S5X 47 S5X 47 S5X 40 S60 40 S60 40 S60 40 S60 40 S60 40 S60 40 S60	CSL	246 248 246 248 246 248 246 248 246 248 246 248 247 247 247	\$811RXJ\$811RXK\$811RXK\$811RXK\$811RXR\$811XCSL\$811XCSL\$811XE\$811XE\$811XE\$811XJ\$811XJ\$811XK\$811XK\$811XK\$811XK\$811XK\$811XK\$811XK\$811XN\$811XNSL\$811XNSL\$811XNSL\$811XNSL\$811XNSL\$811XNSL\$811XNSL\$811XNSL\$811XNSL\$811XNSL\$811XNSL\$811XNSL\$811XRSL\$811XRSL\$811XRSL\$811XRSL\$811XRSL\$811XRSL\$8115SL\$81651SL	246 246 246 246 246 248 246 248 246 248 246 248 246 248 246 248 246 248
S1SN	41 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 44 S5X 47 S5X 47 S5X 40 S60 40 S60	CSL	246 248 246 248 246 248 246 248 246 248 246 248 247 247 247 247	S811RXJ	246 246 246 246 248 248 246 248 246 248 246 248 246 248 246 248 246 248 246 248 246 248 246 248 246 248
S1SN	41 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 44 S5X 47 S5X 47 S5X 47 S5X 40 S60 40 S60	CSL	246 248 246 248 246 248 246 248 246 248 246 248 247 247 247 247 247 247	S811RXJ	246 246 246 246 248 248 246 248 246 248 246 248 246 248 246 248 246 248 246 248 246 248 246 248 246 248 246 248
S1SN 2 S1XC 2 S1XE 2 S1XI 2 S1XI 2 S1XN 2 S1XN 2 S1XR 2 S2XB 1 S2382SL 2 S2382SL 2 S2389SL 2 S2AX 2 S2CL 2 S2CX 2 S2EC 2 S2FB 2 S2SG 2 S2SS 2 S2SN 2 S2XC 2	41 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 44 S5X 47 S5X 47 S5X 40 S60 40 S60	CSL	246 248 246 248 246 248 246 248 246 248 246 248 247 247 247 247 247 247	S811RXJ	246 246 246 246 246 248 248 246 248 246 248 246 248 247 242 240 240
S1SN	41 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 44 S5X 47 S5X 47 S5X 40 S60 40 S60	CSL	246 248 246 248 246 248 246 248 246 248 246 248 247 247 247 247 247 247	S811RXJ	246 246 246 246 246 248 248 246 248 246 248 246 248 247 242 240 240
S1SN 2 S1XC 2 S1XE 2 S1XI 2 S1XI 2 S1XN 2 S1XN 2 S1XR 2 S2XB 1 S2382SL 2 S2382SL 2 S2389SL 2 S2AX 2 S2CL 2 S2CX 2 S2EC 2 S2FB 2 S2SG 2 S2SS 2 S2SN 2 S2XC 2	41 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 44 S5X 44 S5X 47 S5X 47 S5X 47 S5X 40 S60	CSL	246 248 248 248 248 248 248 246 248 246 248 246 248 247 247 247 247 247 247	S811RXJ	246 246 246 246 246 248 248 246 248 246 248 246 248 247 242 240 240
S1SN	41 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 44 S5X 44 S5X 47 S5X 47 S5X 47 S5X 47 S60 40 S60	CSL	246 248 246 248 246 248 246 248 246 248 247 247 247 247 247 247 247 247	S811RXJ	246 246 246 246 248 248 248 246 248 246 248 246 248 247 242 240 242 242
S1SN	41 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 44 S5X 47 S5X 47 S5X 47 S5X 40 S60	CSL	246 248 246 248 246 248 246 248 246 248 246 248 247 247 247 247 247 247 247 247	S811RXJ	246 246 246 246 248 248 246 248 246 248 246 248 246 248 247 242 240 242 242 242
S1SN	41 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 44 S5X 44 S5X 47 S5X 47 S5X 47 S5X 40 S60	CSL	246 248 246 248 246 248 246 248 248 246 248 247 247 247 247 247 247 247 247	S811RXJ	246 246 246 246 248 248 246 248 248 246 248 248 248 248 248 248 248 248 248 248
S1SN	41 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 44 S5X 47 S5X 47 S5X 47 S5X 40 S60 40 S61 40 S61 40 S61 40 S61 40 S61	CSL	246 248 246 248 246 248 246 248 246 248 246 248 247 247 247 247 247 247 247 247	S811RXJ	246 246 246 246 248 248 246 248 246 248 246 248 246 248 246 248 247 240 240 240 242 242 242
S1SN	41 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 44 S5X 44 S5X 47 S5X 47 S5X 47 S5X 40 S60	CSL	246 248 248 248 248 248 248 248 246 248 246 248 247 247 247 247 247 247 247 247	S811RXJ	246 246 246 246 248 248 248 248 248 246 248 246 248 247 240 242 242 242 242 242 242
S1SN	41 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 44 S5X 44 S5X 47 S5X 47 S5X 47 S5X 40 S60	CSL	246 248 248 248 248 248 248 248 246 248 246 248 247 247 247 247 247 247 247 247	S811RXJ	246 246 246 246 248 248 248 248 248 246 248 246 248 247 240 242 242 242 242 242 242
S1SN	41 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 42 S5X 44 S5X 47 S5X 47 S5X 47 S5X 47 S60 40 S61	CSL	246 248 246 248 246 248 246 248 246 248 246 248 247 247 247 247 247 247 247 247	S811RXJ	246 246 246 246 248 248 248 246 248 246 248 246 248 246 248 246 248 240 242 242 242 242 242 242 242 242 242

S81LLT 242 S81LPB 241	
S81LPR 241	S84XK245
001L1 D 2-11	S84XKSL 248
S81LRS 241	S84XN245
S81LSA241	S84XNSL248
S81LSG241	S84XR245
S81LT242	S84XRSL248
S81LXC242	S8572SL247
S81LXE242	S85927SL247
S81LXJ242	S85931SL247
S81LXK242	S85932SL247
S81LXN242	S85AX244
S81LXR242	S85AXSL248
S81PB241	S85CL246
S81RAX242	S85CLSL248
S81RBL241	S85LAX244
S81RBS240	S85LCL245
S81RCL242	S85LPB243
S81RCX242	S85LXC245
S81REC242	S85LXE245
S81RLT242	S85LXJ245
S81RPB241	S85LXK245
S81RRS241	S85LXN245
S81RS241	S85LXR245
S81RSA241	S85PB243
S81RSG241	S85PBSL247
	S85RAX244
S81RXC242	
S81RXE242	S85RCL246
S81RXJ242	S85RPB243
S81RXK242	S85RXC246
S81RXN242	S85RXE246
S81RXR242	S85RXJ246
S81SA241	S85RXK246
S81SG241	S85RXN246
S81XC242	S85RXR246
S81XE242	S85XC246
S81XJ242	S85XCSL248
S81XK242	S85XE246
S81XN242	S85XESL248
S81XR242	S85XJ246
S82382SL247	S85XJSL248
S82385SL247	S85XK246
S82389SL247	S85XKSL248
S83AX240	S85XN246
	S85XNSL248
S83CL240	
S83CX240	S85XR246
S83EC240	S85XRSL248
S83PB240	S86500SL247
S83RS240	S86AX244
S83SG240	S86AXSL248
S83SN240	S86CL246
S83XC240	S86CLSL248
S83XE240	S86LAX244
S83XJ240	S86LCL246
S83XK240	S86LPB243
S83XN240	
	S86LXC246
S83XR240	S86LXC246 S86LXE246
S83XR240	S86LXE246
S83XR240 S84586SL247	S86LXE246 S86LXJ246
S83XR240 S84586SL247 S84AX244	S86LXF246 S86LXJ246 S86LXK246
S83XR	S86LXE
S83XR	S86LXE 246 S86LXJ 246 S86LXK 246 S86LXN 246 S86LXN 246 S86LXR 246
S83XR	S86LXE 246 S86LXJ 246 S86LXK 246 S86LXN 246 S86LXR 246 S86LXR 246 S86PB 243
S83XR240 S84586SL247 S84AX244 S84AXSL248 S84CL245	S86LXE 246 S86LXJ 246 S86LXK 246 S86LXN 246 S86LXN 246 S86LXR 246
\$83XR	S86LXE 246 S86LXJ 246 S86LXK 246 S86LXN 246 S86LXR 246 S86LXR 246 S86PB 243
\$83XR	S86LXE 246 S86LXJ 246 S86LXK 246 S86LXN 246 S86LXR 246 S86PB 243 S86PBSL 247 S86RAX 244
S83XR	S86LXE 246 S86LXJ 246 S86LXK 246 S86LXN 246 S86LXR 246 S86PB 243 S86PBS 247 S86RAX 244 S86RCL 246
S83XR	S86LXE 246 S86LXJ 246 S86LXK 246 S86LXN 246 S86LXR 246 S86LXR 246 S86PB 243 S86PBSL 247 S86RAX 244 S86RCL 246 S86RPB 243
S83XR	S86LXE 246 S86LXJ 246 S86LXK 246 S86LXR 246 S86LXR 246 S86PB 243 S86PBSL 247 S86RAX 244 S86RCL 246 S86RPB 243 S86RCL 246 S86RPB 243 S86RPB 243
S83XR	S86LXE 246 S86LXJ 246 S86LXK 246 S86LXN 246 S86LXR 246 S86LXR 246 S86PB 243 S86PBSL 247 S86RAX 244 S86RCL 246 S86RPB 243
S83XR	S86LXE 246 S86LXJ 246 S86LXK 246 S86LXR 246 S86LXR 246 S86PB 243 S86PBSL 247 S86RAX 244 S86RCL 246 S86RPB 243 S86RCL 246 S86RPB 243 S86RPB 243
S83XR	S86LXE 246 S86LXJ 246 S86LXK 246 S86LXR 246 S86LXR 246 S86LXR 244 S86PB 243 S86PBSL 247 S86RAX 244 S86RCL 246 S86RYC 246 S86RXE 246
S83XR	S86LXE 246 S86LXJ 246 S86LXK 246 S86LXR 246 S86LXR 246 S86PB 243 S86PBSL 247 S86RAX 244 S86RCL 246 S86RPB 243 S86RXC 246 S86RXE 246 S86RXI 246 S86RXI 246 S86RXK 246
S83XR	S86LXE 246 S86LXJ 246 S86LXK 246 S86LXN 246 S86LXR 246 S86LXR 246 S86PB 243 S86PBSL 247 S86RAX 244 S86RCL 246 S86RPB 243 S86RXC 246 S86RXE 246 S86RXJ 246 S86RXK 246 S86RXM 246 S86RXN 246
S83XR	S86LXE 246 S86LXJ 246 S86LXK 246 S86LXN 246 S86LXR 246 S86PB 243 S86PBSL 247 S86RAX 244 S86RCL 246 S86RPB 243 S86RXC 246 S86RXE 246 S86RXI 246 S86RXK 246 S86RXN 246 S86RXN 246 S86RXR 246 S86RXR 246
\$83XR	S86LXE 246 S86LXJ 246 S86LXK 246 S86LXR 246 S86LXR 246 S86LXR 244 S86PB 243 S86PBSL 247 S86RAX 244 S86RCL 246 S86RPB 243 S86RXC 246 S86RXE 246 S86RXI 246 S86RXK 246 S86RXR 246 S86RXR 246 S86RXR 246 S86RXR 246 S86RXR 246 S86RXR 246
S83XR	S86LXE 246 S86LXJ 246 S86LXK 246 S86LXN 246 S86LXR 246 S86PB 243 S86PBSL 247 S86RAX 244 S86RCL 246 S86RPB 243 S86RXC 246 S86RXE 246 S86RXI 246 S86RXK 246 S86RXN 246 S86RXN 246 S86RXR 246 S86RXR 246
\$83XR	S86LXE 246 S86LXJ 246 S86LXK 246 S86LXR 246 S86LXR 246 S86LXR 244 S86PB 243 S86PBSL 247 S86RAX 244 S86RCL 246 S86RPB 243 S86RXC 246 S86RXE 246 S86RXI 246 S86RXK 246 S86RXR 246 S86RXR 246 S86RXR 246 S86RXR 246 S86RXR 246 S86RXR 246
S83XR	S86LXE 246 S86LXJ 246 S86LXI 246 S86LXR 246 S86LXR 246 S86PB 243 S86PBS 247 S86RAX 244 S86RCL 246 S86RYB 243 S86RXC 246 S86RXE 246 S86RXI 246 S86RXI 246 S86RXN 246 S86RXR 246 S86XC 246 S86XC 246 S86XC 246 S86XC 246
S83XR	S86LXE 246 S86LXJ 246 S86LXK 246 S86LXN 246 S86LXR 246 S86PB 243 S86PB 247 S86RAX 244 S86RCL 246 S86RPB 243 S86RXC 246 S86RXE 246 S86RXI 246 S86RXI 246 S86RXI 246 S86RXI 246 S86RXC 246 S86XC 246 S86XE 246
\$83XR	S86LXE 246 S86LXJ 246 S86LXK 246 S86LXR 246 S86LXR 246 S86PB 243 S86PBSL 247 S86RAX 244 S86RCL 246 S86RPB 243 S86RXC 246 S86RXE 246 S86RXI 246 S86RXI 246 S86RXI 246 S86RXR 246 S86XC 246 S86XC 246 S86XCS 246 S86XCS 246 S86XES 248 S86XESL 248 S86XJ 248
S83XR	S86LXE 246 S86LXJ 246 S86LXI 246 S86LXR 246 S86LXR 246 S86PB 243 S86PBS 247 S86RAX 244 S86RCL 246 S86RYB 243 S86RXC 246 S86RXE 246 S86RXI 246 S86RXI 246 S86RXR 246 S86RXR 246 S86XC 246 S86XC 246 S86XC 246 S86XE 246 S86XE 246 S86XE 246 S86XI 246 S86XI 246 S86XI 246 S86XI 248
S83XR	S86LXE 246 S86LXJ 246 S86LXK 246 S86LXR 246 S86LXR 246 S86PB 243 S86PB 247 S86RAX 244 S86RPB 243 S86RXC 246 S86RXE 246 S86RX 246 S86RX 246 S86RX 246 S86RX 246 S86RX 246 S86RX 246 S86XC 246 S86XCS 248 S86XE 246 S86XES 248 S86XI 248 S86XJ 248 S86XJ 248 S86XJ 248 S86XJ 248 S86XK 246
S83XR	S86LXE 246 S86LXJ 246 S86LXI 246 S86LXR 246 S86LXR 246 S86LXR 246 S86PB 243 S86PB 247 S86RAX 244 S86RPB 243 S86RXC 246 S86RXE 246 S86RXI 246 S86RXI 246 S86RXR 246 S86RXR 246 S86XCSL 248 S86XESL 248 S86XI 246 S86XI 246 S86XI 246 S86XESL 248 S86XI 246 S86XI 246 S86XI 246 S86XI 246 S86XI 246 S86XI 246 S86XI 248 S86XI 246 S86XI 246 S86XI 246 S86XI 246 S86XI 246
\$83XR	S86LXE 246 S86LXJ 246 S86LXK 246 S86LXN 246 S86LXR 246 S86PB 243 S86PB 247 S86RAX 244 S86RCL 246 S86RPB 243 S86RXC 246 S86RXE 246 S86RXI 246 S86RXI 246 S86RXI 246 S86RXI 246 S86XC 246 S86XC 246 S86XC 246 S86XE 246 S86XE 246 S86XI 246 S86XI 246 S86XI 248 S86XI 246 S86XISL 248 S86XKSL 248 S86XN 246
S83XR	S86LXE 246 S86LXJ 246 S86LXI 246 S86LXR 246 S86LXR 246 S86LXR 246 S86PB 243 S86PB 247 S86RAX 244 S86RPB 243 S86RXC 246 S86RXE 246 S86RXI 246 S86RXI 246 S86RXR 246 S86RXR 246 S86XCSL 248 S86XESL 248 S86XI 246 S86XI 246 S86XI 246 S86XESL 248 S86XI 246 S86XI 246 S86XI 246 S86XI 246 S86XI 246 S86XI 246 S86XI 248 S86XI 246 S86XI 246 S86XI 246 S86XI 246 S86XI 246
\$83XR	S86LXE 246 S86LXJ 246 S86LXI 246 S86LXR 246 S86LXR 246 S86PB 243 S86PBS 247 S86RAX 244 S86RCL 246 S86RXB 246 S86RXC 246 S86RXL 246 S86RXI 246 S86RXI 246 S86RXI 246 S86RXI 246 S86RXI 246 S86XC 246 S86XC 246 S86XE 246 S86XE 246 S86XI 248 S86XI 246 S86XI 246 S86XI 246 S86XI 246 S86XI 246 S86XI 246
\$83XR	S86LXE 246 S86LXJ 246 S86LXI 246 S86LXR 246 S86LXR 246 S86PB 243 S86PBS 247 S86RCL 246 S86RPB 243 S86RXC 246 S86RXE 246 S86RXE 246 S86RXI 246 S86RXI 246 S86RXR 246 S86XC 246 S86XC 246 S86XC 246 S86XC 246 S86XE 246 S86XE 248 S86XJ 248 S86XJS 248 S86XK 246 S86XKS 248 S86XNS 248 S86XNS 248 S86XNS 248 S86XNS 248 S86XR 246
S83XR	S86LXE 246 S86LXJ 246 S86LXI 246 S86LXR 246 S86LXR 246 S86PB 243 S86PB 247 S86RAX 244 S86RPB 243 S86RXC 246 S86RXE 246 S86RXE 246 S86RXI 246 S86RXI 246 S86RXI 246 S86RXI 246 S86XC 246 S86XCS 248 S86XCS 248 S86XE 248 S86XI 246 S86XIS 248 S86XI 246 S86XIS 248 S86XI 246 S86XIS 248 S86XI 246 S86XI 246 S86XI 248 S86XI 248 S86XI 248 S86XI 248 S86XI 248 S86XI 248
S83XR	S86LXE 246 S86LXJ 246 S86LXI 246 S86LXR 246 S86LXR 246 S86PB 243 S86PB 247 S86RAX 244 S86RPB 243 S86RCL 246 S86RXE 246 S86RXE 246 S86RXI 246 S86RXI 246 S86RXI 246 S86RXI 246 S86XC 246 S86XC 246 S86XE 246 S86XE 246 S86XI 246
\$83XR	S86LXE 246 S86LXJ 246 S86LXK 246 S86LXN 246 S86LXR 246 S86PB 243 S86PB 247 S86RAX 244 S86RCL 246 S86RPB 243 S86RXC 246 S86RXE 246 S86RXI 246 S86RXI 246 S86RXI 246 S86RXI 246 S86XC 246 S86XC 246 S86XC 246 S86XC 246 S86XS 246 S86XI 246 S86XI 246 S86XI 246 S86XISL 248 S86XI 246 S86XISL 248 S86XN 246 S86XNSL 248 S86XR 246 S86XRSL 248 S86XR 246 S86XR 246 S86XR 248 <t< td=""></t<>
S83XR	S86LXE 246 S86LXJ 246 S86LXI 246 S86LXR 246 S86LXR 246 S86PB 243 S86PB 247 S86RAX 244 S86RPB 243 S86RCL 246 S86RXE 246 S86RXE 246 S86RXI 246 S86RXI 246 S86RXI 246 S86RXI 246 S86XC 246 S86XC 246 S86XE 246 S86XE 246 S86XI 246
\$83XR	S86LXE 246 S86LXJ 246 S86LXK 246 S86LXN 246 S86LXR 246 S86PB 243 S86PB 247 S86RAX 244 S86RCL 246 S86RPB 243 S86RXC 246 S86RXE 246 S86RXI 246 S86RXI 246 S86RXI 246 S86RXI 246 S86XC 246 S86XC 246 S86XC 246 S86XC 246 S86XS 246 S86XI 246 S86XI 246 S86XI 246 S86XISL 248 S86XI 246 S86XISL 248 S86XN 246 S86XNSL 248 S86XR 246 S86XRSL 248 S86XR 246 S86XR 246 S86XR 248 <t< td=""></t<>



S9XN ...

S9XR...

S9XNSL.


S9XRSL....

246

248

246

248





Top: Fiber-Classic Mahogany Collection, Calix Glass, Door – FCM82223, Finish – Acorn

Bottom: Impressions Storm & Entry Door System – IM8100, Finish – White; Fiber-Classic Mahogany Collection, Chord Glass, Door – FCM84810XC, Finish – Tumbleweed



Tools of the Trade

Check out these helpful resources for dealers, builders and remodelers.

Architectural Home Styles Guide

Get inspired to choose entry doors by design with our interactive guide to popular home styles at thermatru.com/inspiration.



Advancement Center

Learn about Therma-Tru products and programs on our new online training platform at **brainshark.com/thermatru.**



Certified Door System Installation Program

Build your knowledge, skills and confidence with comprehensive door system installer training from Therma-Tru — the expert in fiberglass door systems — and OSI® — the expert in construction sealants. Get started today at **thermatru.com/installer.**

Digital Vault

Explore the Digital Vault to find logos, images, literature and more to help you promote the Therma-Tru products you offer. Create an account today at thermatru.widencollective.com/login.



Trade Professionals Online

Find everything from selling tools and training materials to technical information at **thermatru.com/professionals**.



Design Your Door

Homeowners can research and design a door with their own personal touch — all from the convenience of home. To get started, visit thermatru.com/design-your-door.





DOORS • DECORATIVE & SPECIALTY GLASS • FINISHING • SYSTEM COMPONENTS

THERMA TRU®

thermatru.com

1-800-THERMA-TRU (843-7628)

1750 Indian Wood Circle Maumee, OH 43537









in

#thermatru

Cover / Back Cover: Smooth-Star, Clear Glass with SDLs, Door - S4200, Sidelites - S2000SL, Finish - Elk

©2025 Therma-Tru Corp. All rights reserved. All trademarks and images featured are owned by their respective company and used with permission. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. and Larson Manufacturing Company, LLC are part of Fortune Brands Innovations, Inc. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency. O24-67072

Part #MAFL2025 HESB / JAN 2025